

City of Richmond

Report to Committee

To Rushic Works & Transportation - Nov 21, 2007

To:

Public Works and Transportation Committee

November 1, 2007

Date:

File:

From:

Robert Gonzalez, P.Eng.

12-8060-20-8204

Director, Engineering

12.8060-20-8314

Re:

Flood Plain Management Bylaw

Xr: 11-6045-11-01

Staff Recommendations

1. That Flood Plain Designation and Protection Bylaw 8204 be introduced and given first, second, and third reading.

- 2. That Building Regulation Bylaw 7230 Amendment Bylaw 8314 be introduced and given first, second and third reading in order to delete section 6.2.
- 3. That staff bring forward an amendment to the Building Height definition in the Zoning and Development Bylaw 5300 concurrent with final adoption of Flood Plain Designation and Protection Bylaw 8204.

Robert Gonzalez, P.Eng. Director, Engineering (4150)

Att.:

Flood Plain Designation and Protection Bylaw 8204

Richmond Building Regulation Bylaw 7230 Amendment Bylaw 8314

Provincial Flood Hazard Area Land Use Management Guidelines (May 2004)

FO	R ORIGINATI	NG DEPAR	RTMENT USE ONLY
ROUTED TO:	Con	CURRENCE	CONCURRENCE OF GENERAL MANAGER
Law		Y W N D	
Building Approvals		YWND	
Development Applications.		Y 🗹 N 🗀 .	
Policy Planning		$A \square A \square A$	
REVIEWED BY TAG	YES /	МО	REVIEWED BY CAO YES NO

Staff Report

Origin

In June 2006, staff presented the Richmond 2006-2031 Flood Protection Management Strategy Report to Council for information. The report summarized the study findings and outlined a planned multi-faceted approach to flood management for Richmond. Some of the key areas of work identified in the strategy are:

- Upgrades to the City's drainage system and dykes, including height and seismic considerations.
- Coordination with external agencies to ensure flood construction levels are supported by the most current and relevant information.
- Implementation of a Flood Plain Designation and Protection Bylaw.
- Investigation of a mid island dyke.

This report addresses the Flood Plain Designation and Protection Bylaw component of the City's Flood Protection Management Strategy.

Analysis

As the City of Richmond is situated in a flood plain area, flood protection is paramount. A comprehensive Flood Plain bylaw is a critical regulatory tool to mitigate the impacts of flood hazards and to assist in the future development of the City of Richmond.

Based on past agreements with the Provincial Government, the City created an Urban Exempt area west of Highway 99 and Policy 7000 allows buildings in the Urban Exempt area to be built below the 200-year flood level along the Fraser River. See Figure 1 for the existing flood construction levels.

White retaining a minimum habitable floor of 0.9m has traditionally been manageable, it poses significant future challenges given the anticipated growth and densification identified in the City's Official Community Plan. Development and densification will continue to increase the volume of storm water and speed at which it has to be removed in order to continue to meet the City's drainage service level of a 1 in 10 year event. Through the City's long range infrastructure models, staff have gained a better understanding of the drainage infrastructure improvements required to sustain the current level of service. It is readily apparent that additional techniques, beyond adding more and larger drainage infrastructure to artificially lower the water table, are required. By taking a multi faceted approach, as proposed in the Flood Plain Designation and Protection Bylaw, the City will avoid considerable drainage capital costs, but will also avoid the respective operating and maintenance costs that impact utility rates related to the new infrastructure. Adding substantial capital and maintenance costs, and the disruption to the community related to the new infrastructure is not sustainable.

The proposed Flood Plain Designation and Protection Bylaw 8204 outlines building, landfill and set back strategies for flood protection to reduce the dependence on structural defence mechanisms such as the dike and pump stations. The long term strategy is that over an extended period of time, generally the City should raise the level of developed land such that it is above the 200-year flood level. In addition to reducing reliance on dikes, the size and amount of drainage infrastructure required may be reduced given the reduced flooding risks from buildings being constructed at higher elevations.

In preparing the Flood Protection Management Strategy and the proposed Flood Plain Designation and Protection Bylaw, staff considered the Local Government Act and guidelines established in the provincial Flood Hazard Area Land Use Management Guidelines (May 2004) which are attached for Council's consideration. The resultant Flood Plain Designation and Protection Bylaw 8204 reflects Richmond's unique island City and topographical characteristics. Some of the key concepts as well as variations from the provincial guidelines are outlined below.

1) Setback Requirements

The Provincial Guidelines suggests that no landfill or structural support required to support a floor system or pad shall be constructed, reconstructed, moved, extended or located within an established distance of the natural boundary of the Fraser River or Gulf of Georgia or within an established distance of an internal watercourse.

The proposed Flood Plain Designation and Protection Bylaw 8204 has setback requirements such that the location of landfill or structural support required to support a floor system or pad had to be more than 7.5m away from a dike ROW where a standard dike exists and to be more than 30m from a dike ROW where a standard dike does not exist. Where a dike ROW does not exist, construction must be more than 30m from the natural boundary.

The proposed bylaw varies from the Provincial Guidelines as there are many existing homes located within 30m of the Fraser River and Gulf of Georgia where a standard dike is present, which could not be rebuilt or modified under the Provincial Guidelines. In addition, Richmond has numerous internal watercourses that would essentially limit the usefulness of most of the adjacent parcels.

2) General Exemptions

The proposed bylaw establishes a general exemption that allows the parcels in Area A (see Schedule B of the Bylaw) to have the underside of the floor system or the top of the pad supporting any space or room including a manufactured home to be located at least 0.3m above the highest existing level of the crown of any road that is adjacent to the parcel. In addition, commercial and industrial buildings which are located less than 3.0m from the boundary of the road are to be located at the same elevation as the highest existing level of any road that is adjacent to that parcel.

The proposed bylaw also establishes a general exemption that allows the parcels in the Steveston Village Area (see Schedule B of the Bylaw) to have the top side of the floor system or the top of the pad supporting any space or room including a manufactured

home to be located at the existing level of a City-owned sidewalk, (or if no sidewalk, the road) that is adjacent to the parcel.

In addition, the elevation requirements do not apply to:

- renovations of existing buildings or structures that do not include an addition to the building or structure
- additions to existing buildings or structure where the increase in floor area is less than 25%
- buildings or structures that are to be used as carports or garages
- underground parkades that have signage indicating the potential for flooding and pedestrian access that is above the flood level
- farm buildings other than dwelling units

These exemptions should minimize the visual disruptions to the neighbourhood due to the proposed flood plain construction level and maintain the character of Richmond's neighbourhoods.

Large planning initiatives such as West Cambie and Terra Nova, already have established minimum habitable building elevations in the Area Plans and as such have been addressed in the proposed Flood Plain Designation and Protection Bylaw 8204.

Building Regulation Bylaw 7230

Flood Plain Designation and Protection Bylaw 8204 proposes building elevations that are higher than currently allowed in the Building Regulation Bylaw (0.9 m in the exempt area of west Richmond). As a result there is a need to ensure that the bylaws are coordinated and clearly outline building elevation requirements. Section 6.2 in Building Regulation Bylaw 7230 will be deleted concurrent with final reading Flood Plain Designation and Protection Bylaw 8204.

Zoning and Development Bylaw 5300

By raising minimum habitable building elevations as proposed in the Flood Plain Designation and Protection Bylaw 8204, construction of the typical two and a half storey single family residential homes will in some cases be problematic. The definition of Building Height in Zoning and Development Bylaw 5300 allows the height of building to be measured from the higher of either the building slab or the crown of road, whichever is higher. By raising the building slab height, as proposed in the Flood Plain bylaw, the total height of a single family house is reduced, which may be a problem from a house design perspective. In order to address this, staff propose that the definition of Building Height be amended concurrent with final adoption of the Flood Plain bylaw.

Financial Impact

None at this time. Through the capital program, as new infrastructure is planned, it will be planned and designed with the higher building elevations in mind.


Conclusion

Through the long range infrastructure modelling efforts commenced in 2000 by Engineering Planning staff, it has become evident that constructing significantly more and larger drainage infrastructure to sustain current service levels is not a sustainable long term solution. A combination of techniques is required and the proposed Flood Plain Designation and Protection Bylaw 8204 will provide some of the additional necessary tools. This approach will enable the City to mitigate some of the substantial drainage infrastructure capital and maintenance costs, which ultimately impact utility rates and result in disruption to the community. In addition, the proposed Flood Plain Designation and Protection Bylaw allows sufficient flexibility for staff to consider situations where it is not feasible or practical to raise building elevations in maintaining the character of Richmond's neighbourhoods.

Siu Tse, M.Eng., P.Eng.

Manager, Engineering Planning

(4075)



Bylaw 8204

Flood Plain Designation and Protection Bylaw

WHEREAS:

It is desirable to minimize the risk of injury, loss of life, and property damage due to flooding;

Council has considered Provincial Guidelines respecting flood control; and

The Local Government Act, section 910, authorizes Council to enact a bylaw to designate flood plains within the City and to make regulations in relation to flood control, flood hazard management and development of land that is subject to flooding;

The Council of the City of Richmond enacts as follows:

PART 1. DESIGNATION OF FLOOD PLAIN

- 1.1 The following areas of the City are designated as **flood plain**:
 - (a) The flood plain of the Fraser River in the vicinity of the City as shown on Schedule A.
 - (b) The flood plain of the Gulf of Georgia in the vicinity of the City as shown on Schedule A.

PART 2. SETBACK REQUIREMENTS

- 2.1 No landfill or structural support required to support a floor system or **pad** shall be constructed, reconstructed, moved, extended or located:
 - (a) where a **standard dike** exists, within 7.5 metres of a dike right of way;

148

- (b) where a **standard dike** does not exist, within 30 metres of a dike right of way; or
- (c) where a dike right of way does not exist and land is situated within the dike alignment, within 30 metres of the **natural boundary**.

2299582

PART 3. ELEVATION REQUIREMENTS

- 3.1 Except as otherwise expressly permitted in this bylaw, a person shall not construct, reconstruct, move, extend or locate the finished concrete floor, underside of any floor system damageable by flood waters, or the top of any pad supporting any space or room, including a manufactured home below the flood plain construction level, as shown in Schedule B, where the building, structure, or manufactured home is used or could be used for the purpose of dwelling, business, or the storage of goods susceptible to damage by flood water.
- 3.2 Subject to section 3.3, the flood plain construction level may be achieved by:
 - (a) structural elevation of the underside of any floor system, or the top of any pad supporting any space or room, that is or could be used for a dwelling, business, or storage purpose;
 - (b) by adequately compacted landfill on which any building is to be constructed or manufactured home or unit located; or
 - (c) by a combination of both structural elevation and landfill.
- 3.3 Where landfill is used to achieve the **flood plain construction level**, no portion of the landfill slope shall be closer than the setbacks established in section 2.1 for
 - (a) the **natural boundary**; or
 - (b) the inboard side of any dike right of way,

and the face of the landfill slope shall be protected against erosion from flood flows, wave action, ice or other debris.

3.4 No area below the **flood plain construction level** shall be used for the installation of furnaces or other fixed equipment susceptible to damage by flood water.

PART 4. GENERAL EXEMPTIONS

- 4.1 In respect of all parcels within **Area A**, as shown in Schedule B, the elevation requirements of Part 3 do not apply to a building or structure where the underside of the floor system, or the top of the **pad** supporting any space or room, including a **manufactured home**, is located at least 0.3 metres above the highest level of the crown of any **road** that is adjacent to the parcel.
- 4.2 In respect of a parcel within **Area A**, as shown in Schedule B, which is used for a commercial or industrial use, the elevation requirements of Part 3 do not apply to a building where:

- (a) the main entrance to the building is located three (3) metres or less from the boundary of a **road**; and
- (b) the underside of the floor system, or the top of a pad supporting any space or room within that building is located at the same elevation as the highest level of any road that is adjacent to that parcel.
- 4.3 In respect of a parcel within the **Steveston Village Area**, the elevation requirements of Part 3 do not apply. In respect to the **Steveston Village Area**, the top side of the floor system or the top of the **pad** supporting any space or room of a building or structure, including a manufactured home, shall not be below the existing level of a City sidewalk, (or if no sidewalk, the **road**) that is adjacent to the parcel.
- 4.4 The elevation requirements of Part 3 do not apply to:
 - (a) the renovation of an existing building or structure that does not include an addition to the building or structure;
 - (b) an addition to a building or structure that would increase the size of the building or structure by less than twenty-five (25%) percent of the floor area of the building existing as of the date of adoption of this Bylaw;
 - (c) that portion of a building or structure to be used as a carport or garage;
 - (d) enclosed underground parking areas where an unobstructed non mechanized means of pedestrian access and egress is provided above the flood plain construction level and where a sign is permanently posted at all points of entry that the parking area is not protected from inundation by flood waters;
 - (e) farm buildings other than dwelling units.

PART 5. SITE SPECIFIC EXEMPTIONS

- In respect of a parcel located within an area protected by a **standard dike**, an exemption pursuant to section 910(5) of the *Local Government Act* from any requirement or requirements of Part 2 or Part 3 may be granted by the **Director**, subject to any terms and conditions the **Director** considers necessary or advisable, if:
 - (a) the **Director** is of the opinion that the exemption is consistent with the **Provincial Guidelines**; or

Bylaw 8204

Page 4

- (b) the **Director** receives a report, certified by a **professional engineer** or **professional geoscientist** and experienced in geotechnical engineering, that
 - (i) the land may be used safely for the use intended, and
 - (ii) protection from a flood of the magnitude used for modelling purposes in the Lower Fraser River Hydraulic Model, 2006 can be achieved through an engineered design without reliance on a standard dike.
- 5.2 Without limiting other terms and conditions that the **Director** considers necessary or advisable in granting an exemption under this Part, the **Director** may require that a person enter into a covenant under Section 219 of the *Land Title Act* against the title of the parcel, at that person's expense, which covenant may include, without limitation, provisions that
 - (a) identify reliance on a report required pursuant to Section 5.1 (b);
 - (b) impose duties and restrictions on the owner of the parcel; and
 - (c) release and indemnify the **City** with respect to any flooding of the property or flood damage to land, structures and contents thereof.
- 5.3 A person seeking an exemption shall complete an application in a form provided by the **City** and submitted in accordance with the instructions on the application.
- 5.4 Any reports, covenants, materials or other requirements that are or may be imposed as a condition of exemption under this Part shall be at the sole expense of the person seeking an exemption.
- 5.5 This bylaw is not a substitute for any requirements under Section 56 of the *Community Charter* or amendments thereto.

PART 6. OFFENCE AND PENALTY

6.1 A person who contravenes a regulation or requirement of this bylaw commits an offence and on conviction is liable to a fine of \$10,000, and in the case of a continuing offence, each day that the offence continues is a separate offence.

PART 7. NO REPRESENTATION

7.1 By the enactment, administration or enforcement of this bylaw, the City does not represent to any person that any building, structure or manufactured home

Bylaw 8204 Page 5

located, constructed or used in accordance with the provisions of this bylaw, or in accordance with conditions, terms, information, advice, direction or guidance provided by the City in the course of administering this bylaw, will not be damaged by flooding or flood water.

PART 8. INTERPRETATION AND CITATION

8.1 In this Bylaw:

Area A means that part of the City lying within the boundaries of "Area A" as shown on Schedule "B" to this Bylaw;

City means the City of Richmond;

Director means the Director of Building Approvals or a person designated by the Director to act in his or her absence:

flood plain means a lowland area, whether or not diked or floodproofed, which, by reasons of land elevation, is susceptible to flooding from an adjoining watercourse, river, ocean, lake or other body of water, and that is designated as flood plain in Part 1 of this bylaw;

flood plain construction level means the elevation level, measured in metres GSC, established in Schedule B of this bylaw;

floodway means the channel of a watercourse and those portions of the flood plain that are reasonably required to discharge a flood flow;

GSC means Geodetic Survey of Canada datum;

manufactured home means a structure manufactured as a unit, intended to be occupied at a place other than its place of manufacture, and designed as a dwelling unit, and includes mobile homes, but specifically excludes recreation vehicles;

natural boundary means the visible high water mark of any lake, river, stream or other body of water where the presence and action of the water are so common and usual and so long continued in all ordinary years as to mark upon the soil of the bed of the lake, river, stream or other body of water a character distinct from that of the banks thereof, in respect to vegetation as well as in respect to the nature of the soil itself. For coastal areas, the natural boundary shall include the natural limit of permanent terrestrial vegetation. In addition, the natural boundary includes the best estimate of the edge of dormant or old side channel and marsh areas:

Bylaw 8204 Page 6

pad means a paved surface on which blocks, posts, runners or strip footings are placed for the purpose of supporting a manufactured home or unit;

professional engineer means an engineer who is registered or licensed in British Columbia under the provisions of the *Engineers and Geoscientists Act* and amendments thereto;

professional geoscientist means a geoscientist who is registered or licensed in British Columbia under the provisions of the *Engineers and Geoscientists Act* and amendments thereto;

Provincial Guidelines means the policies, strategies, objectives, standards, guidelines and environmental management plans, in relation to flood control, flood hazard management and development of land that is subject to flooding, as contained within the *Flood Hazard Area Land Use Management Guidelines* dated May, 2004, published by the Province of British Columbia, and any amendments or revisions thereto;

road includes a highway, street, lane, sidewalk, right of way or any other way open to public use, or a private right of way intended for vehicular traffic, but does not include a trail;

setback means a withdrawal of a building or landfill from the natural boundary or other reference line to maintain a **floodway** and to allow for potential land erosion:


standard dike means a dike that is built to a minimum crest elevation and meeting standards of design and construction approved by the Ministry of Environment and as may be required by the City, whichever standard is higher, and that is maintained by the local government body;

Steveston Village Area means that part of the City shown on Schedule B of this Bylaw as being "At Sidewalk Elevation"; and


watercourse means any natural or man-made depression with well-defined banks and bed at least 0.6 metres or more below the surrounding land serving to give direction to a current of water at least 6 months of the year, or that has a drainage area of 2 square kilometres or more upstream of the point of consideration.

This Bylaw is cited as "Flood Plain Designation and Protection Bylaw No. 8204".

FIRST READING		TY OF HMOND
SECOND READING	for c	ROVED ontent by ginating dept.
THIRD READING		ROVED
ADOPTED		legality Solicitor
MAYOR	CORPORATE OFFICER	



Schedule B attached to and forming part of Bylaw 8204



Bylaw 8314

Richmond Building Regulation Bylaw 7230 Amendment Bylaw 8314 (Finished Concrete Floor Elevation deletion)

The Council of the City of Richmond, in open meeting assembled, enacts as follows:

1. The Richmond *Building Regulation Bylaw 7230* is amended by deleting section 6.2 as follows:

6.2 Finished Concrete Floor Elevations

- 6.2.1 Except as provided in subsections 6.2.2 or 6.2.3, the minimum elevation of a finished concrete floor, including a crawl space floor, must be decimal nine zero (0.90) metres geodetic datum.
- 6.2.2 Except as provided in subsection 6.2.3, the minimum elevation of a finished concrete floor of a storage garage, used only for storing or parking **vehicles** and located in a **basement**, must be decimal seven five (0.75) metres geodetic datum.
- 6.2.3 The minimum elevation of a finished concrete floor of a storage garage used only for storing or parking vehicles and located in a basement, other than for a one-family dwelling or a two-family dwelling, may be lower than specified in subsection 6.2.1 or 6.2.2 provided:
 - (a) a registered professional ensures that:
 - (i) where the proposed **construction** results in a temporary or permanent change in the ground water level, the design minimizes the effects of this change on adjacent **parcels**; and
 - (ii) the floor area drainage system is designed to maintain the floor area relatively water free for an adequate period of time, as determined by the registered professional, to ensure safe evacuation of all personnel; and
 - (b) a restrictive covenant is registered in favour of the City, under the Land Title Act, against the title to the parcel which contains an agreement by the owner:
 - (i) to indemnify and save the City harmless against any claims resulting from floodwater damage; and

(ii) to use the floor area only for parking or storing **vehicles** or equipment not damageable by water.

2. This Bylaw may be cited as "Richmond Building Regulation Bylaw 7230, Amendment Bylaw 8314".

FIRST READING		CITY OF
PUBLIC HEARING		APPROVE(by
SECOND READING		APPROVEC
THIRD READING		or Soticitor
ADOPTED		
MAYOR	CORPORATE OFFICER	

FLOOD HAZARD AREA LAND USE MANAGEMENT GUIDELINES



May 2004

Ministry of Water, Land and Air Protection

Province of British Columbia

.

Contents

Cent	ents		
Intro	ductio	on to Document and Guidelines	.
1.0	Ad	ministration - Flood Hazard Land Use Management	
	1.1	Official Community Plans	7
	1.2	Bylaws and Development Permits	7
	1.3	Requests for Modification of Bylaws	
	1.4	Subdivision Approval Process	8
	1.5	Covenant Measures	9
	1.6	Requests for Modification of Floodproofing Covenants	10
	1.7		
	1.8	Miscellaneous Administrative Measures	11
	1.9	Refusal to Consent	11
2.0	Flo	od Plain Mapping	13
3.0	Ap	plication - By Hazard Type	15
	3.1	Lakes, Ponds, Marsh Areas and Reservoirs	16
	3.2	Watercourses	17
	3.3	Alluvial Fans	20
	3.4	Areas Subject to Debris Flows	21
	3.5	The Sea	22
	3.6	Areas Protected by Standard Dikes	24
4.0	Ap	olication - Land Use Specific	25
	4.1	Agriculture	
	4.2	Public Recreation, Institutional Buildings, Parks and Open Space	26
	4.3	Industrial Areas	27
	4.4	Fish Farms	27
	4.5	Ancillary Buildings, Carports, Garages, Entryways and Renovations to Existing	
		Buildings	28
	4.6	Additions to Existing Buildings	28
	4.7	Lots Existing Prior to Bylaw Adoption	28
5.0	Арр	plication - Implementation Measures	29
	5.1	Manufactured Homes or Units	29
	5.2	Furnaces, Electrical and Other Fixed Equipment	29
	5.3	Parking	29
	5.4	Elevation by Landfill	30
	5.5	Depth of Flooding	30
		Flood Velocities	
		Training Works	
	5.8	Erosion Protection Works	31
		(A - Definitions	
APPE	NDD	(B - Standard Forms	37

Introduction to Document and Guidelines

This document provides guidelines intended to help local governments, land-use managers and approving officers develop and implement land-use management plans and make subdivision approval decisions for flood hazard areas.

The goals of the provincial "Flood Hazard Area Land Use Management Guidelines" are to reduce or prevent injury, human trauma and loss of life, and to minimize property damage during flooding events. Experience has shown that regulating land development to keep people out of harm's way is the most practical and cost effective way of achieving these goals.

The guidelines are based on the policies and procedures established and refined over the life of the provincial flood hazard management program.

These guidelines have been prepared pursuant to section 2 of the *Environment Management Act* and must be considered by local governments in making bylaws under section 910 of the *Local Government Act*.

The guidelines are divided into five sections:

- 1.0 Administration Flood Hazard Land Use Management
- 2.0 Flood Plain Mapping
- 3.0 Application By Hazard Type
- 4.0 Application Land Use Specific
- 5.0 Application Implementation Measures

The Administration section details ways in which decision-makers can manage flood hazards on a broad or area-wide basis, employing strategies such as flood hazard management plans, bylaws and standards, and during the subdivision process.

The Flood Plain Mapping section details the importance and application of flood plain mapping information.

The Application sections provide the provincial requirements for different types of flooding hazards and different land uses commonly found in BC. These are minimum requirements that may be increased by the decision-maker depending on local circumstances.

In the absence of more site-specific studies or information, these guidelines are the recommended provincial minimum requirements for land use management in flood hazard areas. For certain areas of the province, more site-specific information may be available for the decision-maker's consideration. Sources of site-specific information that may supplement the guidelines include:

- Historical records and descriptions, particularly of previous flooding events at a specific location;
- Flood hazard delineation or management studies;
- · Flood plain mapping;
- Engineering and other studies;
- Local government planning documents, such as Official Community Plans and bylaws; and
- Covenants, at the site or in the vicinity.

A survey showing flood hazard management information for individual local governments can be found on the ministry Flood Hazard Management website at: http://wlapwww.gov.bc.ca/wat/flood/index.html. The documents may be viewed at the local government office. Other studies or documents may be available from local governments or from the ministry.

In addition, new site-specific studies containing professional evaluation, advice and recommendations including mapping, may be required where the risk to life and property is high, where advice is required to meet provincial flood hazard management guidelines or where modified or new protective works are proposed.

1.0 Administration - Flood Hazard Land Use Management

Local governments should consider broad flood hazard management tools to ensure that future land use will be planned and buildings constructed in a manner that will reduce or prevent injury, human trauma and loss of life, and to minimize property damage during flood events.

Appropriate land use management requirements should be included by the statutory decision-maker at certain stages in the planning process. These include:

1.1 Official Community Plans

Official Community Plans (OCPs) must contain general land use policy statements and maps respecting restrictions on the use of land that is subject to hazardous conditions. OCPs should include statements that endorse and emphasize the need to manage development in flood prone areas in order to reduce impacts on people and property.

Under the provisions of section 877 of the *Local Government Act*, plan policies and a hazard schedule are required. See example Form 1 in Appendix B.

1.2 Bylaws and Development Permits

Flood protection measures can be applied to new buildings, manufactured homes and units, modular homes or structures on existing lots. These measures may be incorporated into local government bylaws and decisions under the authority of:

- 1.2.1 Section 910 of the *Local Government Act*, where a local government may adopt a flood plain bylaw that designates an area as a flood plain, specifies development levels and setback requirements in a designated area and enforces these conditions.
- 1.2.2 Section 919.1 of the *Local Government Act*, where development permit areas may be designated in an OCP for the protection of development from hazardous conditions.
- 1.2.3 Section 920 of the Local Government Act, where a development permit area has been designated under the provisions of section 919.1 of the Local Government Act, a development permit may specify areas of land that may be subject to flooding, mud flows, torrents of debris, erosion or tsunami that must remain free of development except in accordance with any conditions contained in the permit.
- 1.2.4 Section 903 of the *Local Government Act* where zoning bylaws partition a municipality into sections for different land use purposes. Section 903 can regulate

parcel configuration, the density of the land use, siting and standards of buildings and structures. These bylaws have been used historically for flood hazard areas to ensure public safety is maintained. However it is preferable that a section 910 bylaw be used.

1.2.5 Section 694 of the *Local Government Act*, where local building regulations are established or under section 699 where the building inspector considers that construction would be subject to flooding, and flood proofing conditions are not established under 1.2.1 to 1.2.5 above.

A sample bylaw format is provided in Form 2 in Appendix B.

1.3 Requests for Modification of Bylaws

Subject to review by and if acceptable to the local government, a flood plain bylaw may be modified. The local government may alter any bylaw condition to best match the flood hazard provided the level of protection is not altered. This discretion extends to the reduction of elevation requirements, where flood plain mapping exists, by the freeboard, provided the subject property is in the flood plain fringe area and there are no major erosion or channel avulsion hazards in the immediate vicinity.

Prior to agreeing to a modification, other exceptions in the surrounding area should be reviewed to ensure consistency and a summary report prepared. Review by the local government may not support modification on technical grounds but the applicant may nevertheless have demonstrated a hardship.

Setback requirements should not be reduced unless a serious hardship exists and no other reasonable option is available. A valid hardship should only be recognized where the physical characteristics of the lot (e.g., exposed bedrock, steep slope, the presence of a watercourse, etc.) and size of the lot are such that building development proposals, consistent with land use zoning bylaws, cannot occur unless the requirements are reduced.

In order to avoid setting difficult precedents these site characteristics should be unique to the subject property and environs. The economic circumstances or design and siting preferences of the owner should not be considered as grounds for hardship. Before agreeing to a modification, consideration should be given to other options such as the use of alternate building sites, construction techniques and designs (e.g., constructing an additional storey and thereby reducing the size of the 'building footprint').

1.4 Subdivision Approval Process

Under the provisions of section 86 of the *Land Title Act*, the approving officer -- when approving a subdivision which may be subject to flooding or erosion -- may require an

engineering report certifying that the land may be used safely for the intended purpose and/or require the subdivider to enter into a covenant under section 219 of the *Land Title Act* to establish flood plain requirements. Similar provisions are available under the *Strata Property Act* and the Bare Land Strata Regulations.

A section 219 covenant is to be registered under the *Land Title Act* and standard covenant formats are shown by Form 3 and Form 4 in Appendix B. Covenant conditions can be established as per Form 5 or where a bare land strata approval is involved, Form 6.

Where the land proposed to be subdivided may not be used safely an approving officer may withhold consent to approve a proposed subdivision. A form letter for this purpose is provided in Form 7 (See section 1.9).

1.5 Covenant Measures

Where consent for approval of subdivision of flood prone land is sought, the proponent may be required to register a restrictive covenant against the title of the property under section 219 of the *Land Title Act*. It is recommended that the covenant specify conditions that would enable the land to be safely used for the use intended. In addition, the following conditions should be included:

1.5.1 Waiver of Liability

- 1.5.1.1 Where an approving officer gives consent for approval of subdivision of flood prone land, it is recommended that the owner of the land enter into a covenant, to be registered against the land title, requiring flood proofing of buildings and a waiver of liability in favour of the local government and/or the provincial government in the event of any damage caused by flooding or erosion.
- 1.5.1.2 The waiver procedure may also be requested in considering requests for amendment of flood proofing bylaws in order to permit construction of a building on a legally existing lot, when such reduction gives reasonable grounds for concern in relation to the flood hazard in the area.
- 1.5.1.3 Where a situation arises in which consent to subdivision would normally be refused due to a high flooding hazard, but it is nevertheless deemed appropriate to allow the subdivision due to extenuating circumstances, consideration should be given to requiring the 'waiver' clause to cover the existing buildings. This would need to be expressly identified and expressed in the conditions of consent.

1.5.2 Priority Charge

Covenant conditions are to be registered with priority over any financial charges requested against the property.

Priority charges are executed through the use of the "Consent and Priority Agreement," and must be signed by prior charges and all parties to the subsequent charge. This Agreement is included in both Form 3 and Form 4 in Appendix B.

1.5.3 Covenant Modification Agreements

A covenant modification agreement is provided in Form 8 in Appendix B.

1.5.4 Affidavit for Witness

An affidavit for witness to a covenant or modification agreement is only required where requested by the grantor. Therefore, it is only necessary to make such arrangement if requested.

1.6 Requests for Modification of Floodproofing Covenants

Subject to review by and if acceptable to, the approving officer and all parties signatory to the covenant, a covenant may be modified. The approving officer may modify any covenant to best match the flood hazard provided the level of protection is not altered. This discretion extends to the reduction of elevation requirements, where flood plain mapping exists, by the freeboard, provided the subject property is in the flood plain fringe area and there are no major erosion or channel avulsion hazards in the immediate vicinity.

Prior to agreeing to a modification, other exceptions in the surrounding area should be reviewed to ensure consistency and a summary report prepared. Review by the approving officer may not support relaxation on technical grounds but the applicant may nevertheless have demonstrated a hardship.

Setback requirements should not be reduced unless a serious hardship exists and no other reasonable option is available. A valid hardship should only be recognized where the physical characteristics of the lot (e.g., exposed bedrock, steep slope, the presence of a watercourse, etc.) and size of the lot are such that building development proposals, consistent with land use zoning bylaws, cannot occur unless the requirements are reduced.

In order to avoid setting difficult precedents these site characteristics should be unique to the subject property and environs. The economic circumstances or design and siting preferences of the owner should not be considered as grounds for hardship. Before agreeing to a modification, consideration should be given to other options such as the use of alternate building sites, construction techniques and designs (e.g., constructing an additional storey and thereby reducing the size of the 'building footprint').

1.7 Crown Land Dispositions

Under the provisions of section 11 of the *Land Act* and provincial "Flood Hazard Area Land Use Management Guidelines", conditions are established for attachment to leases and other dispositions, see Form 9 in Appendix B.

1.8 Miscellaneous Administrative Measures

1.8.1 Replot of Lot Lines and Consolidation

1.8.1.1 Where a replot of lot lines is considered to be a technical adjustment and does not increase the buildable sites within the flood plain, then the local government flood plain requirements will apply. The provincial guidelines are stated for information purposes on the restrictive covenant. See Form 10 in Appendix B.

Where a subdivision plan creating a new lot occurs, and this lot is subsequently consolidated with another lot, then flood proofing conditions should be attached to the land title of the subdivided parcels and the separate parcel prior to consolidation.

1.8.1.2 The Registrar of Land Titles may accept a reference or an explanatory plan without an accompanying description, where a new parcel is created by the consolidation of adjoining surveyed parcels. As such, the plan does not require approval of the approving officer and, therefore, may not require the attachment of covenant requirements under the provisions of section 86 of the Land Title Act.

1.8.2 Benchmarks

Where an approving officer considers a geodetic elevation necessary, the installation of benchmarks may be a condition of consent to subdivision approval in order to assist in the on-site determination of the Flood Construction Level.

1.8.3 Accretions

The applicable flood hazard requirements should apply to any naturally accreted land that has been legally obtained by the upland waterfront property owner.

1.9 Refusal to Consent

A decision maker may withhold consent to a proposed subdivision, bylaw amendment or Crown land disposition where hazard to 'life and limb' exists and cannot be practically alleviated by structural works maintained by the local government and/or flood proofing."

Examples of situations where consent may be withheld, include proposals located:

- In the floodway,
- In the path of a major channel avulsion,
- In the path of a debris flow,
- In an active erosion area,
- Where flood depths exceed 2.5 metres,
- Where flood velocities exceed 1.0 metre per second, and/or
- Where the provision of safe access and egress is not possible.

2.0 Flood Plain Mapping

Local governments must consider relevant flood plain mapping information in making bylaws under section 910 of the *Local Government Act*, as well as in making related decisions regarding flood hazards, including the establishment of Flood Construction Levels. As such, available flood plain mapping information is incorporated into and forms a part of these Guidelines.

A flood plain map delineates the area that can be expected to flood, on average, once every 200 years (called the 200-year flood). It should be noted that:

- A 200-year flood can occur at any time in any given year,
- · The indicated flood level may be exceeded, and
- · Portions of the flood plain can flood more frequently.

Flood plain maps show the location of the normal channel of a watercourse, surrounding features or development, ground elevations contours, flood levels and flood plain limits (the estimated elevation and horizontal extent of the high water marks of a 200-year flood).

Flood plain mapping information is available for many settled areas of the province. To access information on availability, including links to on-line maps and ordering instructions, visit the following web site: http://srmwww.gov.bc.ca/aib/fpm/index.html

Determination of Designated Flood Levels

The magnitude and water levels associated with the designated flood are determined for each river by using survey and hydrological data.

The magnitude of the designated flood is determined by frequency analysis of past floods supplemented by regional runoff data when required. The water surface profile is then calculated for the designated flood.

The flood plain is delineated by the translation of the flood profile plus freeboard allowance to base mapping to produce the finished flood plain maps.

Historical context

Many of the flood plain maps presently available were developed under a provincial-federal program. The Flood Plain Mapping Program was delivered under the Canada - British Columbia Agreement Respecting Floodplain Mapping from 1987 to 2003. The agreement marked an acceleration of a provincial mapping program that commenced in 1974. Following is a summary of the objectives of the agreement.

The Agreement:

- Restricted both governments from further undertakings (including construction
 of, or a major addition to, structures or a change in the use of land) in areas that
 are vulnerable to flooding and are located in designated flood plains;
- Discouraged financial assistance for development of undertakings in floodprone areas;
- Accommodated measures to encourage local authorities to restrict undertakings in flood-prone areas under their jurisdiction; and
- Required adequate flood proofing measures to have been incorporated into new development in a flood plain after designation to be eligible for disaster assistance.

Other maps, developed under different processes, may be available.

For further information regarding flood plain mapping, please to refer to the web site noted above.

3.0 Application - By Hazard Type

Where relevant flood plain maps, and other relevant flood hazard-related information (such as covenants, bylaws, flood hazard maps and engineering reports) exist, they must be considered.

Where such information is not available, the following minimum requirements should be considered to guide development away from higher flood hazard areas and to allow development to proceed in a safe manner in lower risk areas. These minimum requirements should be registered against the land title as a covenant at the time of subdivision, and/or should be incorporated into local government bylaws.

The following guidelines include recommended minimum flood plain setbacks and flood construction levels.

Flood plain setbacks are established to keep development away from areas of potential erosion and avoid restricting the flow capacity of the floodway. Keeping the floodway clear of development can reduce the risk of damage to neighbouring properties and reduce disruptions to natural river processes, leading to a more balanced and economical approach to managing flood prone areas. Setbacks are measured from the natural boundary unless otherwise specified.

Flood Construction Levels (FCLs) are used to keep living spaces and areas used for the storage of goods damageable by floodwaters above flood levels. In some locations FCLs have been established. Otherwise FCLs are typically referenced as an elevation above the natural boundary.

In cases where the FCL has been determined, it should be taken into consideration, together with an appropriate setback requirement.

The designated flood, and the designated flood level, are used in determining the FCL.

The designated flood means a flood which may occur in any given year, of such magnitude as to equal a flood having a 200-year recurrence interval, based on a frequency analysis of unregulated historic flood records or by regional analysis where there is inadequate streamflow data available.

A designated flood level is the observed or calculated water surface elevation for the designated flood and is used to determine the Flood Construction Level.

In the absence of more site-specific studies or information, these guidelines are the recommended provincial minimum requirements for land use management in flood hazard areas.

3.1 Lakes, Ponds, Marsh Areas and Reservoirs

3.1.1 Lakes

Setback -

Buildings, manufactured homes or units, modular homes or structures (referred to as "buildings" in all subsequent clauses) should be setback at least 15 metres from the natural boundary of any lake.

FCL where a designated flood level has been determined -

Areas used for habitation, business, or storage of goods damageable by floodwaters should be constructed within any building at an elevation such that the underside of the floor system thereof is no lower than the designated flood level of the lake plus freeboard allowance.

FCL where a designated flood level has not been determined -

The FCL for lakes over 15 kilometres in length should be 3.0 metres above the natural boundary of the lake, or any pond, backwater, slough, swamp or marsh area affected by the lake.

3.1.2 Small Lakes, Ponds, Swamps and Marsh Areas

Where a lake is less than 15 kilometres in length and where there is no history of severe flooding or concern for shoreline erosion, and for ponds, swamps or marsh areas:

Setback -

Buildings should be setback at least 7.5 metres from the natural boundary of the lake, pond, swamp or marsh.

FCL -

The elevation requirement may be reduced to 1.5 metres above the natural boundary of the lake, pond or adjacent swamp or marsh area.

3.1.3 Bluffs

Setback --

Where the building site is at the top of a steep bluff and where the toe of the bluff is subject to erosion and/or is closer than 15 metres from the natural boundary, the setback

should be a horizontal distance equal to 3.0 times the height of the bluff as measured from the toe of the bluff.

For practical application, this setback condition will require site-specific interpretation and could result in the use of a minimum distance measured back from the crest of the bluff. This setback may be reduced provided the reduction is supported by a report prepared by a suitably qualified professional.

3.1.4 Reservoirs

Setback --

The setback requirements regarding lakes, ponds and marsh areas (clauses 3.1.1, 3.1.2 and 3.1.3) should generally apply to reservoirs. Some reservoirs have established 'safe lines' in their operating plans that may be used to establish the setback, or site-specific analysis may be required. For larger reservoirs, specific setbacks are established.

FCL -

For smaller reservoirs, the FCL is either an elevation of 1.5 metres above the crest of the spillway or is 0.6 metres above the crest of the dam, whichever is greater. For larger reservoirs, reservoir specific FCLs are established.

3.2 Watercourses

It should be noted that the natural boundary for watercourses includes the best estimate of the edge of dormant or old side channels (see definition in Appendix A).

3.2.1 Standard requirements for ordinary watercourses

Setback -

Buildings should be setback at least 30 metres from the natural boundary of any watercourse, except as noted in sections 3.2.2 to 3.2.8 below.

Where standard dikes exist, setbacks shall be as noted in section 3.6 of these guidelines. Where non-standard dikes exist, setbacks should be developed in consultation with the Inspector of Dikes in order to provide right-of-way for any future dike improvements and/or access.

FCL where a designated flood level has been determined -

Areas used for habitation, business, or storage of goods damageable by floodwaters should be constructed within any building at an elevation such that the underside of the floor system thereof is no less than the Flood Construction Level.

FCL where a designated flood level has not been determined -

The Flood Construction Level should be no lower than 3.0 metres above the natural boundary of any nearby watercourse, except as allowed in section 3.2.3 and 3.2.4.

3.2.2 Increased Requirements for ordinary watercourses

The requirements for a watercourse may be increased where a watercourse has demonstrated extensive flooding and/ or has significant bank erosion and/or depth of flooding:

Setback-

The setback requirements may be increased to an amount greater than 30 metres.

FCL -

The elevation of areas used for habitation, business, or storage of goods damageable by floodwaters should be established within any building at an elevation greater than 3.0 metres above the natural boundary of the watercourse.

3.2.3 Requirements for Smaller Streams

The requirements for small streams may be reduced where the following conditions exist:

- Sufficient discharge records are available to establish the designated flood and/or the designated flood can be otherwise estimated as less than 80 cubic metres per second, and
- The watercourse has no significant history of flooding and/or bank erosion, and/or
- The watercourse is not located on an alluvial or colluvial fan, and/or
- It is deemed appropriate by an approving officer.

Setback -

The setback requirement may be reduced to 15 metres from the natural boundary of the watercourse provided the floodway is not obstructed.

FCL -

The elevation of areas used for habitation, business, or storage of goods damageable by floodwaters should be established within any building at an elevation greater than 1.5 metres above the natural boundary of the watercourse.

3.2.4 Requirements for Very Small Streams

For streams not meeting the definition of "watercourse" and where there is no history of flooding and/or bank erosion and where the watercourse is not located on an alluvial or colluvial fan, the setback and FCL requirements shall be at the discretion of the approving officer

3.2.5 Decreased Requirements for ordinary watercourses

Setback and FCL -

The requirements for may be reduced where the following conditions exist:

- Sufficient discharge records are available to establish the designated flood and/or the designated flood can be otherwise estimated as greater than 80 cubic metres per second, and
- The watercourse has no significant history of flooding and/or bank erosion, and/or
- The watercourse is not located on an alluvial or colluvial fan, and/or
- It is deemed appropriate by an approving officer.

3.2.6 Downstream of Dams

Setback -

Dam upgrading or development restrictions may be necessary if a development proposal increases the Land and Water BC (LWBC) hazard consequence classification for low, high and very high consequence dams (other than dams owned and operated by a major utility). The requirements should be determined on a site-specific basis by a professional engineer in consultation with the dam owner and LWBC.

Clauses 3.2.1 to 3.2.4 should apply downstream of dams rated with a very low consequence classification as determined by LWBC.

3.2.7 Culverts and Bridges

Setback --

Use setbacks specified for the size of the watercourse in question.

FCL -

Where, in the opinion of an approving officer, culverts and bridges immediately downstream of a subject property may become obstructed in times of flood and cause ponding upstream of the bridge or culvert, the FCL for the property should be a minimum of 0.3 metres above the crown of the road.

Where road fills and culverts exist that, if obstructed, may result in significant impoundments and/or serious failure and flooding, consideration should be given to engaging a Professional Engineer to assess the risk and provide site-specific flood protection measures for the downstream property(s).

3.2.8 Meandering and Braided Streams

Setback -

Setback requirements should, at a minimum, meet the requirements noted above for the watercourse size and situation. Where the meandering or braiding is significant, consideration should be given to having the requirements determined on a site-specific basis by a suitably qualified professional.

FCL -

Building levels should be set in accordance with requirements detailed in clauses 3.2.1 through 3.2.7.

3.3 Alluvial Fans

Where possible, development of alluvial fans should be discouraged, and the land should be retained in non-intensive uses such as parks, open-space recreation, and agricultural uses.

3.3.1 Standard Requirements

Consent to develop may be granted by an approving officer:

- Where there is no alternative land available, and
- Where an area of an alluvial fan can be shown to be stable because of hydraulic, physical and/or geological conditions.

This approval should be subject to hazard management and flood proofing requirements determined on a site-specific basis. Such requirements may include but are not limited to:

- Development density regulations,
- The identification of the safe building site(s),
- · Building elevation and foundation design requirements,
- The construction of on-site and/or off-site protective works, and
- Land use regulations to prevent the alteration of the terrain and features such as landfills, excavations and the construction of new roads and utilities that would alter the hazard rating for the land.

Where a study of the flooding hazard is not available and the hazard is considered significant, an assessment of the land by a suitably qualified professional should be required.

If consent to develop on an alluvial fan is granted:

Setback -

The setback should be determined in accordance with clauses 3.2.1, 3.2.2 and 3.2.8.

FCL -

Where the hazard is low, the building should be elevated a minimum of 1.0 metres above the general elevation of the surrounding ground on concrete foundation and protected from scour.

3.3.2 Training Works to Protect One Property

Where protective works are to be constructed, an Operations and Maintenance Manual should be prepared, access easements and/or right of ways established and an ongoing maintenance program established prior to final development approval. Works are to be designed by a professional engineer. A professional engineer must certify constructed works. See section 5.7 Training Works.

An ongoing maintenance program may be assured through the addition of relevant requirements to the standard flood proofing covenant specified under section 219 of the Land Title Act, if the training works are

- Built on private property, and
- Intended to protect only the property of the person (including a strata corporation) owning the training works and the property on which they are located.

3.3.3 Training Works to Protect Multiple Properties

If the training works, when constructed, will protect multiple properties of more than one person, then an ongoing operation and maintenance program and access to structures must be assured by the local government. Works are to be designed by a professional engineer. A professional engineer must certify constructed works. In addition, the training works require the approval of the Inspector of Dikes and, therefore, that office must be contacted for the requirements and approvals. See section 5.7 Training Works.

Approvals under the provincial *Water Act* and federal *Fisheries Act* are also normally required. Local government may also have other requirements.

3.4 Areas Subject to Debris Flows

Development should be discouraged in areas where local knowledge, experience or studies indicate concern that there may be a debris flow hazard.

3.4.1 Professional Evaluation

Consent to develop may be granted, with standard requirements as established for alluvial fans in section 3.3, where:

- There is no other land available, and
- Where an assessment of the land by a suitably qualified professional indicates that development may occur safely.

See section 5.7 Training Works.

3.5 The Sea

It should be noted that the natural boundary for coastal areas includes the natural limit of permanent terrestrial vegetation.

3.5.1 Strait of Georgia

3.5.1.1 Standard Requirements

Setback ---

Buildings should be setback 15 metres from the natural boundary of the sea.

Landfill or structural support for a coastal development or type of development shall be permitted a setback of 7.5 metres from the natural boundary of the sea where the sea frontage is protected from erosion by a natural bedrock formation or works designed by a professional engineer and maintained by the owner of the land.

In the case of subdivision the setback should not be reduced unless each building site is located on non-erodible bedrock or local government assumes the maintenance responsibility for works designed by a professional engineer.

The setback may be increased on a site-specific basis such as for exposed erodible beaches and/or in areas of known erosion hazard.

FCL -

The FCL shall be at least 1.5 metres above the natural boundary of the sea, and higher than any Flood Construction Level established for specific coastal areas.

3 5.1.2 Requirements for Coastal Bluffs

Setback -

Where the building site is at the top of a steep coastal bluff and where the toe of the bluff is subject to erosion and/or is closer than 15 metres from the natural boundary of the sea, the setback shall be a horizontal distance equal to 3.0 times the height of the bluff as measured from the toe of the bluff.

For practical application, this setback condition will require site-specific interpretation and could result in the use of a minimum distance measured back from the crest of the bluff. This setback may be reduced provided the reduction is supported by a report prepared by a suitably qualified professional.

3.5.1.3 Requirements for Existing Coastal Lots

Setback -

In the case of the existing lots, where the above setback distances prevent construction, and where it is not possible to provide sufficient protection through works designed by a suitably qualified professional, the approving officer may agree to modifying setback requirements to permit construction provided this is augmented through a restrictive covenant stipulating the hazard, building requirements, and liability disclaimer.

3.5.2 Outside the Strait of Georgia Area

A subdivision application in tsunami prone areas must include a report by a suitably qualified professional who must formulate safe building conditions for each proposed lot based on a review of a summary report titled "Evaluation of Tsunami Levels Along the British Columbia Coast", by Seaconsult Marine Research Ltd., dated March 1988. At a minimum, building conditions should protect improvements from damage from a tsunami of equal magnitude to the March 28,1964 tsunami that resulted from the Prince William Sound, Alaska earthquake.

Setback -

Setback requirements should be established on a site-specific basis and take into account tsunami hazards.

Setback from the natural boundary of the sea must be sufficient to protect buildings and must be at least 30 metres

FCL -

FCL requirements should be established on a site-specific basis and take into account tsunami hazards.

Reductions to these requirements should only be considered where the building can be built to the FCL on bedrock.

3.6 Areas Protected by Standard Dikes

Residential, commercial and institutional developments in areas protected by standard dikes are required to comply with full flood proofing requirements for their respective categories.

Setback -

Buildings should be located a minimum of 7.5 metres away from any structure for flood protection or seepage control or any dike right-of-way used for protection works. In addition, fill for floodproofing should not be placed within 7.5 metres of the inboard toe of any structure for flood protection or seepage control or the inboard side of any dike right-of-way used for protection works.

Any change to these conditions requires the approval of the Inspector of Dikes.

FCL -

Buildings and manufactured homes in areas protected by standard dikes should meet minimum FCLs prescribed for the primary stream, lake or sea adjacent to the dike and the FCL requirements for any internal drainage (minimum ponding elevations).

3.6.1 Secondary sources of flooding

Where there are secondary sources of flooding within diked areas, the appropriate requirements as set out in Clauses 3.1 through 3.5 should be applied. These should include consideration of minimum ponding elevations behind the dike to protect against internal drainage.

4.0 Application - Land Use Specific

Where relevant flood plain mapping information and other flood hazard-related information (such as covenants, bylaws, flood hazard maps and engineering reports) exist, they must be considered. Where the province has provided local governments with written documents and/or agreements approving floodproofing conditions that are different from these guidelines, such approved floodproofing conditions are acceptable and are incorporated as part of these Guidelines for the area referenced in those documents.

Where such information is not available, the following minimum requirements should be considered to guide development away from high hazard areas and to allow development to proceed in a safe manner. These minimum requirements should be placed in the form of a covenant against land titles at the time of subdivision, and/or should be incorporated into local government bylaws.

4.1 Agriculture

4.1.1 Farm Dwellings

Whether or not the area is diked, the following guidelines apply.

Setback -

Setback requirements, based on hazard type as identified in section 3.0, shall apply.

FCL -

Farm dwelling units on parcel sizes 8.0 hectares, or greater, located within the Agricultural Land Reserve, shall be located with the underside of a wooden floor system or the top of the pad of any habitable area (or in the case of a manufactured home the top of pad or the ground surface on which it is located) no lower than 1.0 metre above the natural ground elevation taken at any point on the perimeter of the building.

4.1.1.1 Where required flood proofing is impractical

When establishing conditions for areas within the Agricultural Land Reserve, where required flood proofing is impractical (i.e., greater than 2.5 metres elevation) and where protection is provided by standard dikes, owners of existing parcels of land may be given the option of adopting full flood proofing or adopting an elevation which will provide protection against drainage problems associated with storm conditions (minimum ponding elevation). In return owners must agree to a waiver of financial assistance in the case of flood damage to be registered as a covenant against the land title.

Subdivision in areas of flooding depth greater than 2.5 metres requires that the applicant demonstrate how full flood proofing can be achieved. Agricultural Land Reserve lands which are subdivided under Homesite Severance may be required to have a small parcel less than 8.0 hectares. When such subdivision occurs, each lot created is subject to these guidelines including the remainder.

4.1.2 Livestock Housing

Setback -

Setback requirements, based on hazard type as identified in section 3.0, shall apply.

FCL --

Open-sided livestock structures do not require flood proofing by elevation.

Close-sided livestock buildings behind standard dikes do not require flood proofing by elevation.

Closed-sided livestock housing not behind standard dikes shall be located with the underside of the wooden floor system or the top of the pad (or in the case of a manufactured home the top of pad or the ground surface on which it is located) no lower than 1.0 metre above the natural ground elevation taken at any point on the perimeter of the building.

4.1.3 Other Farm Buildings

Setback --

Setback requirements, based on hazard type as identified in section 3.0, shall apply.

FCL -

Flood proofing by elevation is left to discretion of the owner.

4.2 Public Recreation, Institutional Buildings, Parks and Open Space

Setback -

Setback requirements, based on hazard type as identified in section 3.0, shall apply to all structures in this category.

FCL -

Institutional and closed-sided recreational buildings and/or equipment damageable by floodwaters require full flood proofing.

Recreation shelters, stands, campsite washhouses and other outdoor facilities susceptible to only marginal damage by floodwaters do not require flood proofing by elevation.

4.3 Industrial Areas

Setback -

Setback requirements, based on hazard type as identified in section 3.0, shall apply.

Industrial buildings may be granted special relief from this requirement. Setback requirements for certain industrial activities, such as on-loading and off-loading facilities, where the use of the waterfront is a necessary subsidiary part of the operation and would not adversely affect a floodway or significantly increase flood elevations, may be reduced.

FCL -

Industrial uses, other than main electrical switchgear, shall be located with the underside of a wooden floor system or the top of the pad (or in the case of a manufactured home the top of pad or the ground surface on which it is located) no lower than the FCL minus freeboard. Main electrical switchgear shall be no lower than the FCL.

Elevations noted in guidelines should be used for the installation of fixed equipment susceptible to damage by floodwaters. An exception may be made if a suitably qualified professional determines that appropriate measures can be and are taken to provide protection against damage by flooding and erosion. The approving officer reviewing a proposed subdivision plan must approve this exception.

On-loading and off-loading facilities associated with water-oriented industry and portable sawmills do not require floodproofing. Heavy industrial development located behind a standard dike does not require floodproofing.

4.4 Fish Farms

Setback and FCL -

All facilities should meet setback conditions and be flood proofed to the FCL. Where standard dikes protect fish farm facilities, flood proofing is only required relative to any secondary flooding hazard.

4.5 Ancillary Buildings, Carports, Garages, Entryways and Renovations to Existing Buildings

FCL -

Requirements for flood proofing through the use of elevation may be waived for:

- A renovation of an existing building or structure that does not involve an addition.
- That portion of a building or structure that is to be used as a carport, garage or entryway,
- Other minor buildings such as storage buildings, porches and domestic greenhouses.

4.6 Additions to Existing Buildings

Where a building or structure is legally non-conforming with the floodproofing requirements set out in any pertinent bylaw or covenant, it is acceptable to allow an addition, at the original non-conforming floor elevation, that would increase the size of the building or structure by less than 25 percent of the floor area existing at the time of enactment of such floodproofing requirements, provided that the degree of nonconformity regarding setback is not increased.

4.7 Lots Existing Prior to Bylaw Adoption

Where a lot existed prior to the date of adoption of a bylaw, and is protected by a standard dike, and where the difference between the Flood Construction Level and the ground elevation exceeds 2.5 metres, and where the owner has entered into a restrictive covenant with the local government [This covenant should be drawn up by the local government legal advisor], a building may be constructed, reconstructed, moved or extended and a manufactured home or unit, modular home or structure may be located with the underside of the floor system of any area used for habitation, business or storage of goods damageable by floodwaters to a minimum elevation of two point five (2.5) metres above the average ground elevation in the vicinity of the building site nor less than the minimum ponding elevation established for local drainage behind the dike, which ever elevation is higher.

Note: The actual required building elevation referenced to geodetic datum will therefore vary from site to site, depending on ground elevation.

5.0 Application - Implementation Measures

In addition to the requirements set out in sections 3.0 and 4.0, the following general conditions should apply and be included in a subdivision covenant or local authority bylaw, where applicable.

5.1 Manufactured Homes or Units

Setback ---

Setback requirements, based on hazard type as identified in section 3.0, shall apply.

FCL -

Manufactured homes or units should be located on a natural ground surface or on the top of a concrete or asphalt pad that is at or above the Flood Construction Level. An exception may be made where a manufactured home or unit is located on, and secured to, a poured-in-place concrete perimeter footing, in which case the FCL shall apply to the top of the footing wall.

5.2 Furnaces, Electrical and Other Fixed Equipment

FCL -

Areas below the FCL should not used for the installation of furnaces, major electrical switchgear, or other fixed equipment susceptible to damage by floodwater.

An exception to this guideline is where standard dikes provide building protection. In these cases furnaces and hot water heaters are permitted below the FCL, but main electrical switchgear should be placed above the FCL.

5.3 Parking

Setback-

Setback requirements, based on hazard type as identified in section 3.0, shall apply.

FCL -

As vehicles can be moved to higher ground, floodproofing may not be necessary to prevent damage from floodwater for parking areas, including enclosed underground parking areas, except that, in the case of an enclosed underground parking area, an

unobstructed means of pedestrian ingress and egress must be provided above the FCL. In addition, signs must be posted at all points of entry notifying users that the parking garage is not protected from inundation by floodwaters.

5.4 Elevation by Landfill

Where landfill is used to raise the natural ground elevation, it should be adequately compacted and the toe of the landfill slope should be no closer to the natural boundary than the prescribed setback. In addition, the face of the landfill slope should be adequately protected against erosion from flood flows, wave action, ice or other debris.

The fill must not adversely impact neighbouring properties by increasing the surface water elevation or directing flows toward those properties.

5.5 Depth of Flooding

Subdivision in areas of flooding depth greater than 2.5 metres requires that the applicant demonstrate how full flood proofing can be achieved and how safe ingress and egress can be achieved during the flood.

5.6 Flood Velocities

Subdivision in areas where flood velocities are in excess of 1.0 metre per second requires that the applicant demonstrate how safe ingress and egress can be achieved during the flood.

5.7 Training Works

An approving officer should require details of the design, construction, operation and maintenance of training works prior to final approval of a subdivision. Works are to be designed by a professional engineer. A professional engineer must certify constructed works.

5.7.1 Training Works to Protect One Property

An ongoing maintenance program may be assured through the addition of relevant requirements to the standard flood proofing covenant registered under section 219 of the Land Title Act, if the training works are:

- Built on private property, and
- Intended to protect only the property of the person (including a strata corporation) owning the training works and the property on which they are located.

5.7.2 Training Works to Protect Multiple Properties

If the training works, when constructed, will protect multiple properties of more than one person, then an ongoing operation and maintenance program and registered easements and access to structures must be assured by the local government. In addition, the training works require the approval of the Inspector of Dikes and, therefore, that office must be contacted for the requirements and approvals.

Approvals under the provincial *Water Act* and federal *Fisheries Act* are also normally required. Local government may also have other requirements.

An approved Operation and Maintenance manual for the local government is to be prepared as a condition of subdivision approval and a copy is to be sent to the Inspector of Dikes.

5.8 Erosion Protection Works

Where erosion protection works are required, an approving officer should require details of the design, construction, operation and maintenance of erosion protection works prior to final approval of a subdivision or a relaxation of the requirements in a covenant. Works are to be designed by a professional engineer. A professional engineer must certify constructed works.

5.8.1 Erosion Protection Works to Protect One Property

An ongoing maintenance program may be assured through the addition of relevant requirements to the standard flood proofing covenant registered under section 219 of the Land Title Act, if the erosion protection works are:

- · Built on private property, and
- Intended to protect only the property of the person (including a strata corporation) owning the erosion protection works and the property on which they are located.

5.8.2 Erosion Protection Works to Protect Multiple Properties

If the erosion protection works, when constructed, will protect multiple properties of more than one person, then an ongoing operation and maintenance program and registered easements and access to structures must be assured by the local government.

Approvals under the provincial *Water Act* and federal *Fisheries Act* are also normally required. Local government may also have other requirements.

An approved Operation and Maintenance manual for the local government is to be prepared as a condition of approval.

APPENDIX A - Definitions

<u>Alluvial Fan</u> - The alluvial deposit of a stream where the stream issues from a steep mountain valley or gorge upon a plain or at the junction of a tributary stream with the main stream.

Approving Officer - The appropriate person appointed under the Land Title Act.

<u>Commercial Use</u> - A use providing for the sale or rental of goods or services, for personal services, or for the servicing and repair of goods; and includes retail sales, wholesaling in conjunction with retail sales, commercial and government offices, personal services, commercial schools, household services and household repairs.

<u>Debris Flow</u> - The rapid downslope movement descending steep pre-existing drainage channels of water-saturated soil and debris by true flow processes.

<u>Designated Flood</u> - A flood, which may occur in any given year, of such magnitude as to equal a flood having a 200-year recurrence interval, based on a frequency analysis of unregulated historic flood records or by regional analysis where there is inadequate streamflow data available. Where the flow of a large watercourse is controlled by a major dam, the designated flood shall be set on a site-specific basis.

<u>Designated Flood Level</u> - The observed or calculated elevation for the Designated Flood and is used in the calculation of the Flood Construction Level.

<u>Disposition</u> - Disposition of Crown land by certificate of purchase, grant, lease, licence of occupation, right-of-way, or easement under the *Land Act*.

Flood Construction Level - The Designated Flood Level plus the allowance for freeboard and is used to establish the elevation of the underside of a wooden floor system or top of concrete slab for habitable buildings. In the case of a manufactured home, the ground level or top of concrete or asphalt pad, on which it is located shall be equal to or higher than the above described elevation. It also establishes the minimum crest level of a Standard Dike. Where the Designated Flood level cannot be determined or where there are overriding factors, an assessed height above the natural boundary of the water-body or above the natural ground elevation may be used.

<u>Flood plain</u> - A lowland area, whether diked, flood proofed, or not which, by reasons of land elevation, is susceptible to flooding from an adjoining watercourse, ocean, lake or other body of water and for administration purposes is taken to be that area submerged by the Designated Flood plus freeboard.

<u>Flood proofing</u> - The alteration of land or structures either physically or in use to reduce flood damage and includes the use of building setbacks from water bodies to maintain a

floodway and to allow for potential erosion. Flood proofing may be achieved by all or a combination of the following:

- 1. building on fill, provided such fill does not interfere with flood flows of the watercourse, and is adequately protected against floodwater erosion;
- 2. building raised by structural means such as foundation walls, columns, etc.;
- 3. a combination of fill and structural means.

<u>Floodway</u> - The channel of the watercourse and those portions of the flood plains that are reasonably required to discharge the flood flow of a Designated Flood. A minimum required floodway shall be equal to the width of the channel within the natural boundary plus a minimum setback of thirty metres from the natural boundary on each side of the channel or channels unless otherwise approved.

<u>Freeboard</u> – A vertical distance added to the Designated Flood Level. Used to establish the Flood Construction Level.

<u>Habitable Area</u> - Any room or space within a building or structure that is or can be used for human occupancy, commercial sales, or storage of goods, possessions or equipment (including furnaces) which would be subject to damage if flooded.

Heavy Industry - Includes such uses as manufacturing or processing of wood and paper products, metal, heavy electrical, non-metallic mineral products, petroleum and coal products, industrial chemicals and by-products, and allied products.

<u>Inspector of Dikes</u> - An official of the Ministry of Water, Land and Air Protection as defined under the *Dike Maintenance Act*, RSBC 1996, chapter 95.

<u>Institutional Use</u> - A use providing for public functions and includes federal, provincial, regional and municipal offices, schools, churches, colleges, hospitals, community centres, libraries, museums, jails, courts of law and similar facilities; and specifically excludes public storage and works yards, and public utility uses.

<u>Light or Service Industry</u> - Includes such uses as assembly, fabrication and light manufacturing, warehousing, wholesaling and food processing.

Manufactured Home - A structure manufactured as a unit, intended to be occupied in a place other than at its manufacture, and designed as a dwelling unit, and includes mobile homes, and specifically excludes Recreation Vehicles.

<u>Minimum Ponding Elevation</u> - A minimum construction level assigned to reduce possible flood damage due to ponding of local drainage during a severe local storm.

<u>Natural Boundary</u> - The visible high watermark of any lake, river, stream or other body of water where the presence and action of the water are so common and usual and so long continued in all ordinary years as to mark upon the soil of the bed of the lake, river, stream or other body of water a character distinct from that of the banks thereof, in respect to

vegetation, as well as in respect to the nature of the soil itself (*Land Act*, section 1). For coastal areas, the natural boundary shall include the natural limit of permanent terrestrial vegetation. In addition, the natural boundary includes the best estimate of the edge of dormant or old side channels and marsh areas.

<u>Non-conforming</u> - Any existing building located on flood prone land that does not meet flood proofing requirements set out in any pertinent bylaw, regulation or covenant.

<u>Pad</u> – A paved surface on which blocks, posts, runners or strip footings are placed for the purpose of supporting a manufactured home or unit.

<u>Professional Engineer</u> - A person who is registered or licensed under the provisions of the Engineers and Geoscientists Act, RSBC 1996, chapter 116.

<u>Recreation Use</u> - A use providing for indoor or outdoor recreation and includes parks, playgrounds, and sports facilities.

<u>Recreation Vehicle</u> - Any structure, trailer or vehicle used or designed to be used for living or sleeping purposes and which is designed or intended to be mobile on land, whether or not self-propelled.

<u>Setback</u> – A withdrawal of a building or landfill from the natural boundary or other reference line to maintain a floodway and to allow for potential land erosion.

<u>Standard Dikes</u> - Those dikes built to a minimum crest elevation equal to the Flood Construction Level and meeting standards of design and construction approved by the Ministry of Water, Land and Air Protection and maintained by an ongoing authority such as a local government body.

<u>Training Works</u> - Any wall, dike or protective structure used to prevent a stream from leaving its channel at a given location. This includes any debris flow training structures including basins, trash racks, or other works.

Tsunami - A sea wave generated by tectonic or volcanic activity.

<u>Watercourse</u> - Any natural or man-made depression with well defined banks and a bed 0.6 metres or more below the surrounding land serving to give direction to a current of water at least six (6) months of the year or having a drainage area of 2 square kilometres or more upstream of the point of consideration.

APPENDIX B - Standard Forms

Form 1	Official Community Plan Policies
Form 2	Standard Bylaw Format
Form 3	Section 219 Covenant including Priority Agreement and Affidavit for Witness Form for Approval within Organized Municipality
Form 4	Section 219 Covenant including Priority Agreement and Affidavit for Witness Form for Area where Approval Authority is Ministry of Transportation and Highways
Form 5	Subdivision Approval Format
Form 6	Bare Land Strata Approval
Form 7	Subdivision – Refusal to Consent
Form 8	Modification of Covenant (to be used where covenant conditions are changed)
Form 9	Lease – Disposition Referral Form
Form 10	Lot Line Adjustment

OFFICIAL COMMUNITY PLAN POLICIES

Version Date:	

The goals of the provincial Flood Hazard Area Land Use Management Guidelines are:

- i) to protect against the loss of life; and
- ii) to minimize property damage, injury and trauma associated with flooding events.

These goals are reflected in the relevant Provincial statutes concerning land use and subdivision.

In preparing this plan the establishment of land use intensities and designations for flood prone lands should be cognizant of the flooding susceptibility and the degree of flood risk. Agriculture, parks and open-space recreation are land uses which are considered appropriate for flood prone lands as the threat to life and property is low. Other designated uses for new development should be based on the degree of flood risk with residential use being the least acceptable in unprotected flood prone areas. In particular, multi-family residential and manufactured home uses should be avoided. Where development is presently located in floodplains or current zoning permits new development, future construction in such areas should be floodproofed.

It is requested that the following policy statement be included in that section of the plan concerning hazardous lands:

"To protect against the loss of life and to minimize property damage associated with flooding events the Regional Board or Council encourages agricultural, park and open-space recreational uses of flood susceptible lands. Where floodable lands are required for development, the construction and siting of buildings and manufactured homes to be used for habitation, business or the storage of goods damageable by floodwaters shall be floodproofed to those standards specified by the Ministry of Water, Land and Air Protection."

Lands which are known to be floodable should be adequately described in the text of the plan and shown on a hazard schedule. As additional lands within this plan area, which would not be identified on this hazard schedule, may also subject to flooding and other geological hazards the following note should be displayed on this hazard schedule:

"Note: Boundary lines depicting flood prone lands are approximate only. Additional lands subject to flooding and erosion which may be present have not been identified on this map."

STANDARD FORMAT FLOODPROOFING REQUIREMENTS IN BYLAWS PURSUANT TO SECTION 910 OF THE LOCAL GOVERNMENT ACT AND DESIGNATION ORDERS

	Version Date:
	nt to Section 910(1) of the <i>Local Government Act</i> , areas of the <u>local authority</u> designated plain are as follows:
(1)	The floodplain of the <u>watercourse</u> in the vicinity of the <u>local authority</u> as shown on Drawing No, Sheets to
(2)	Designation of all other floodplain areas of the <u>local authority</u> are described by the following provisions (except where the Flood Construction Level has been determined in response to a site-specific situation) until such time as floodplain mapping is prepared."
The foll	owing are the suggested definitions and flood control provisions for inclusion:
to floodi person t	The purpose of these conditions is to reduce the risk of injury, loss of life, and property damage due ing and erosion However, the <u>local authority</u> does not represent to the owner or any other hat any building constructed or manufactured home or unit located in accordance with the go conditions will not be damaged by flooding or erosion.]

1. Definitions

For the purpose of this section the following definitions shall apply:

Alluvial Fan means the alluvial deposit of a stream where it issues from a steep mountain valley or gorge upon a plain or at the junction of a tributary stream with the main stream.

<u>Designated Flood</u> means a flood, which may occur in any given year, of such magnitude as to equal a flood having a 200-year recurrence interval, based on a frequency analysis of unregulated historic flood records or by regional analysis where there is inadequate streamflow data available. Where the flow of a large watercourse is controlled by a major dam, the designated flood shall be set on a site specific basis.

<u>Designated Flood Level</u> means the observed or calculated elevation for the Designated Flood and is used in the calculation of the Flood Construction Level.

Flood Construction Level means the Designated Flood Level plus the allowance for freeboard and is used to establish the elevation of the underside of a wooden floor system or top of a concrete slab for habitable buildings. In the case of a manufactured home, the ground level or top of a concrete or asphalt pad, on which it is located shall be no lower than the above-described elevation. It also establishes the minimum crest level of a Standard Dike. Where the Designated Flood Level cannot be determined or where there are overriding factors, an assessed height above the natural boundary of the water body or above the natural ground elevation may be used.

<u>Floodproofing</u> means the alteration of land or structures either physically or in use to reduce or eliminate flood damage and includes the use of elevation and for building setbacks from water bodies to maintain a floodway and to allow for potential erosion.

<u>Freeboard</u> means a vertical distance added to the Designated Flood Level and is used to establish the Flood Construction Level.

<u>Habitable Area</u> means any room or space within a building or structure which is or can be used for human occupancy, commercial sales, or storage of goods, possessions or equipment (including furnaces) which would be subject to damage if flooded.

<u>Heavy Industry</u> includes such uses as manufacturing or processing of wood and paper products, metal, heavy electrical, non-metallic mineral products, petroleum and coal products, industrial chemicals and by-products, and allied products.

<u>Light or Service Industry</u> includes such uses as assembly, fabricating, light manufacturing, warehousing, wholesaling and food processing.

Manufactured Home means a structure manufactured as a unit, intended to be occupied in a place other than at its manufacturer, and designed as a dwelling unit, and includes mobile homes, and specifically excludes recreation vehicles.

... 3

Natural Boundary means the visible high watermark of any lake, river, stream or other body of water where the presence and action of the water are so common and usual and so long continued in all ordinary years as to mark upon the soil of the bed of the lake, river, stream or other body of water a character distinct from that of the banks thereof, in respect to vegetation, as well as in respect to the nature of the soil itself (Land Act, Section 1). In addition, the natural boundary includes the best estimate of the edge of dormant or old side channels and marsh areas.

<u>Pad</u> means a paved surface on which blocks, posts, runners or strip footings are placed for the purpose of supporting a manufactured home or unit.

Setback means a withdrawal of a building or landfill from the natural boundary or other reference line to maintain a floodway and to allow for potential land erosion.

Standard Dikes means those built to a minimum crest elevation equal to the Flood Construction Level and meeting standards of design and construction approved by the Ministry of Water, Land and Air Protection and maintained by an ongoing authority such as a local government body.

Watercourse means any natural or man made depression with well defined banks and a bed 0.6 metres or more below the surrounding land serving to give direction to a current of water at least six (6) months of the year or having a drainage area of 2 square kilometres or more upstream of the point of consideration.

2. Setback Requirements

3.

a.

	withinswamp, pond or any structure for of-way;	metres of the natural boundary of the sea, a lake, a flood protection or seepage control or of any dike right-
	within	metres of the natural boundary of;
	within watercourse.	metres of the natural boundary of any other
Eleva	tion Requirements	
a.		Local Government Act, no building, manufactured ructure or any part thereof shall be constructed,

lower than elevation _____ metres Geodetic Survey of Canada datum for locations adjacent to lower than the Flood Construction Level for the ___ been determined, or where it has not been determined or a site-specific Flood

reconstructed, moved, extended or located with the underside of a wooden floor system or top of a concrete slab of any area used for habitation, business, or storage of goods damageable by floodwaters, or in the case of a manufactured home or unit the ground

level or top of the concrete or asphalt pad on which it is located:

Construction Level has not been determined;

nor lower than	metres above the natural boundary of
nor lower thanswamp or pond.	metres above the natural boundary of the sea, a lake,
nor lower than watercourse.	metres above the natural boundary of any other

- b. The required elevation may be achieved by structural elevation of the said habitable, business, or storage area or by adequately compacted landfill on which any building is to be constructed or manufactured home or unit located, or by a combination of both structural elevation and landfill. No area below the required elevation shall be used for the installation of furnaces or other fixed equipment susceptible to damage by floodwater.
- c. Where landfill is used to achieve the required elevation stated in Clause 3.a. above, no portion of the landfill slope shall be closer than the distances in Clause 2 from the natural boundary, or the inboard toe of any structure for flood protection or seepage control, or the inboard side of any dike right-of-way, and the face of the landfill slope shall be adequately protected against erosion from flood flows, wave action, ice or other debris.
- d. Foundations of construction in alluvial fan areas shall be designed by a Professional Engineer to ensure that structures are anchored to minimize the impact of flood, sediment and erosion damage; footings are extended below scour depth, or fill materials are armoured where elevation is achieved by fill, to protect against scour, erosion and flood flows.

4. Other Requirements

Clause 3 shall not apply to:

- a. a renovation of an existing building or structure that does not involve an addition thereto; or an addition to a building or structure that would increase the size of the building or structure by less than 25 percent of the floor area existing at the date of adoption of Bylaw No. ______ (first bylaw containing floodproofing conditions);
- b. that portion of a building or structure to be used as a carport or garage;
- c. farm buildings other than dwelling units and closed-sided livestock housing. Farm dwelling units on parcel sizes 8.0 hectares or greater and within the Agricultural Land Reserve are exempted from the requirements of Clause 3.a. but if in a floodable area shall be elevated one (1) metre above the natural ground elevation. Closed-sided livestock housing behind Standard Dykes as approved by the Inspector of Dikes is exempted from the requirement to floodproof but if not behind Standard Dykes shall be elevated one (1) metre above the natural ground elevation;
- d. light or heavy industrial development which is required to floodproof to the Designated Flood Level;
- e. heavy industry behind Standard Dykes;
- f. on-loading and off-loading facilities associated with water-oriented industry and portable sawmills. Main electrical switchgear shall be placed above the Flood Construction Level.

FC	ND TITLE ACT RM C ction 219.81)					
Bri	vince of tish Columbia NERAL INSTRUMENT-PAI APPLICATION: (Name, addi agent)			Land Title Office Use) of applicant, applicant's solicite		l of pages
				(Signature	e of Auth	orized Agent)
2.	PARCEL IDENTIFIER(S) AN (PID)	ND LEGAL DESCRIPTION (LEGAL DESCRIPTION)		DF LAND:*		
3.	NATURE OF INTEREST:* Description	Document Reference (Page and paragraph)		Person Entitled to	Interest	
4.	TERMS: Part 2 of	f this instrument consists (of (selec	et one only)		
(a) (b) (c) inst	Filed Standard Charge Ter Express Charge Terms Release rument	rms		D.F. No. Annexed as Part 2 There is no Part 2 of this		
to t	election of (a) includes any addinis instrument. If (c) is selected land described in Item 2.	itional or modified terms i , the charge described in l	referred Item 3 is	to in Item 7 or in a schedule an s released or discharged as a cha	nexed arge on	
5.	TRANSFEROR(S):*	***				
	Name of Transferor, Address					
6.	TRANSFEREE(S): (Including	postal address(es) and po	stal cod	e(s)) *		
	Name of Municipality, Address	S				
7	ADDITIONAL OR MODIFIE	L) LED/IC· *	·			

Page	2	ci`	pages
------	---	-----	-------

8. EXECUTION(S): ** This instrument creates, assigns, modifies, enlarges, discharges or governs the priority of the interest(s) described in Item 3 and the Transferor(s) and every other signatory agree to be bound by this instrument, and acknowledge(s) receipt of a true copy of the filed standard charge terms, if any.

Officer Signature(s)	Exec	ution M	Date	Party(ies) Signature(s)
				Name of Transferor
				Name of Municipality

OFFICER CERTIFICATION:

Your signature constitutes a representation that you are a solicitor, notary public or other person authorized by the *Evidence Act*, R.S.B.C. 1979, c. 116, to take affidavits for use in British Columbia and certifies the matters set out in Part 5 of the *Land Title Act* as they pertain to the execution of this instrument.

- * If space insufficient, enter "SEE SCHEDULE" and attach schedule in Form E.
- ** If space insufficient, continue executions on additional page(s) in Form D.

THIS AGREEMEN	T made this	day of	· :	, 20
BETWEEN:		<u>-</u>		
		-		
	(hereinafter c	alled the "Grantor"	") .	
	•			OF THE FIRST PART
AND:				
	(name of Mur having an off	nicipality), ice at (address)		
	British Colun	ıbia	 	
	(hereinafter ca	alled the "Grantee"	')	
				OF THE SECOND PART
W	HEREAS the Granto	or is the registered	owner in fee sim	ple of the following lands in the
Province of British C				pre or the following funds in the
		otion)		
		alled the "Lands");		
subdivision complete	d and certified corre	ect on the	day of	ands, according to a plan of, 20, by a copy of which is attached
hereto as Schedule 'A			Land Surveyor,	a copy of which is attached
		illed the "Lots");		
AN	D WHEREAS a cov	venant under sectio	on 219 of the <i>Lar</i>	nd Title Act is required as a
condition of the cons	ent to approval of the	e subdivision of the	e Lands by the A	Approving Officer under section
86 of the <i>Land Title A</i>	ct;			
AN	D WHEREAS section	on 219 of the <i>Land</i>	<i>l Title Act</i> provid	les that there may be registered
				nd a municipality that land is
o be used in a particu covenant;	lar manner or that la	and is not to be sub	divided except i	n accordance with the
У.О	W THEREFORE TI	HIS AGREEMENT	T WITNESSETF	H that in consideration of the

sum of ONE (\$1.00) DOLLAR of lawful money of Canada and other good valuable consideration paid by

the Grantee to the Granter, the receipt of which is hereby acknowledged, the Granter does hereby covenant and agree with the Grantee under section 219 of the *Land Title Act* of the Province of British Columbia as follows

- The Grantor is aware of and, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, hereby acknowledges that there is a potential flood danger to the Lots.
- 2. The Grantor, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, hereby covenants and agrees with the Grantee, as a covenant in favour of the Grantee pursuant to section 219 of the *Land Title Act*, it being the intention and agreement of the Grantor that the provisions hereof be annexed to and run with and be a charge upon the Lots, that from and after the date hereof:
 - a. No building, manufactured home or unit, modular home or structure shall be constructed, reconstructed, moved, extended or located within ______ metres of the natural boundary of (name of watercourse).
 - b. No area used for habitation, business or storage of goods damageable by floodwaters and no furnace or other fixed equipment damageable by floodwaters shall be located within any building, modular home or structure at an elevation such that the underside of the floor system is less than ______ metre(s) above the natural boundary of ______ or elevation _____ metres Geodetic Survey of Canada datum or _____ metre(s) above the natural ground elevation taken at the perimeter of the building.

In the case of a manufactured home or unit, the ground level or top of concrete or asphalt pad on which it is located shall be no lower than the above described elevation.

3. Where landfill is used to raise the natural ground elevation, the toe of the landfill slope shall be no closer to the natural boundary than the setback requirement given in paragraph (2) above. The face of the landfill slope shall be adequately protected against erosion from flood flows (wave action, ice, or other debris). The required elevation may be achieved by structural elevation of the said habitable, business, or storage area or by adequately compacted landfill on which any building, modular home or structure is to be constructed or manufactured home or unit located, or by a combination of both structural elevation and landfill, provided, that no area below the required

elevation shall be used for the installation of furnaces or other fixed equipment damageable by floodwaters.

- 4. The Grantor, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, acknowledges that the Grantee does not represent to the Grantor, nor to any other person that any building, modular home, manufactured home or unit, improvement, chattel or other structure, including the contents of any of them, built, constructed or placed on the Lots will not be damaged by flooding or erosion and the Grantor, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, with full knowledge of the potential flood or erosion danger and in consideration of the approvals given by the Grantee hereby:
 - a. agrees to indemnify and to save harmless the Grantee and the Grantee's employees, servants or agents from all loss, damage, costs, actions, suits, debts, accounts, claims and demands which the Grantee or any of the Grantee's employees, servants or agents, may suffer or incur or be put to arising out of or in connection with any breach of any covenant or agreement on the part of the Grantor or his or her heirs, executors, administrators, successors and assigns contained in this Agreement or arising out of or in connection with any personal injury, death or loss or damage to the Lots, or to any building, modular home, manufactured home or unit, improvement, chattel or other structure, including the contents of any of them, built, constructed or placed on the Lots (including existing non-conforming buildings)*, caused by flooding, erosion or some such similar cause; and

* To be inserted where Guideline 4.6 applies

b. does remise, release and forever discharge the Grantee and the Grantee's employees, servants or agents from all manner of actions, causes of action, suits, debts, accounts, covenants, contracts, claims and demands which the Grantor or any of his or her heirs, executors, administrators, successors and assigns may have against the Grantee and the Grantee's employees, servants or agents for and by reason of any personal injury, death or loss or damage to the Lots, or to any building, modular home, manufactured home or unit, improvement, chattel or other structure, including the contents of any of them, built, constructed or placed on the Lots, caused by flooding, erosion or some such similar cause.

- 5. Subject to the provisions of section 219 of the Land Title Act, the Grantor's covenants contained in this Agreement shall burden and run with the Lots and shall entire to the benefit and be binding upon the Grantor, his or her heirs, executors, administrators, successors and assigns and the Grantee and its assigns.
- 6. Nothing in this Agreement shall prejudice or affect the rights, powers and remedies of the Grantee in relation to the Grantor, including his or her heirs, executors, administrators, successors and assigns, or the Lots under any law, bylaw, order or regulation or in equity, all of which rights, powers and remedies may be fully and effectively exercised by the First Grantee as if this Agreement had not been made by the parties.
- 7. The Grantor will do or cause to be done at his or her expense all acts reasonably necessary for the First Grantee to gain priority for this Agreement over all liens, charges and encumbrances which are or may be registered against the Lots save and except those in favour of the First Grantee and those specifically approved in writing by the First Grantee.
- 8. The parties agree that this Agreement shall not be modified or discharged except in accordance with the provisions of section 219(9) of the *Land Title Act*.
- 9. The Grantor shall do or cause to be done all things and execute or cause to be executed all documents and give such further and other assurance which may be reasonably necessary to give proper effect to the intent of this Agreement.
- 10. a. The Grantor or any of his or her heirs, executors, administrators and assigns, as the case may be, shall give written notice of this Agreement to any person to whom he or she proposes to dispose of one of the Lots, which notice shall be received by that person prior to such disposition.
 - b. For the purposes of this paragraph the word "dispose" shall have the meaning given to it under section 29 of the *Interpretation Act*, R.S.B.C. 1996, c.238
- Wherever the singular or masculine or neuter is used herein, the same shall be construed as including the plural, feminine, body corporate or politic unless the context requires otherwise.
- 12. If any section or any part of this Agreement is found to be illegal or unenforceable, then such sections or parts shall be considered to be separate and severable from this Agreement and the remaining sections or parts of this Agreement, as the case may be, shall be unaffected thereby and

shall remain and be enforceable to the fullest extent permitted by law as though the illegal or unenforceable parts or sections had never been included in this Agreement.

- 13. This agreement shall be interpreted according to the laws of the Province of British Columbia.
- Where there is a reference to an enactment of the Province of British Columbia in this agreement, that reference shall include a reference to any subsequent enactment of the Province of British Columbia of like effect, and unless the context otherwise requires, all statutes referred to herein are enactments of the Province of British Columbia.

IN WITNESS WHEREOF the parties hereto have executed this Agreement on the day and year first above written.

Signed by) in the presence of:)	
)	
Witness)	Grantor
)	
Address)	
Title or Occupation)	•
The Corporate Seal of)	
(Name of Municipality)	
was hereunto affixed in the presence of:	(c/s)
))	
)	

This is the instrument creating the condition of Covenant pursuant to section 219 of the Land Title Act by the Grantor referred to herein and shown on the Print and Plan annexed hereto as Schedule 'A' and initialled by me.

	Approving officer

(A Consent and Priority Agreement may be required to gain priority for the Section 219 Covenant over financial charges. See below.)

CONSENT AND PRIORITY AGREEMENT

(liens, charges and encumbrances)

WHEREAS	5 (the "Chargeho	older") is the holder of a	registered in the
	Land Title Office under No	(the "Charge") encumber	ring the lands described
in the attach	ned Section 219 Covenant (the "Cover	nant").	
Therefore th	nis Consent and Priority Agreement w	itnesses that the Chargeholder he	reby:
1.	approves of, joins in and consents to	the registration of the Covenant;	
2.	covenants and agrees that the Coven	ant is binding upon and takes pri	ority over the Charge;
	and		
3.	postpones the Charge and all of its r	ight, title and interest thereunder	to the Covenant in the
	same manner and to the same effect	as if the Covenant had been date	d, executed and
	registered prior to the Charge.		

attached Form C.

	DRM C ection 219.81)					
Br	ovince of itish Columbia ENERAL INSTRUME? APPLICATION: (Naragent)	NT-PART 1 (Thi ne, address, phone number and	s area for signature	Land Title Office Use) of applicant, applicant's solic	Page I of	pages
	PARCEL IDENTIFIES	R(S) AND LEGAL DESCRIPT	105/(\$).0		ure of Authorized a	Agent)
٥,	(PID)	(LEGAL DESCRIPTION		FLAND.		
3.	NATURE OF INTERE Description	ST:* Document Reference (Page and paragraph)		Person Entitled to	o Interest	
4.	TERMS: P	art 2 of this instrument consists	of (selec	t one only)		
(a) (b) (c) inst	Filed Standard Cha Express Charge Tei Release rument			D.F. No. Annexed as Part 2 There is no Part 2 of this		
to ti	election of (a) includes an his instrument. If (c) is so land described in Item 2.	ny additional or modified terms elected, the charge described in	referred t Item 3 is	to in Item 7 or in a schedule a released or discharged as a c	annexed harge on	
5.	TRANSFEROR(S):* Name of Transferor, Ad	dress				
	 Her Majesty the Que 	luding postal address(es) and poeen in right of the Province of I ment Buildings, Victoria, Britis	British Co	lumbia as represented by the	Minister	
7	- Name of Municipali	ty, Address (if applicable)				

Page	2	ef.	pages

8. EXECUTION(S): ** This instrument creates, assigns, modifies, enlarges, discharges or governs the priority of the interest(s) described in Item 3 and the Transferor(s) and every other signatory agree to be bound by this instrument, and acknowledge(s) receipt of a true copy of the filed standard charge terms, if any.

Officer Signature(s)	Execution Date Y M D	Party(ies) Signature(s)
		Name of Grantee under Covenant
		HER MAJESTY THE QUEEN IN RIGHT OF THE PROVINCE OF BRITISH COLUMBIA, by its authorized signatory
		Name of Municipality (if applicable)

OFFICER CERTIFICATION:

Your signature constitutes a representation that you are a solicitor, notary public or other person authorized by the *Evidence Act*, R.S.B.C. 1979, c. 116, to take affidavits for use in British Columbia and certifies the matters set out in Part 5 of the *Land Title Act* as they pertain to the execution of this instrument.

- * If space insufficient, enter "SEE SCHEDULE" and attach schedule in Form E.
- ** If space insufficient, continue executions on additional page(s) in Form D.

THIS AGREEME	NT made this day of	, 20
BETWEEN:		
	(hereinafter called the "Grantor")	
	,	OF THE FIRST PART
AND:	Her Majesty the Queen in Right of the Province of British Columbia as represented by the Minister of Transportation, Parliame Buildings, Victoria, British Columbia, V8V 1X5	d nt
	(hereinafter called the "Second Grantee")	OF THE SECOND PART
AND:		
	(name of Regional District), (where Regional District party to Clause 4)	
	having an office at (address)	
	British Columbia (OR OTHER)	
	(hereinafter called the "Second Grantee")	
		OF THE THIRD PART
\	WHEREAS the Grantor is the registered owner in fe	e simple of the following lands in the
Province of British	Columbia, more particularly known and described a	15:
	(legal description)	
	(hereinafter called the "Lands");	
٨	AND WHEREAS the Grantor proposes to subdivide	the Lands, according to a plan of
	eted and certified correct on the day of	
	, British Columbia Land Surve	
ereto as Schedule	'A', into the following lots:	
	(hereinafter called the "Lots");	
	"	
Δ	ND WHEREAS a covenant under section 219 of the	a Land Title day is required as a
	isent to approval of the subdivision of the Lands und	

as a charge against the title to any land a covenant in favour of the First Grantee and the Second Grantee

AND WHEREAS section 219 of the Land Title Act provides that there may be registered

(hereinafter called the "Grantees") that land is to be used in a particular manner or that land is not to be subdivided except in accordance with the covenant:

NOW THEREFORE THIS AGREEMENT WITNESSETH that in consideration of the sum of ONE DOLLAR (\$1.00) of lawful money of Canada and other good valuable consideration paid by the Grantees to the Grantor, the receipt of which is hereby acknowledged, the Grantor does hereby covenant and agree with the Grantees under section 219 of the *Land Title Act* of the Province of British Columbia as follows:

- The Grantor is aware of and, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, hereby acknowledges that there is a potential flood danger to the Lots.
- 2. The Grantor, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, hereby covenants and agrees with the Grantees, as a covenant in favour of the Grantees pursuant to section 219 of the Land Title Act, it being the intention and agreement of the Grantor that the provisions hereof be annexed to and run with and be a charge upon the Lots, that from and after the date hereof:
 - a. No building, manufactured home or unit, modular home or structure shall be constructed, reconstructed, moved, extended or located within ______ metres of the natural boundary of (name of watercourse).

b.

No area used for habitation, business or storage of goods damageable by floodwaters and no furnace or other fixed equipment damageable by floodwaters shall be located within any building, modular home or structure at an elevation such that the underside of the floor system is less than ______ metre(s) above the natural boundary of ______ or elevation _____ metres Geodetic Survey of Canada datum or ______ metre(s) above the natural ground elevation taken at the perimeter of the building.

In the case of a manufactured home or unit, the ground level or top of concrete or asphalt pad on which it is located shall be no lower than the above described elevation.

3. Where landfill is used to raise the natural ground elevation, the toe of the landfill slope shall be no closer to the natural boundary than the setback requirement given in paragraph (2) above. The face of the landfill slope shall be adequately protected against erosion from flood flows (wave action, ice, or other debris). The required elevation may be achieved by structural elevation of the said

habitable, business, or storage area or by adequately compacted landfill on which any building, modular home or structure is to be constructed or manufactured home or unit located, or by a combination of both structural elevation and landfill, provided, that no area below the required elevation shall be used for the installation of furnaces or other fixed equipment damageable by floodwaters.

- 4. The Grantor, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, acknowledges that the Grantee does not represent to the Grantor, nor to any other person that any building, modular home, manufactured home or unit, improvement, chattel or other structure, including the contents of any of them, built, constructed or placed on the Lots will not be damaged by flooding or erosion and the Grantor, on behalf of himself or herself and his or her heirs, executors, administrators, successors and assigns, with full knowledge of the potential flood or erosion danger and in consideration of the approvals given by the Grantees hereby:
 - a. agrees to indemnify and to save harmless the Grantees and the Grantees' employees. servants or agents from all loss, damage, costs, actions, suits, debts, accounts, claims and demands which the Grantees or any of the Grantees' employees, servants or agents, may suffer or incur or be put to arising out of or in connection with any breach of any covenant or agreement on the part of the Grantor or his or her heirs, executors, administrators, successors and assigns contained in this Agreement or arising out of or in connection with any personal injury, death or loss or damage to the Lots, or to any building, modular home, manufactured home or unit, improvement, chattel or other structure, including the contents of any of them, built, constructed or placed on the Lots (including existing non-conforming buildings)*, caused by flooding, crosion or some such similar cause; and

* To be inserted where Guideline 4.6 applies

b. does remise, release and forever discharge the Grantees and the Grantees' employees, servants or agents from all manner of actions, causes of action, suits, debts, accounts, covenants, contracts, claims and demands which the Grantor or any of his or her heirs, executors, administrators, successors and assigns may have against the Grantees and the Grantees' employees, servants or agents for and by reason of any personal injury, death or loss or damage to the Lots, or to any building, modular home, manufactured home or unit, improvement, chattel or other structure, including the contents of any of them, built,

constructed or placed on the Lots, caused by flooding, erosion or some such similar cause.

- 5. Subject to the provisions of section 219 of the Land Title Act, the Grantor's covenants contained in this Agreement shall burden and run with the Lots and shall enure to the benefit and be binding upon the Grantor, his or her heirs, executors, administrators, successors and assigns and the Grantees and their assigns.
- 6. Nothing in this Agreement shall prejudice or affect the rights, powers and remedies of the Grantees in relation to the Grantor, including his or her heirs, executors, administrators, successors and assigns, or the Lots under any law, bylaw, order or regulation or in equity, all of which rights, powers and remedies may be fully and effectively exercised by the Grantees as if this Agreement had not been made by the parties.
- 7. The Grantor will do or cause to be done at his or her expense all acts reasonably necessary for the Grantees to gain priority for this Agreement over all liens, charges and encumbrances which are or may be registered against the Lots save and except those in favour of the Grantees and those specifically approved in writing by the Grantees.
- 8. The parties agree that this Agreement shall not be modified or discharged except in accordance with the provisions of section 219(9) of the *Land Title Act*.
- 9. The Grantor shall do or cause to be done all things and execute or cause to be executed all documents and give such further and other assurance which may be reasonably necessary to give proper effect to the intent of this Agreement.
- 10. a. The Grantor or any of his or her heirs, executors, administrators and assigns, as the case may be, shall give written notice of this Agreement to any person to whom he or she proposes to dispose of one of the Lots, which notice shall be received by that person prior to such disposition.
 - b. For the purposes of this paragraph the word "dispose" shall have the meaning given to it under section 29 of the *Interpretation Act*, R.S.B.C. 1996, c.238
- 11. Wherever the singular or masculine or neuter is used herein, the same shall be construed as including the plural, feminine, body corporate or politic unless the context requires otherwise.

- 12. If any section or any part of this Agreement is found to be illegal or unenforceable, then such sections or parts shall be considered to be separate and severable from this Agreement and the remaining sections or parts of this Agreement, as the case may be, shall be unaffected thereby and shall remain and be enforceable to the fullest extent permitted by law as though the illegal or unenforceable parts or sections had never been included in this Agreement.
- 13. This agreement shall be interpreted according to the laws of the Province of British Columbia.
- Where there is a reference to an enactment of the Province of British Columbia in this agreement, that reference shall include a reference to any subsequent enactment of the Province of British Columbia of like effect, and unless the context otherwise requires, all statutes referred to herein are enactments of the Province of British Columbia.

Signed by	\
in the presence of:) }
the processes of.	,
<u>, </u>	<u></u>
Witness)
) Grantor
Address	_)
Address)
Title or Occupation	_)
The of Occupation	,
Signed on behalf of Her Majesty the Queen)
in Right of the Province of British Columbia	,
as represented by the Minister of	·)
Transportation or his or her duly authorized)
designate in the presence of:) Minister of Transportation or his or
) her duly authorized designate
Witness)
Witness	_) \
n idicas	,)
litle or Occupation)
The Corporate Seal of)
)
	<i>)</i>
vas hereunto affixed in the presence of:	,) (c/s)
<u>.</u>)
) (Regional District)
)
)
This is the instrument creating t	the condition of Covenant pursuant to section 219 of the
and Title Act by the Grantor referred to herein a	nd shown on the Print and Plan annexed hereto as
•	and shown on the Frink and Frank annexed hereto as
chedule 'A' and initialled by me.	

(A Consent and Priority Agreement may be required to gain priority for the Section 219 Covenant over financial charges. See below.)

CONSENT AND PRIORITY AGREEMENT

(liens, charges and encumbrances)

WHEREAS	(the "Charge	holder") is the holder of a	registered in the
	Land Title Office under No	(the "Charge") encumbering	the lands described
in the attach	ned Section 219 Covenant (the "Cov	renant").	
Therefore th	nis Consent and Priority Agreement	witnesses that the Chargeholder hereb	y:
1.	approves of, joins in and consents	to the registration of the Covenant;	
2.	covenants and agrees that the Cove	enant is binding upon and takes priorit	y over the Charge;
	and		
3.	postpones the Charge and all of its	right, title and interest thereunder to t	he Covenant in the
	same manner and to the same effect	ct as if the Covenant had been dated, e	xecuted and
	registered prior to the Charge.		

IN WITNESS WHEREOF the Chargeholder has executed this Consent and Priority Agreement on the attached Form C.

SUBDIVISION APPROVAL FORMAT

	Version Date:
	File: Date:
Appl	icant
	——————————————————————————————————————
Dear	Sir/Madam:
	Re: Proposed Subdivision of
	(name of watercourse)
s her above which	letter is in reply to your correspondence of As the Approving Officer, consent eby given, pursuant to Section 86 of the Land Title Act, to your application for subdivision approval of the e-mentioned plan of subdivision, subject to the applicant entering into a covenant registrable under Section 219 is shall run with the land and shall put into effect the following conditions for the proposed lot to be created and mainder:
ʻl.	Hereafter, no building, manufactured home or unit, modular home or structure, shall be constructed, reconstructed, moved, extended or located within metres of the natural boundary of the (name of watercourse).
2.	Hereafter, no area used for habitation, business, or storage of goods damageable by floodwaters shall be located within any building, modular home of structure at an elevation such that the underside of the floor system thereof is less than metres above the natural boundary of (name of watercourse).
	In the case of a manufactured home or unit, the ground level or top of concrete or asphalt pad on which it is located shall be no lower than the above described elevation.
3.	The required elevation may be achieved by structural elevation of the said habitable, business, or storage area or by adequately compacted landfill on which any building is to be constructed or manufactured home or unit located, or by a combination of both structural elevation and landfill. No area below the required elevation shall be used for the installation of furnaces or other fixed equipment susceptible to damage by floodwater. Where landfill is used to raise the natural ground elevation, the toe of the landfill slope shall be no closer to the natural boundary than the setback requirement given in condition (1) above. The face of the landfill slope shall be adequately protected against erosion from flood flows (wave action, ice or other debris).
	2

- 2

4. The owner acknowledges that neither the provincial government nor the local authority have represented to the owner or any other person that any building constructed or manufactured home located in accordance with paragraphs (1) and (2) herein will not be damaged by flooding or erosion, and the owner covenants and agrees not to claim damages from the provincial government and (name of municipality) and not to hold the provincial government and (name of municipality) responsible for damages caused by flooding or erosion to the land or to any building, improvement, or other structure built, constructed or placed upon the said lands and to any contents thereof."

These covenant conditions are to be registered with priority over any financial charges registered against the property.

The following declaration is to be endorsed on the subdivision plan:

The registered owners designated hereon hereby acknowledge that the land affected by this plan may be subject to flooding and declare that they have entered into a covenant in favour of the provincial government and the local authority [as applicable], under Section 219 of the Land Title Act.

	(covenantor)	
dated at	,	, 20

The covenant must be tendered with the application to deposit the subdivision plan. The covenant must have the following statement typed or stamped on it and signed by the Approving Officer:

This is the instrument creating the condition or covenant entered into under Section 219 of the Land Title Act by the registered owner(s) referred to herein and shown on the print of plan annexed hereto and initialled by me.

219

Approving Officer
(cite Authority)

62

ALLUVIAL FAN means the allowed deposit of a stream where it issues from a steep matintain valley or gorge upon a plain or at the function of a mibutary stream with the main stream.

APPROVING OFFICER means the appropriate person appointed under the Land Title Act

COMMERCIAL USE means a use providing for the sale or rental of goods or services, for personal services, or for the servicing and repair of goods, and includes retail sales, wholesaling in conjunction with retail sales, commercial and government offices, personal services commercial schools, household services and household repairs

<u>DEBRIS FLOW</u> means the rapid downslope movement down steep preexisting dramage channels of water-saturated soil and debns by free flow processes

DESIGNATED FLOOD means a flood which may occur in any given year, of such magnitude as to equal a flood having a 200-year recurrence interval, based on a frequency analysis of unregulated historic flood records or by regional analysis where there is inadequate streamflow data available. Where the flow of a large watercourse is controlled by a major dam, the designated flood small be set on a site-specific basis.

<u>DESIGNATED FLOOD LEVEL</u> means the observed or calculated elevation for the Designated Flood and is used in the calculation of the flood construction level

<u>DESIGNATED</u>. OFFICIAL means any official of British Columbia to whom signing authority has been given

<u>DISPOSITION</u> means disposition of Crown land by certificate of purchase, grant, lease, licence of occupation, right-of-way, or easement under the *Land Act*

ELOOD CONSTRUCTION LEVEL means the Designated Flood Level plus the allowance for freeboard and is used to establish the elevation of the underside of a weoden floor system or top of concrete slab for habitable buildings. In the case of a manufactured home, the ground level or top of concrete or asphalt pad on which it is located shall be no lower than the above described elevation. It also establishes the minimum crest level of a Standard Dike. Where the Designated Flood Level cannot be determined or where there are overriding factors, an assessed height above the natural boundary of the waterway or above the natural ground elevation may be used.

FLOOPPLAIN means a lowland area, whether diked, floodpreofed, or not, which, by reasons of land elevation, is susceptible to flooding from an adjoining watercourse, ocean, lake or other body of water and for administration purposes is taken to be that area submerged by the designated flood plus freeboard.

FLOODPROOFING means the alteration of land or structures either physically or in use to reduce or eliminate flood damage and includes the use of building setbacks from water bodies to maintain a floodway and to allow for potential erosion. Floodproofing may be achieved by all or a combination of the following.

- 1 Building on fill, provided such fill does not interfere with flood flows of the watercourse and is adequately protected against floodwater erosion.
- 2 Building raised by structural means such as foundation walls, columns, etc.
- 3 A combination of fill and structural means

FLOODWAY means the channel of the watercourse and those portions of the floodplains which are reasonably required to discharge the flood flow of a designated flood. A minimum required floodway shall be equal to the width of the channel within the natural boundary plus a minimum setback of thirty metres from the natural boundary on each side of the channel or channels unless otherwise approved.

FREEBOARD means a vertical distance added to the Designated Flood Level and is used to establish the Flood Construction Level

<u>HABITABLE AREA</u> means any room or space within a building or structure which is or can be used for human occupancy, commercial sales, or storage of goods, possessions or equipment (including furnaces) which would be subject to damage if flooded.

HEAVY INDUSTRY includes such uses as manufacturing or processing of wood and paper products, metal, heavy electrical, non-metallic mineral products, petroleum and coal products, industrial chemicals and by-products, and alhed products

INSPECTOR OF DIKES means an official of the Ministry of Water, Land and Air Protection as defined under The Live Maintenance Act, RS Chapter 99 of the Province of British Columbia

INSTITUTIONAL USE means a use providing for public functions and includes federal, provincial, regional and maintigal offices, schools, churches, colleges, hospitals, community centres, libraries, miseums juils, courts of law and similar facilities, and specifically excludes public storage and works yards, and public utility uses.

LIGHT OR SERVICE INDUSTRY includes such uses as assembly, fabrication and light manufacturing, warehousing, wholesaling and food processing

MANUFACTURED HOME means a structure manufactured as a unit, intended to be occupied in a place other than at its manufacturer, and designed as a dwelling unit, and includes mobile homes, and specifically excludes recreation vehicles.

MINIMUM PONDING ELEVATION means a minimum construction level assigned to reduce possible flood damage due to bonding of local drainage during a severe local storm

NATURAL BOUNDARY means the visible high watermark of any lake, nver, stream or other body of water where the presence and action of the water are so common and usual and so long continued in all ordinary years as to mark upon the soil of the bed of the lake, nver, stream or other body of water a character distinct from that of the banks thereof, in respect to vegetation, as well as in respect to the nature of the soil itself (Land Act, Section 1) In addition, the natural boundary includes the best estimate of the edge of dermant or old side channels and marsh areas

NON-CONFORMING means any existing building located on floodprone land which does not meet floodproofing requirements set out in any pertinent bylaw, regulation or covenant

<u>PAD</u> means a paved surface on which blocks, posts, numers or strip footings are placed for the purpose of supporting a manufactured home or unit

PROFESSIONAL ENGINEER means a person who is registered or licensed under the provisions of the Engineers and Geoscientists Act, 1996, RS Chapter 116 of the Province of British Columbia

RECREATION USE means a use providing for indoor or outdoor recreation and includes parks, playgrounds, and sports facilities

RECREATION VEHICLE means any structure, trailer or vehicle used or designed to be used for living or sleeping purposes and which is designed or intended to be manufactured on land, whether or not self-propelled

SETBACK means a withdrawal of a building or landfill from the natural boundary or other reference line to maintain a fleedway and to allow for potential land eroston.

STANDARD DIKES means those built to a minimum crest elevation equal to the flood construction level and meeting standards of design and construction approved by the Ministry of Environment and Parks and maintained by an ongoing authority such as a local government body

<u>TRAINING WALLS</u> means any wall, dike or protective structure used to prevent a stream from leaving its channel at a given location

ISUNAMI means a sea wave generated by tectonic or volcanic activity

WATERCOURSE means any natural or man made depression with well-defined banks and a bed 0.6 metres or more below the surrounding land serving to give direction to a current of water at least six (6) months of the year or having a drainage area of 2 square kilometres or more upstream of the point of consideration..

220 63

SUBDIVISION APPROVAL FORMAT BARE LAND STRATA REGULATIONS

		Version Date:
•		· File:
		Date:
Applicant		
Dear Sir/Madam:		
	Re:	Application for Approval of Proposed Bare Land Strata Plan of
شندة		(name of watercourse)
consent is hereby gi approval of the abov registrable under Se	ven, pursua ve-mention ction 219, v	rrespondence of As the Approving Officer on to Section 3 of the Bare Land Strata Regulations, as amended, for the ad Bare Land Strata Plan, subject to the applicant entering into a covenant which shall run with the land and shall effect the following conditions for luding the common property and any remainder:
(continue as for stan	dard appro	val Form 5)

SUBDIVISION REFUSAL TO CONSENT

		Version Date:
		File: Date:
Applic	cant	
(addre	ss)	
Dear S	ir/Madam	
	Re:	Proposed Subdivision
		(name of watercourse)
authori as the applica (If desi In orde	Approving Officer, consention for approval of the above red, give reason for decision for this decision to be red. A comprehensive engine identify what (if any) engothers would likely	•
2.	authority must be arrange	eering works were identified, maintenance of such works by an ongoing ed. The construction of the works would have to precede the approval of division or proposed bare land strata plan.
(Alterna outside	atively, you may wish to co the hazard area.)	onsider the submission of an alternate scheme in which lots are created
If you r	equire any further informa	ion, please contact
		Yours truly,
cc: Bui	lding Inspector, local gove	Approving Officer

ΕC	ORM C					
	ection 219.81)	•				
	ovince of					
	itish Columbia ENERAL INSTRUMENT-PA	ART 1 (T)	nis area for i	Land Title Office Use)	Page 1 of	pages
1.	APPLICATION: (Name, ad agent)					pages
					ure of Authorized	Agent)
2.	PARCEL IDENTIFIER(S) A (PID)	ND LEGAL DESCRIP LEGAL DESCRIPT)		F LAND:*		
	, ,		,			
3.	NATURE OF INTEREST:*	D D. 6				
	Description	Document Reference (Page and paragraph)		Person Entitled	to Interest	
	Modification of Covenant					
4.	TERMS: Part 2	of this instrument consi	sts of (selec	t one only)		
(a)	Filed Standard Charge T	erms		D.F. No.		
(b)	Express Charge Terms Release			Annexed as Part 2 There is no Part 2 of this		
inst	rument					
to t	election of (a) includes any ad his instrument. If (c) is selecte land described in Item 2.	ditional or modified terr ed, the charge described	ms referred in Item 3 is	to in Item 7 or in a schedule released or discharged as a	annexed charge on	
5.	TRANSFEROR(S):*					
				_		
6.	TRANSFEREE(S): (Includin	g postal address(es) and	postal code	e(s)) *		
	I D D I TO D D D D D D D D D D D D D D D D D D					
7.	ADDITIONAL OR MODIFIE	ED TERMS: *				

Page	2	of	pages

Name of Municipality

8. EXECUTION(S): ** This instrument creates, assigns, modifies, enlarges, discharges or governs the priority of the interest(s) described in Item 3 and the Transferor(s) and every other signatory agree to be bound by this instrument, and acknowledge(s) receipt of a true copy of the filed standard charge terms, if any.

Officer Signature(s)	Exec	ution M	Date	
Officer Signature(s)		101		Party(ies) Signature(s) Name of Grantee under Covenant
				HER MAJESTY THE QUEEN IN RIGHT OF THE PROVINCE OF BRITISH COLUMBIA, by its authorized signatory

OFFICER CERTIFICATION:

Your signature constitutes a representation that you are a solicitor, notary public or other person authorized by the *Evidence Act*, R.S.B.C. 1979, c. 116, to take affidavits for use in British Columbia and certifies the matters set out in Part 5 of the *Land Title Act* as they pertain to the execution of this instrument.

- * If space insufficient, enter "SEE SCHEDULE" and attach schedule in Form E.
- ** If space insufficient, continue executions on additional page(s) in Form D.

MODIFICATION OF COVENANT NO.

THIS AGREEMENT ma	de this day (of`	20
BETWEEN:			
	(hereinafter called the '		
			OF THE FIRST PART
AND:			
			
	(hereinafter called the "	Grantee")	
			OF THE SECOND PART
WHERE	EAS the Grantor is the re	gistered owner in fee sir	mple of the following lands in the
Province of British Colum	ibia, more particularly kr	nown and described as:	
	(hereinafter called the "		
By an ag	greement dated as of the	day of	,
20 and registered in the			
Number(s)		against Lot	, the Grantor granted a
covenant, pursuant to sect	ion 219 of the <i>Land Title</i>	Act of British Columbia	t, in favour of the Grantee
(hereinafter called the "Co	venant");		
The part	ies hereto have agreed to	modify and amend the	Covenant, as hereinafter
provided:			

NOW THEREFORE THIS AGREEMENT WITNESSETH that in consideration of the
sum of ONE DOLLAR (\$1.00) of lawful money of Canada and other good valuable consideration paid by
the Grantee to the Grantor, the receipt of which is hereby acknowledged, the Grantor does hereby covenant
and agree with the Grantee under Section 219 of the Land Title Act of the Province of British Columbia as
follows:

· :

follows	
1.	The Covenant is hereby modified and amended, effective as of the date hereof, as follows:
	a.
	b. etc.
2.	This Agreement shall be read and construed in conjunction with the Covenant and, except as
	modified and amended by this Agreement, the Covenant shall continue in full force and effect.
3.	This Agreement and everything contained herein shall be binding upon and enure to the benefit of the respective heirs, administrators, successors and assigns of the parties hereto.
and year	IN WITNESS WHEREOF the parties hereto have executed this Agreement on the day first above written.
and year	thou do to mittely.
Signed b in the pro	y) esence of:))
Witness)) Grantor
Address	
Title or (Occupation)

Ferm 8

The common seal of	
was hereunto affixed in the presence of:	(c's)
Authorized Signatory)	
Signed on behalf of Her Majesty the Queen in Right of the Province of British Columbia as represented by the Minister of Transportation or his or her duly authorized designate in the presence of:	Minister of Transportation or his or her duly authorized designate
Witness)	
Witness)	
Title or Occupation)	
The Corporate Seal of the Grantee) was hereunto affixed in the presence of:)	(c-'s)
) }	

STANDARD FORMAT - LEASE - DISPOSITION REFERRAL FORM

	Version Date:		
·	File: Date:		
Re: <u>Lease or Disposition of</u>			
I have for reply your referral of	, 20, regarding an application		
purposes, in the name(s) of			
	he following conditions be written into the		
	OR		
igreement and should be registered as a co	ng conditions be written into the terms of the fee simple sale overant under the provisions of Section 219 of the <i>Land Title Act</i> be registered with priority over any financial charges registered		
(continue	e as for Form 5, Clauses 1 to 4 incl.)		
f you require any further information, plea	ase contact:		
C.			

SUBDIVISION APPROVAL FORMAT LOT LINE ADJUSTMENT

			Version Date:	
		File: Date:		
Appli	cant			
Dear S	Sir:Madam:			
	Re:	Proposed Subdivision	(name of watercourse)	
hereby subdiv	given, pursuant to Strision, subject to the	Section 86 of the Land Title Act, for a specificant entering into a covenant	. As the Approving Of or the approval of the above-mentioned registrable under Section 219, which shed lot to be created and the remainder:	plan of
"1.			modular home or structure, shall be con metres of the natural bound	
2.	located within any	building, modular home or struct	torage of goods damageable by floodwa ture at an elevation such that the undersi sove the natural boundary of (name of w	ide of the floor
		anufactured home or unit, the group lower than the above described e	ınd level or top of concrete or asphalt pa levation.	ad on which it is
3.	or by adequately or located, or by a co shall be used for the Where landfill is uthe natural boundary.	compacted landfill on which any bombination of both structural elevance installation of furnaces or other used to raise the natural ground eleary than the setback requirement g	al elevation of the said habitable, busine uilding is to be constructed or manufact ation and landfill. No area below the required equipment susceptible to damage evation, the toe of the landfill slope shall iven in condition (1) above. The face of lood flows (wave action, ice, or other defined in the landfill slope shall be action, ice, or other defined in the landfill slope shall be action, ice, or other defined in the landfill slope shall be action, ice, or other defined in the landfill slope shall be action, ice, or other defined in the landfill slope shall be action.	ured home or unit uired elevation by floodwater. I be no closer to the landfill slope
4.			ditions of subdivision approval unless a pply only to development on new lots cre	
	(continue as for sta	andard approval format with 'save	harmless', etc.)	

Flood Plain Designation and Protection Bylaw

WHEREAS:

It is desirable to minimize the risk of injury, loss of life, and property damage due to flooding;

Council has considered Provincial Guidelines respecting flood control; and

The Local Government Act, section 910, authorizes Council to enact a bylaw to designate flood plains within the City and to make regulations in relation to flood control, flood hazard management and development of land that is subject to flooding;

The Council of the City of Richmond enacts as follows:

PART 1. DESIGNATION OF FLOOD PLAIN

- 1.1 The following areas of the City are designated as **flood plain**:
 - (a) The flood plain of the Fraser River in the vicinity of the City as shown on Schedule A.
 - (b) The flood plain of the Gulf of Georgia in the vicinity of the City as shown on Schedule A.

PART 2. SETBACK REQUIREMENTS

- 2.1 No landfill or structural support required to support a floor system or **pad** shall be constructed, reconstructed, moved, extended or located:
 - (a) where a **standard dike** exists, within 7.5 metres of a dike right of way;
 - (b) where a **standard dike** does not exist, within 30 metres of a dike right of way; or
 - (c) where a dike right of way does not exist and land is situated within the dike alignment, within 30 metres of the **natural boundary**.

PART 3. ELEVATION REQUIREMENTS

- 3.1 Except as otherwise expressly permitted in this bylaw, a person shall not construct, reconstruct, move, extend or locate the finished concrete floor, underside of any floor system damageable by flood waters, or the top of any pad supporting any space or room, including a manufactured home below the flood plain construction level, as shown in Schedule B, where the building, structure, or manufactured home is used or could be used for the purpose of dwelling, business, or the storage of goods susceptible to damage by flood water.
- 3.2 Subject to section 3.3, the flood plain construction level may be achieved by:
 - (a) structural elevation of the underside of any floor system, or the top of any pad supporting any space or room, that is or could be used for a dwelling, business, or storage purpose;
 - (b) by adequately compacted landfill on which any building is to be constructed or manufactured home or unit located; or
 - (c) by a combination of both structural elevation and landfill.
- Where landfill is used to achieve the **flood plain construction level**, no portion of the landfill slope shall be closer than the setbacks established in section 2.1 for
 - (a) the natural boundary; or
 - (b) the inboard side of any dike right of way,

and the face of the landfill slope shall be protected against erosion from flood flows, wave action, ice or other debris.

3.4 No area below the **flood plain construction level** shall be used for the installation of furnaces or other fixed equipment susceptible to damage by flood water.

PART 4. GENERAL EXEMPTIONS

- 4.1 In respect of all parcels within **Area A**, as shown in Schedule B, the elevation requirements of Part 3 do not apply to a building or structure where the underside of the floor system, or the top of the **pad** supporting any space or room, including a **manufactured home**, is located at least 0.3 metres above the highest level of the crown of any **road** that is adjacent to the parcel.
- 4.2 In respect of a parcel within **Area A**, as shown in Schedule B, which is used for a commercial or industrial use, the elevation requirements of Part 3 do not apply to a building where:

- (a) the main entrance to the building is located three (3) metres or less from the boundary of a road; and
- (b) the underside of the floor system, or the top of a pad supporting any space or room within that building is located at the same elevation as the highest level of any road that is adjacent to that parcel.
- 4.3 In respect of a parcel within the **Steveston Village Area**, the elevation requirements of Part 3 do not apply. In respect to the **Steveston Village Area**, the top side of the floor system or the top of the **pad** supporting any space or room of a building or structure, including a manufactured home, shall not be below the existing level of a City sidewalk, (or if no sidewalk, the **road**) that is adjacent to the parcel.
- 4.4 The elevation requirements of Part 3 do not apply to:
 - (a) the renovation of an existing building or structure that does not include an addition to the building or structure;
 - (b) an addition to a building or structure that would increase the size of the building or structure by less than twenty-five (25%) percent of the floor area of the building existing as of the date of adoption of this Bylaw;
 - (c) that portion of a building or structure to be used as a carport or garage;
 - (d) enclosed underground parking areas where an unobstructed non mechanized means of pedestrian access and egress is provided above the flood plain construction level and where a sign is permanently posted at all points of entry that the parking area is not protected from inundation by flood waters;
 - (e) farm buildings other than dwelling units.

PART 5. SITE SPECIFIC EXEMPTIONS

- In respect of a parcel located within an area protected by a **standard dike**, an exemption pursuant to section 910(5) of the *Local Government Act* from any requirement or requirements of Part 2 or Part 3 may be granted by the **Director**, subject to any terms and conditions the **Director** considers necessary or advisable, if:
 - (a) the Director is of the opinion that the exemption is consistent with the Provincial Guidelines; or

- (b) the Director receives a report, certified by a professional engineer or professional geoscientist and experienced in geotechnical engineering, that
 - (i) the land may be used safely for the use intended, and
 - (ii) protection from a flood of the magnitude used for modelling purposes in the Lower Fraser River Hydraulic Model, 2006 can be achieved through an engineered design without reliance on a standard dike.
- 5.2 Without limiting other terms and conditions that the **Director** considers necessary or advisable in granting an exemption under this Part, the **Director** may require that a person enter into a covenant under Section 219 of the *Land Title Act* against the title of the parcel, at that person's expense, which covenant may include, without limitation, provisions that
 - (a) identify reliance on a report required pursuant to Section 5.1 (b);
 - (b) impose duties and restrictions on the owner of the parcel; and
 - (c) release and indemnify the **City** with respect to any flooding of the property or flood damage to land, structures and contents thereof.
- A person seeking an exemption shall complete an application in a form provided by the City and submitted in accordance with the instructions on the application.
- 5.4 Any reports, covenants, materials or other requirements that are or may be imposed as a condition of exemption under this Part shall be at the sole expense of the person seeking an exemption.
- 5.5 This bylaw is not a substitute for any requirements under Section 56 of the *Community Charter* or amendments thereto.

PART 6. OFFENCE AND PENALTY

A person who contravenes a regulation or requirement of this bylaw commits an offence and on conviction is liable to a fine of \$10,000, and in the case of a continuing offence, each day that the offence continues is a separate offence.

PART 7. NO REPRESENTATION

7.1 By the enactment, administration or enforcement of this bylaw, the City does not represent to any person that any building, structure or manufactured home

located, constructed or used in accordance with the provisions of this bylaw, or in accordance with conditions, terms, information, advice, direction or guidance provided by the City in the course of administering this bylaw, will not be damaged by flooding or flood water.

PART 8. INTERPRETATION AND CITATION

8.1 In this Bylaw:

Area A means that part of the City lying within the boundaries of "Area A" as shown on Schedule "B" to this Bylaw;

City means the City of Richmond;

Director means the Director of Building Approvals or a person designated by the Director to act in his or her absence;

flood plain means a lowland area, whether or not diked or floodproofed, which, by reasons of land elevation, is susceptible to flooding from an adjoining watercourse, river, ocean, lake or other body of water, and that is designated as flood plain in Part 1 of this bylaw;

flood plain construction level means the elevation level, measured in metres GSC, established in Schedule B of this bylaw;

floodway means the channel of a watercourse and those portions of the flood plain that are reasonably required to discharge a flood flow;

GSC means Geodetic Survey of Canada datum;

manufactured home means a structure manufactured as a unit, intended to be occupied at a place other than its place of manufacture, and designed as a dwelling unit, and includes mobile homes, but specifically excludes recreation vehicles;

natural boundary means the visible high water mark of any lake, river, stream or other body of water where the presence and action of the water are so common and usual and so long continued in all ordinary years as to mark upon the soil of the bed of the lake, river, stream or other body of water a character distinct from that of the banks thereof, in respect to vegetation as well as in respect to the nature of the soil itself. For coastal areas, the natural boundary shall include the natural limit of permanent terrestrial vegetation. In addition, the natural boundary includes the best estimate of the edge of dormant or old side channel and marsh areas;

pad means a paved surface on which blocks, posts, runners or strip footings are placed for the purpose of supporting a manufactured home or unit;

professional engineer means an engineer who is registered or licensed in British Columbia under the provisions of the *Engineers and Geoscientists Act* and amendments thereto;

professional geoscientist means a geoscientist who is registered or licensed in British Columbia under the provisions of the *Engineers and Geoscientists Act* and amendments thereto;

Provincial Guidelines means the policies, strategies, objectives, standards, guidelines and environmental management plans, in relation to flood control, flood hazard management and development of land that is subject to flooding, as contained within the *Flood Hazard Area Land Use Management Guidelines* dated May, 2004, published by the Province of British Columbia, and any amendments or revisions thereto;

road includes a highway, street, lane, sidewalk, right of way or any other way open to public use, or a private right of way intended for vehicular traffic, but does not include a trail;

setback means a withdrawal of a building or landfill from the natural boundary or other reference line to maintain a floodway and to allow for potential land erosion;

standard dike means a dike that is built to a minimum crest elevation and meeting standards of design and construction approved by the Ministry of Environment and as may be required by the City, whichever standard is higher, and that is maintained by the local government body;

Steveston Village Area means that part of the City shown on Schedule B of this Bylaw as being "At Sidewalk Elevation"; and

watercourse means any natural or man-made depression with well-defined banks and bed at least 0.6 metres or more below the surrounding land serving to give direction to a current of water at least 6 months of the year, or that has a drainage area of 2 square kilometres or more upstream of the point of consideration.

This Bylaw is cited as	"Flood Plain	Designation a	and Protection	Bylaw No.	8204"
------------------------	--------------	---------------	----------------	-----------	-------

FIRST READING		CITY OF RICHMOND
SECOND READING	<u> </u>	APPROVED for content by originating dept.
THIRD READING		
ADOPTED		APPROVED for legality by Solicitor
		,
MAYOR	CORPORATE OFFICER	

