



**Alexandra District Energy Utility Bylaw No. 8641  
Amendment Bylaw No. 10410**

The Council of the City of Richmond enacts as follows:

1. The **Alexandra District Energy Utility Bylaw No. 8641**, as amended, is further amended by deleting Schedule C (Rates and Charges) in its entirety and replacing it with a new Schedule C attached as Schedule A to this Amendment Bylaw.
2. This Bylaw is cited as “**Alexandra District Energy Utility Bylaw No. 8641, Amendment Bylaw No. 10410**”

FIRST READING

NOV 14 2022

SECOND READING

NOV 14 2022

THIRD READING

NOV 14 2022

ADOPTED

CITY OF RICHMOND
APPROVED for content by originating dept.
CR
APPROVED for legality by Solicitor
BRB

\_\_\_\_\_  
MAYOR

\_\_\_\_\_  
CORPORATE OFFICER

**Schedule A to Amendment Bylaw No. 10410*****SCHEDULE C to BYLAW NO. 8641******Rates and Charges*****PART 1 - RATES FOR SERVICES**

*The following charges, as amended from time to time, will constitute the Rates for Services for the Service Area excluding shaded Area A as shown in Schedule A to this Bylaw:*

- (a) Capacity charge – a monthly charge of \$0.0956 per square foot of Gross Floor Area; and*
- (b) Volumetric charge – a charge of \$24.190 per megawatt hour of Energy returned from the Energy Transfer Station at the Designated Property.*

**PART 2 - EXCESS DEMAND FEE**

Excess demand fee of \$0.184 for each watt per square foot of each of the estimated peak heat energy demand and estimated cooling demand referred to in section 21.1(e)(i), 21.1(e)(ii), and 21.1(e)(iii) that exceeds 6 watts per square foot.

**PART 3 - RATES FOR SERVICES APPLICABLE TO AREA A**

*The following charges will constitute the Rates for Services applicable only to the Designated Properties identified within the shaded area (Area A) shown in Schedule A to this bylaw:*

- (a) Volumetric charge – a charge of \$88.88 per megawatt hour of Energy returned from the Energy Transfer Station at the Designated Property calculated on each of (i) an energy use of 2644 MWh per annum (“Basic Supply Amount”), and (ii) any energy use in excess of the Basic Supply Amount.*