



HEALTHY RICHMOND 2012

Prepared by:

Public Health Surveillance Unit Vancouver Coastal Health February 2013

ACKNOWLEDGEMENTS

With thanks to:

City of Richmond

Onkar Buttar, Planner Analyst, Policy Planning Division Lisa Fedoruk, Coordinator, Marketing & Communications, Community Services Department Vern Jacques, Acting Director, Recreation Services Lucy Tompkins, Acting Manager, Programs & Projects

Vancouver Coastal Health

Tiffany Akins, Communications Leader, Communications & Public Affairs Diane Bissenden, Director, Population & Family Health, Richmond Belinda Boyd, Leader, Community Engagement Laurie Cheung, Tobacco Reduction Coordinator, Richmond Steve Chong, Manager, Health Protection, Richmond Mitchell Chow, Program Assistant, Tobacco Reduction Program John Hamilton, Project Manager, Public Health Surveillance Unit Eleni Kefalas, Public Health Information Analyst, Public Health Surveillance Unit Emily Laflamme, Regional Epidemiologist, Public Health Surveillance Unit Tanya Lo, Analyst/Administrative Assistant, Public Health Surveillance Unit Dr. James Lu, Medical Health Officer, Richmond Dr. Jat Sandhu, Regional Director, Public Health Surveillance Unit Gary Tam, Environmental Health Officer, Richmond Christina Tonella, Regional Manager, Tobacco Reduction Program

Healthy Richmond Field Surveyors

Turbo Chau	Jasmine Lai	Connie Lu	Pamela Tran
Sammy Cheng	Alwyn Li	Zita Luk	Alex Zhang
Jasmine Garcha	Rebecca Liang	Jessie Mason	Zhitong Zhu
Kalliopi Georgas	Jack Liu	Robin St. Goddard	
Vanessa Ip	Jinfeng Liu	Ryan Sun	

Healthy Richmond Field Survey Sites

University of British Columbia Dr. Paul Gustafson, Professor, Statistics Dr. Kendall Ho, Director, eHealth Strategy Office Liz Healthcote, Assistant Director (Education & Technology), eHealth Strategy Office

Dragana Petzing, BC Ministry of Finance (for surveyor insurance)

"Great idea! Thank you! Richmond is very proactive in addressing health concerns in the community!"

PRCS - 12 - Healthy Richmond survey participant

TABLE OF CONTENTS

- 4 Foreword
- 5 Introduction
- 6 Executive Summary
- 7 Methods
 Questionnaire development
 Data collection
 Marketing & Communications
 Weighting & Analysis
- 9 Data considerations
- 10 Results
 - Demographics Health & Wellness Community belonging Composite wellness score Neighbourhood summary
- 22 Conclusion & Next Steps
- 24 References

FOREWORD

"Have you eaten? 吃过饭了吗" This is an often heard Chinese greeting. While it is entirely superficial nowadays, we can imagine the greeting having its roots in the cyclic famines that occurred throughout Chinese history, when food security was a matter of life and death. We can also discern from the greeting a past society that recognized the importance of community support for one's survival and well-being.

We who live in Richmond like to point out to folks that we have the longest life expectancy of any municipality in British Columbia, and that we live in one of the healthiest communities in Canada. But what is health, and are all Richmond residents equally healthy? And, even if we are the healthiest community, are there things we can do better, as individuals, and as a community?

More than 60 years ago, the World Health Organization (WHO) stated in the preamble to its constitution that "health is the state of complete physical, mental and social well-being and not merely the absence of disease or infirmity." So health is not just about how long we live; and how does Richmond fare besides longevity? The WHO definition recognizes that the business of helping people to be healthy cannot be left alone to the traditional health care system. Governments at all levels are becoming more aware of this, driven in part by increases in the prevalence of lifestyle-related chronic conditions, the aging population, the increasing differences in health between population groups, and in the high cost of treating illness.

The Richmond Community Wellness Strategy, developed in 2010, provides a vision of what Richmond can be as a healthy community. The Strategy is the product of collaboration between the City of Richmond, School District 38 (Richmond) and Vancouver Coastal Health. One action from the Strategy is the 2012 Healthy Richmond Survey. This survey will help determine where we are now and where we should head in this journey to community wellness.

We are very pleased with the high level of interest and support for the survey among Richmond residents. We heard from over 2 percent of residents in just 10 days - that is more than four times the sample size of the Canadian Community Health Survey (CCHS) - our traditional source for community health data. At this level of response, we are able to report most of the survey results by Richmond's planning areas, which is far more informative than having averages for the entire city, which is all we can do with the CCHS data. Perhaps the most important finding from the 2012 Healthy Richmond Survey is the importance of community belonging to our well-being. We look forward to working with community partners to try to improve our sense of community in Richmond.

We thank the many partners who helped us in getting this survey successfully completed. But most importantly, we thank the 3639 residents who took the time to complete the survey. To wellness!

Sincerely,

Dr. James Lu Medical Health Officer, Richmond Vancouver Coastal Health

INTRODUCTION

Richmond is a city in British Columbia with a total population of 200,000, including an adult population (aged 18 years +) of 163.000¹. It is an ethnically diverse city that attracts a large number of international immigrants. Richmond has a generally healthy population.


The Healthy Richmond Survey was developed in 2012 to provide a local perspective on health and wellness issues and to support the ongoing monitoring and evaluation of the Richmond Community Wellness Strategy.

The strategy was developed as a legacy of the 2010 Vancouver Winter Olympic Games. The strategy was developed with input from key informant interviews, a community wellness workshop and a community needs assessment and was approved by all three partners in Spring 2010.

The three desired outcomes of the strategy are for residents of Richmond to have:

1. An increased permanent commitment to wellness and well-being.

- 2. Increased physical activity and physical fitness.
- 3. An increased sense of connectedness to the community.




The Richmond Community Wellness Strategy can be found at http://www.richmond.ca/services/ socialplan/wellness.htm.

Information gathered from the Healthy Richmond Survey will also be used to develop and guide wellness and health promotion programming in Richmond. It provides information at a level of detail that is not currently available from other provincial or national health surveys.

For further information, contact:

Public Health Surveillance Unit Vancouver Coastal Health phsu@vch.ca

Parks, Recreation & Cultural Services Richmond Community Wellness Strategy



EXECUTIVE SUMMARY

Introduction:

- The Healthy Richmond Wellness Survey was developed to fill an existing gap in local level health and wellness information and to support the monitoring and evaluation of the Richmond Community Wellness Strategy.
- The survey was administered both online and in person and ran in Spring 2012. In total, 3,639 adults aged 18 years or older completed the survey (2% of the adult population of Richmond). Content themes included general health, chronic conditions, fruit & vegetable consumption, tobacco use, physical activity, method of commute and community belonging.

Results:

- The respondent sample was representative of the Richmond neighbourhood census profiles by age, sex and ethnicity.
- Overall, 43% of Richmond adults rated their health as excellent or very good.
- Despite this, only 21% of adults reported eating the daily recommended number of servings of fruits and vegetables and only 33% are meeting the recommended weekly physical activity guideline. Eight percent of Richmond's adult population are current cigarette smokers.
- A strong association between sense of community belonging and overall health was found. Sense of belonging was found to be generally weaker among adults under the age of 40, those who have immigrated to Canada within the past ten years and those who do not regularly access community recreation facilities.
- A composite wellness score was derived for each respondent based on their responses regarding fruit and vegetable consumption, tobacco use, vigorous physical activity and daily walking. This score was strongly related to health status and sense of community belonging.

Conclusions:

- The results from the Healthy Richmond Wellness Survey will be used as a baseline measure for the evaluation of the Richmond Community Wellness Strategy.
- Behavioural lifestyle risk factors should be addressed collectively as they cluster according to social-economic status and neighbourhood.
- Removing barriers to full participation in leading healthy lives requires strategies that incorporate the social determinants of health.
- Multi-sectoral strategies are required to increase a sense of community belonging, an important determinant of positive lifestyle traits and healthier communities.

METHODS


Healthy Richmond is a health and wellness survey administered by Vancouver Coastal Health, in partnership with the City of Richmond, from February 24 to March 4, 2012.

Questionnaire development

The questionnaire consisted of 35 questions. These questions focused on socio-demographic characteristics, immigration information, general health, chronic conditions, fruit & vegetable consumption, tobacco use, physical activity, method of commute and community belonging. Validated questions from the Statistics Canada Census¹, the Canadian Community Health Survey^{2,3} and the International Physical Activity Questionnaire⁴ were used where possible. Custom questions, specific to the community, were also included.

Data collection

The survey was administered online; participants could either complete the survey at home by accessing the survey URL or in person with a field surveyor who accessed the online survey on a tablet computer. Field surveyors were located throughout Richmond and were deployed based on statistics collected daily and neighbourhood benchmarks based on age, gender and ethnicity (Figure 1). Participants had the option to complete the survey in English (online and in the field), Mandarin (field), Cantonese (field) or Punjabi (field). On average, the survey took seven minutes to complete online and 11 minutes to complete in the field.





METHODS

After 10 days of survey administration, 3639 surveys were completed, representing approximately 2% of the adult population (aged 18 years+) of Richmond. Of these, 2750 were completed in person with a field surveyor and 889 were completed online by the participant. The population who completed the survey online had a higher proportion of females, those aged 30 to 59 and were more highly educated. Those of visible minority were more likely to complete the survey in person (Table 1).

	ONLINE	IN- PERSON
	n=889 (24%)	n=2750 (76%)
Gender		
Male	32%	52%
Female	68 %	48%
Age (years)		
No age given	3%	5%
18 to 29	14%	16%
30 to 39	14%	13%
40 to 49	20%	19 %
50 to 59	27%	19 %
60 to 69	15%	16%
70 +	6%	12%
Education		
Below high school	1%	6%
High school graduation	14%	29%
Some post secondary	31%	24%
Bachelor's degree	33%	30%
Graduate degree	21%	11%
Ethnicity		•
White/Caucasian	57%	31%
Chinese	28 %	51%
Japanese	2%	1%
Korean	0%	0%
South Asian	5%	5%
Southeast Asian	0%	1%
Filipino	3%	6%
Arab	0%	1%
West Asian	1%	0%
Black	0%	1%
Latin American	1%	1%
Aboriginal	0%	1%
Other	3%	^{3%} P

Table 1. Demographics of those who completed the Healthy Richmond survey online vs in person

Marketing and Communications

The Healthy Richmond survey was promoted through posters (Figure 2), advertisements (e.g. Facebook, daily newspaper), English and Chinese news stories, the VCH website, VCH staff newsletters, VCH's twitter account, email blasts to local businesses and community organizations and through word of mouth. The majority of participants heard about the survey through a friend, family or employer (37%), Facebook (34%) and the newspaper (11%).

Figure 2. Healthy Richmond posters in English and Simplified Chinese



Weighting & Analysis

A weighting scheme was constructed for each Richmond neighbourhood based on the population age and gender profile from 2006 Statistics Canada Census data (most recent data available). These weights were used to ensure the correct representation of each neighbourhood with respect to age and gender. All analyses shown exclude "don't know" or "prefer not to answer" responses.

HOW TO INTERPRET TABLES IN THIS REPORT

Most tables in this report are presented in the format shown in Table i.

a - percentages in each column add to 100%. Note that due to rounding, columns may not add to exactly 100%. In this example, 15% of the boys in the sample chose orange as their favourite colour.

b - unweighted n values and weighted
percentages are reported. In this
example, 26 boys were sampled out of a
total sample of 50 kids, but the responses
were weighted so that the boys represent
50% of the sample.

	TOTAL	Boys	Girls	
	n=50 (100%)	n=26 (50%)	n=24 (50%)]
Red	35%	35%	35%	
Orange	20%	15%	25%	כן
Yellow	13%	12%	14%	7
Green	17%	18%	16%	7
Blue	10%	15%	5%	7
Indigo	3%	3%	3%]
Violet	2%	2%	2%	7

c - by comparing proportions across the rows, we can find differences between subpopulations of the sample. In this example, more girls than boys chose orange as their favourite colour.

DATA CONSIDERATIONS

This report is intended to present overall results from the Healthy Richmond survey. More detailed analyses and interpretations are included in separate fact sheets and reports.

In reviewing the results presented here, it is important to consider that this survey was administered during a 10 day period during winter and may result in seasonal bias, especially for estimates such as fruit and vegetable consumption and physical activity. This may affect the comparability of these results to other surveys. However, seasonal bias is expected to be consistent across all demographics and neighbourhoods in Richmond and thus reliable comparisons can be made between demographic groups within these results.

The Healthy Richmond survey was administered in English, Mandarin, Cantonese and Punjabi. While efforts were made to ensure that translations were as accurate as possible, differences in interpretation of the questions and answer options are possible depending on what language the survey was taken in.

Data collection methods may also account for differences found between Healthy Richmond results and results from other regional health surveys. An online/in person approach may reach a different demographic than a telephone based survey. The Canadian Community Health Survey (CCHS) is administered by telephone interviews. In this report, Healthy Richmond results are compared to most recent CCHS data available: either from the 2011 cycle or the combined 2009-2010 cycle.

DEMOGRAPHICS

AGE & GENDER

	/ 3							
	TOTAL	No age	18 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70+
	n=3639 (100%)	n=155 (0.4%)	n=575 (20%)	n=473 (16%)	n=699 (22%)	n=775 (20%)	n=574 (11%)	n=388 (10%)
Male	47%	18%	51%	46%	47%	48%	48%	44%
Female	53%	82%	49%	56%	53%	52%	52%	56%
Note: unweighted	n values and	weighted ner	centages are	reported	•	с.		

Table 2. Age (years) and gender distribution in Richmond, Healthy Richmond 2012

Note: unweighted n values and weighted percentages are reported.

Table 2 shows the age and gender distribution of the population of Richmond as estimated by the survey sample. Both the 2006 Canadian Census and the 2011 Canadian Census reported that 53% of the Richmond population aged 15 years or older was female.

Being at least 18 years of age was required to complete the questionnaire; however, participants were not required to give their birthdate and could otherwise proceed with the questionnaire through consent.

EDUCATION & EMPLOYMENT

Highest level of education attained and current employment status were included in the questionnaire as measures of socio-economic status (Table 3). The World Health Organization recognizes education and employment as determinants of health⁴. Household income was not included because of the sensitive nature of the question and the fact that surveys would be completed in public.

The unemployment rate reported by Healthy Richmond (7%) is similar to what has been reported previously for Richmond (6%, 2006 Census) and for British Columbia (6%, 2006 Census; 7.4% 2012 BC Stats). Education levels are not easily compared to percentages reported by the Statistics Canada Census: the Census reports on highest level of education attained by those aged 15 and older, therefore inflating the proportion who have not graduated from high school.

	TOTAL	Below high school	High school graduation	Some post- secondary	Bachelor's degree	Graduate degree
	n=3441 (100%)	n=171 (5%)	n=878 (25%)	n=885 (25%)	n=1063 (32%)	n=444 (13%)
Full/part time employed	62%	29 %	46%	67%	70%	72%
Unemployed	7%	13%	7%	8%	6%	5%
Caring for family	5%	4%	7%	4%	6%	5%
Retired	17%	41%	20%	15%	13%	13%
Student	9 %	11%	20%	4%	5%	4%
Note: unweighted n values and	d weighted pero	centages are re	ported.			

Table 3. Education and employment status in Richmond, Healthy Richmond 2012

DEMOGRAPHICS

ETHNICITY

	TOTAL	Born in Canada	Born outside of Canada
	n=3476 (100%)	n=1275 (37%)	n=2201 (63%)
White/Caucasian	35%	72%	13%
Chinese	45%	14%	65%
Japanese	1%	2%	1%
Korean	<1%	<1%	<1%
South Asian	5%	4%	6%
Southeast Asian	1%	<1%	1%
Filipino	6%	1%	8%
Arab	<1%	<1%	<1%
West Asian	<1%	<1%	1%
Black	1%	1%	1%
Latin American	1%	<1%	1%
Aboriginal	1%	1%	<1%
Other	3%	4%	3%
Note: unweighted n reported.	values and we	ighted percen	tages are

Table 4. Ethnicity in Richmond, Healthy Richmond 2012

IMMIGRATION

Richmond has an immigrant population from all over the world - roughly 57% of the population was born outside of Canada, according to the 2006 Statistics Canada Census. Healthy Richmond results indicated that 63% were born outside of Canada (Table 4).

Overall, 14% of Richmond's adult population immigrated within the past five years and are considered to be recent immigrants (Table 5). City Centre neighbourhood has the highest proportion of recent immigrants (18%).

The high population of visible minorities and immigrants in Richmond was identified as key and the Richmond Community Wellness Strategy was developed to be inclusive of a diverse range of cultural and ethnic needs. The 2006 Statistics Canada Census (most recent data available) reports that 35% of the adult population of Richmond is White/Caucasian and 44% is Chinese, matching the population of Healthy Richmond almost exactly (Table 4).

Healthy Richmond results indicated that 65% of the Richmond population prefers to speak in English, 22% in Cantonese and 12% in Mandarin.



Table 5. Immigration in Richmond, Healthy Richmond 2012

	TOTAL
Total not born in Canada - sample	2,164
Total not born in Canada - population	86,511
Length of time in Canada	
0 to 5 years	14%
6 to 15 years	27%
16+ years	58 %
Note: population refers to those aged 18+ (weigh estimate)	ted sample

HEALTH & WELLNESS - HEALTH STATUS

Self-rated health status has been shown to be significantly associated with specific health problems, use of health services, recovery from episodes of ill health, mortality and sociodemographic characteristics⁶.

A question asking participants to rate their overall health status is used in many Canadian surveys, including the Canadian Community Health Survey (CCHS). The 2009-2010 CCHS reported that 24% of those aged 18+ in Richmond rated their health as excellent, 34% as very good, 35% as good, 6% as fair and 2% as poor³.

Healthy Richmond results indicate that 13% of Richmond adults rate their health as excellent, 30% as very good, 37% as good, 16% as fair and 3% as poor.

Table 6. Self-rated health status, population characteristics, Healthy Richmond, 2012.

	Self-rated h	ealth status
	Excellent or very good n=1510 (43%)	Fair or poor n=744 (19%)
Sex		
Male	47.2%	47.9%
Female	52.8%	52.1%
Age		
18 to 29	20.9%	16.8%
30 to 39	18.7 %	12.4%
40 to 49	22.0%	21.5%
50 to 59	19.7 %	21.0%
60+	18.4%	27.8%
Education		
Below high school	3.8%	8.0%
High school graduation	22.4%	32.9%
Some post secondary	26.5%	21.5%
Bachelor's degree	31.5%	28.3%
Graduate degree	15.7%	9.2%
Ethnicity		
White/Caucasian	56.2%	26.5%
Chinese	43.2%	72.5%
Other visible minority	0.7%	

The prevalence of common chronic conditions among adults in Richmond is reported in Table 7.

	Prevalence (%)
Diabetes	8.0%
High blood pressure	18.3%
Lung cancer	0.2%
Breast cancer	1.3%
Prostate cancer	0.8%
Colorectal cancer	0.6%
Skin cancer	1.2%
Chronic bowel condition ¹	4.7%
Chronic skin condition ²	5.5%
Chronic lung condition ³	5.9%
Arthritis	12.5%
Chronic pain	10.9%

Table 7. Prevalence of chronic conditions among population aged 18+ in Richmond, Healthy Richmond, 2012

¹ Includes Crohn's Disease, ulcerative colitis and inflammatory bowel syndrome; ² Includes psoriasis and other skin conditions; ³ Includes asthma and Chronic Pulmonary Obstructive Disease

The 2009-2010 CCHS reports the following prevalences of chronic conditions among those aged 18+ in Richmond: diabetes (6.7%), high blood pressure (17.5%), chronic bowel condition (5.3%), chronic lung disease (2.2%) and arthritis (11.0%). Other chronic conditions cannot be compared to the CCHS.



HEALTH & WELLNESS - FRUIT & VEGETABLES

Table 8. Daily fruit and vegetable consumption
among Richmond adults, Healthy Richmond 2012

	# Daily Servings				
	0	1 to 4	5 +		
	-	n=2540	n=768		
	n=118 (4%)	n=2540 (76%)	(21%)		
Gender	(1/0)	(70%)	(21/0)		
Male	63.6%	50.7%	34.0%		
Female	35.9%	49.1%	65.8%		
Age (years)			0010/0		
No age given	0.3%	0.4%	0.4%		
18 to 29	34.5%	19.4%	18.8%		
30 to 39	23.3%	16.7%	12.9%		
40 to 49	9.0%	23.3%	19.8%		
50 to 59	16.4%	20.1%	22.2%		
60 to 69	9.5%	9.7%	14.7%		
70 +	7.1%	10.4%	11.2%		
Education					
Below high school	4.8%	5.3%	5.1%		
High school graduation	27.9 %	25.8%	24.3%		
Some post secondary	29.5%	24.4%	24.2%		
Bachelor's degree	31.0%	32.2%	29.7 %		
Graduate degree	6.7%	12.2%	16.7%		
Ethnicity					
White/Caucasian	31.1%	30.1%	50.6%		
Chinese	33.7%	49.3%	34.3%		
Japanese	0.0%	1.4%	0.6%		
Korean	1.0%	0.2%	0.4%		
South Asian	11.0%	5.2%	4.3%		
Southeast Asian	0.0%	1.1%	0.2%		
Filipino	14.4%	6.0%	2.9 %		
Arab	0.4%	0.3%	0.5%		
West Asian	0.1%	0.6%	0.1%		
Black	1.7%	0.6%	0.8%		
Latin American	0.0%	0.9%	0.7%		
Aboriginal	1.0%	0.5%	0.5%		
Other	5.6%	2.7%	4.0%		
Self-rated health status					
Excellent or very good	24.8%	40.7%	56.5%		
Fair or poor	32 .9 %	20.4%	13.1%		



One of the goals of the Richmond Community Wellness Strategy is to increase the proportion of people who are eating at least five servings of fruits and vegetables each day.

Fruit and vegetable consumption has been associated with socio-economic status and is correlated with other behavioural lifestyle factors.

The results from Healthy Richmond suggest that only 21% of adults in Richmond are consuming five or more servings of fruits and vegetables each day. Those not meeting this target are more likely to be male and under the age of 40 (Table 8).

The 2010 CCHS reports that 34% of those aged 18 or older in Richmond are meeting the '5 servings a day' target.

HEALTH & WELLNESS - TOBACCO USE

Overall, Healthy Richmond indicated that the smoking prevalence (cigarettes only) among adults in Richmond is 7.7% [95% confidence interval: 6.7%-8.7%]. Additionally, Healthy Richmond results showed that 28.2% of the adult population of Richmond were past smokers, and 64.2% had never smoked. Of those who don't smoke (never smoked and past smokers), 44% report being in excellent or very good health compared to 33% of those who are current smokers.

The most recent cycle of the Canadian Community Health Survey (CCHS, 2011) reported an overall smoking prevalence among those aged 12 years and older in Richmond of 10.0% [95% CI: 4.7%-15.2%].

	Gender		Age			Birt	hplace			
	Male	Female	18-29	30-39	40-49	50-59	60-69	70 +	Canada	Elsewhere
Current smoker	10.3%	5.3%	11.3%	7.3%	7.8%	5.4%	5.4%	2.6%	10.2%	6.2%
Past smoker	33.3%	23.5%	14 .9 %	25.9%	28.9 %	37.7%	37.7%	43.5%	39.6%	21.6%
Never smoked	64.6%	71.2%	73.8%	66.9 %	63.3%	56.9 %	56.9 %	53.9 %	50.3%	72.2%

Table 9. Cigarette smoking prevalence by age, gender and birthplace, Healthy Richmond 2012

It was found that smoking rates are highest among males under the age of 30 years (Table 9). The smoking rate among those born outside of Canada (6.2%) is significantly lower than the smoking rate among those Canadian born. Additionally, smoking rates decrease with increased educational attainment (Table 10).

 Table 10.Current smoking prevalence by highest educational level attained and employment status,

 Healthy Richmond 2012

	Education					Employment				
	No high school grad	High school grad	Some post- sec.	Bach. degree	Grad. degree	Em- ployed	Unem- ployed	Care for home*	Retired	Student
Current smoker	17.7%	10.2%	8.2%	5.8%	1.8%	8. 1%	15.3%	3.7%	4.2%	6.9 %
Past smoker	25.2%	22.4%	35 .9 %	25.8%	31.6%	28.8%	26.4%	17.0%	40.3%	7.9 %
Never smoked	57.0%	67.4%	56.0%	68.4%	66.7%	63.1%	58.4%	79.3%	55.5%	85.1%

* Care for home = caring for home and family

Smoking rates varied by neighbourhood, ranging from 2.2% in West Cambie and 6.2% in Steveston to 9.3% in East Cambie and 9.7% in Shellmont (Table 11).

Table 11. Cigarette	smoking prevalence	by neighbourhood,	Healthy Richmond 2012
---------------------	--------------------	-------------------	-----------------------

······································														
	Blundell	Bridgeport	Broadmoor	City Centre	East Cambie	E. Richmond Fraser Lands	Gilmore	Hamilton	Sea Island	Seafair	Shellmont	Steveston	Thompson	West Cambie
Current smoker	7.9%		7.3%	9.3%	9.3%	7.9%				8.2%	9.7%	6.2%	6.4%	2.2%

Note: Data with coefficients of variance greater than 35% were suppressed (--) due to sampling variability.


PRCS - 24

HEALTH & WELLNESS - DAILY WALKING

Overall, 41% of Richmond adults are walking for half an hour or more per day. Those walking for less than 30 minutes per day are more likely to be female, between the ages of 30 and 49 years, have more advanced education and be of visible minority (Table 12).

The proportion of those in excellent or very good health is slightly higher among those who walk 30 or more minutes per day.

Figure 3. Percent walking 30 or more minutes per day (top), relative to Richmond park space (bottom), Healthy Richmond 2012






Table 12. Daily walking among Richmond adults, Healthy Richmond 2012

		at least 30 s per day
	No	Yes
	n=1881 (59%)	n=1368 (41%)
Gender	()	
Male	46.1%	50.2%
Female	53.9%	49.8%
Age (years)		
No age given	<1%	<1%
18 to 29	19.3%	21.5%
30 to 39	19.3%	11.8%
40 to 49	23.1%	20.2%
50 to 59	19.6%	21.3%
60 to 69	9.9%	11.6%
70 +	8.5%	13.2%
Education		
Below high school	4.3%	6.8%
High school graduation	24.4%	27.9%
Some post secondary	23.8%	25.9%
Bachelor's degree	33.2%	29.3%
Graduate degree	14.2%	10.0%
Ethnicity		
White/Caucasian	33.2%	36.9%
Chinese	48.3%	43.7%
Japanese	1.4%	0.8%
Korean	0.3%	0.2%
South Asian	5.3%	4.8%
Southeast Asian	1.2%	0.6%
Filipino	4.8%	6.5%
Arab	0.3%	0.3%
West Asian	0.5%	0.4%
Black	0.8%	0.4%
Latin American	0.9%	0.8%
Aboriginal	0.4%	0.9%
Other	2.7%	3.8%
Self-rated health status		
Excellent or very good	41.8%	44.4%
Fair or poor Daily walking was assessed using th	20.6%	18.7%

Daily walking was assessed using the International Physical Activity Questionnaire.

HEALTH & WELLNESS - PHYSICAL ACTIVITY

Table 13. Weekly vigorous physical activity in Richmond by age and gender, Healthy Richmond 2012

	Weekly vigor	ous physical a	ctivity (mins)
	0	1 to 149	150 +
	n=1508 (42%)	n=796 (25%)	n=1080 (33%)
Gender		•	
Male	42.2%	46.3%	56.3%
Female	57.8%	53.7%	43.7%
Age (years)	<u>.</u>	•	
No age given	0.5%	0.2%	0.3%
18 to 29	13.7%	23.8%	25.4%
30 to 39	15.6%	21.0%	14.2%
40 to 49	24.3%	23.0%	18.7%
50 to 59	21.3%	17.4%	19.6%
60 to 69	11.2%	7.8%	11.8%
70+	13.4%	6.8%	9.9 %
Ethnicity			
White/Caucasian	31.5%	47.4%	53.0%
Chinese	67.4%	51.5%	46.3%
Other visible minority*	1.1%	1.1%*	0.8%
Immigration			
Within the past 5 years	15.5%	14.0%	12.4%
Between 6 and 10 years ago	12.7%	11.8%	10.8%
Between 11 and 20 years ago	39.6%	37.7%	34.9%
Over 20 years ago	32.2%	36.5%	41.8%
Education			
No high school grad	6.9%	2.0%	6.0%
High school grad	25.8%	25.7%	25.4%
Some post secondary	23.6%	24.5%	25.1%
Bachelor's degree	32.2%	33.6%	29.3%
Graduate degree	11.4%	14.2%	14.3%
Self-rated health status			
Excellent or very good	31.4%	45.4%	56.0%
Fair or poor * Includes Japanese, Korean, South Asi	26.7%	15.5%	13.9%

* Includes Japanese, Korean, South Asian, Southeast Asian, Filipino, Arab, West Asian, Black, Latin American, Aboriginal and Other.

Physical activity levels also vary by neighbourhood. The proportion meeting the target of 150 minutes per week ranges from 27% in West Cambie to 38% in Broadmoor.

The Canadian Physical Activity Guidelines suggest that all adults over the age of 18 years engage in 150 minutes of moderate or vigorous physical activity each week (activity that causes the respondent to breathe harder than usual)⁷. Healthy Richmond results indicated that 33% of the Richmond population is meeting this guideline. Those not meeting the guideline are more likely to be female, over the age of 40, recent immigrants and of visible minority. (Table 13).



Increased vigorous physical activity is also associated with better self-reported health status. The majority of those who are meeting the physical activity guideline indicate that their health is excellent or very good, while those who are getting zero minutes of physical activity are more likely to be in poorer health.

HEALTH & WELLNESS - METHOD OF COMMUTE

The Richmond Community Wellness Strategy recognizes that creating an urban environment that supports public transit, walking or cycling as a commuting method may help achieve the strategy's health outcomes.

When asked about a primary method of commuting to and from work or school, the majority of Richmond adults responded that they commute by personal vehicle (61%), followed by public transit (29%), walking (6%), carpooling (2%) and cycling (2%). Demographic details are provided in Table 14.

n=989 (61%) 59.5%	n=44 (2%)	n=462 (29%)	n=118 (6%)	n=29 (2%)
59.5%		1		11-27(2/0)
59.5%	i	1 1		
	42.8%	51.0%	47.5%	76.3%
40.4%	57.2%	49.0%	52.5%	23.7%*
18.5%	31.7%	50.9%	25.4%	16.0%*
21.1%	15.7%*	14.8%	16.4%	14.0%*
28.6%	25.2%*	19.1%	24.9%	29.1%*
23.2%	18.2%*	11.8%	25.3%*	32.5%*
7.4%		2.6%	5.1%	
		i		
2.6%*		5.3%*		
23.5%	26.1%*	36.4%	30.4%	
27.9%	30.3%*	18.5%	21.9%	32.3%*
34.3%	32.8%	30.8%	27.8%	40.5%
	28.6% 23.2% 7.4% 2.6%* 23.5% 27.9%	28.6% 25.2%* 23.2% 18.2%* 7.4% 2.6%* 23.5% 26.1%* 27.9% 30.3%*	28.6% 25.2%* 19.1% 23.2% 18.2%* 11.8% 7.4% 2.6% 2 2.6%* 5.3%* 23.5% 26.1%* 36.4% 27.9% 30.3%* 18.5%	28.6% 25.2%* 19.1% 24.9% 23.2% 18.2%* 11.8% 25.3%* 7.4% 2.6% 5.1% 5.3%* 23.5% 26.1%* 36.4% 30.4% 27.9% 30.3%* 18.5% 21.9%

Table 14. Method of commute to work or school among Richmond adults, Healthy Richmond 2012

Note: Data with a coefficient of variation from 25% to 35% are identified with an (*) and should be interpreted with caution. Data with a coefficient of variation greater than 35% were suppressed (--) due to sampling variability. Data excludes those who work from home and those who are unemployed.



46% in excellent or very good health27% getting enough physical activity51% walking 30 minutes a day



60% in excellent or very good health64% getting enough physical activity49% walking 30 minutes a day



42% in excellent or very good health37% getting enough physical activity45% walking 30 minutes a day



46% in excellent or very good health33% getting enough physical activity38% walking 30 minutes a day



48% in excellent or very good health42% getting enough physical activity44% walking 30 minutes a day

COMMUNITY BELONGING

A strong sense of community belonging has been found to be associated with increased health behaviour change and may be an important component of population health prevention strategies⁸. Participants were asked to rate their perceived sense of belonging to their community on a 4-point Likert scale. Those reporting a weak sense of community belonging were also less likely to utilize Richmond community facilities and libraries and were less likely to have voted in the most recent

municipal election (Table 15).

Overall, 76% of Richmondites reported that they had a strong sense of community belonging (25% very strong; 51% somewhat strong) and 24% reported that they had a weak sense of community belonging (18% somewhat weak; 6% very weak).

CCHS 2009-2010 reports 20% having a very strong sense of community belonging, 47% somewhat strong, 25% somewhat weak, 8% very weak.



Table 15. Healthy Richmond participants' reported sense of community belonging and involvement in	
community facilities.	

		Sense of comm	nunity belonging
	Total	Very strong	Somewhat weak or very weak
Accessed a Richmond facility in the past 30 days:			
A city or school park, field or outdoor court	29.0%	34.2%	23.3%
Community centre fitness room, fitness centre or gym	22.1%	24.3%	17.3%
Richmond West Dyke Trail	19.0%	22.9%	16.5%
Other Richmond parks trails	10.5%	13.0%	10.4%
Minoru Aquatic Centre	7.2%	6.4%	8.3%
Richmond Olympic Oval	6.4%	7.2%	4.3%
Watermania	4.6%	3.9%	5.1%
Minoru Arenas	2.9%	3.8%	2.0%
Richmond Ice Centres	2.9%	3.7%	1.9%
None	36.5%	30.9%	45.0%
Richmond libraries:			
Have a Richmond library card	77.8%	78.5%	74.8%
Of those who have a Richmond library card:			
Never access library services	31.0%	28.5%	31.8%
Access library services once a month	22.2%	1 9.9 %	23.3%
Access library services 2-4 times a month	32.3%	36.0%	30.5%
Access library services more than once a week	14.5%	15.6%	14.4%
Voted in the 2011 City of Richmond municipal election*	61.4%	73.4%	47.4%
*of those eligible to vote PRCS -	28		

COMMUNITY BELONGING

A strong sense of community belonging was found to be more prevalent among females and those over the age of 40 (Table 16). There were no differences based on level of education attained. Although differences were minimal between those who were born in Canada compared to those born outside of Canada, a higher proportion of recent immigrants (those who immigrated within the past five years) reported a weak sense of community belonging.




These results support what has already been reported in Canadian literature: sense of belonging is generally weaker among young adults aged 18 to 29 and increases with age⁹. The 2003 General Social Survey of Canadians found that recent immigrants were somewhat more likely to have a weak sense of belonging, perhaps because their shorter tenure in Canada had provided them with less opportunity to cultivate a strong sense of attachment¹⁰.


Table 14 Demographics of these reporting strong versu	a waak canca
Table 16. Demographics of those reporting strong versu	s weak sense
of community belonging.	
er community seconging.	


	Sense of community belonging		
	Very strong	Somewhat weak or very weak	
Gender			
Male	42.9%	51.4%	
Female	57.1%	48.6%	
Age (years)	•		
No age given	0.3%	0.4%	
18 to 29	10.9%	27.9%	
30 to 39	12.1%	19.1%	
40 to 49	20.6%	20.3%	
50 to 59	21.9%	18.7%	
60 to 69	15.7%	7.2%	
70+	18.5%	6.4%	
Education			
Below high school	5.4%	5.8%	
High school graduation	24.5%	26.8%	
Some post secondary	24.4%	23.4%	
Bachelor's degree	30.3%	31.4%	
Graduate degree	15.3%	12.6%	
Birthplace			
Born in Canada	36.3%	36.0%	
Born outside of Canada	63.7%	64.0%	
Immigration			
Immigrated within the past 5 years ¹	7.3%	23.7%	
Immigrated between 6 and 10 years ago ¹	10.3%	14.0%	
Immigrated between 11 and 20 years ago ¹	35.3%	35.6%	
Immigrated over 20 years ago ¹	47.1%	26.7%	
Self-rated health status		,	
Excellent or very good	56.9%	34.0%	
Fair or poor	14.5%	28.5%	
¹ Proportion of those born outside of Canada			

COMPOSITE WELLNESS SCORE

A composite wellness score was constructed based on daily walking, weekly vigorous physical activity, daily servings of fruits and vegetables and tobacco use in order to examine their cumulative effect. Each indicator was given a sub-score from 0 to 4, with 4 representing the "healthiest" end of the spectrum. The final score was based on a sum of these four sub-scores. Each respondent was assigned a score from 0 (least healthy) to 16 (most healthy) based on their responses. The median score was 7.0 (range: 0 to 15) and scores were normally distributed across the sample. Overall, 19.8% of participants had a wellness score of 10 or greater. The relationship between a wellness score of 10+ and socioeconomic status is illustrated in Figures 4 to 7.







The relationship between the wellness score and self-rated health status and sense of community belonging are illustrated in Figure 8 and Figure 9.

PRCS - 30





Figure 8. The relationship between wellness score and self-rated health status

Figure 9. The relationship between wellness score and sense of community belonging.



Healthy Richmond 2012 Final Report

NEIGHBOURHOOD SUMMARY

Table 17. Summary of neighbourhood health and wellness characteristics, Health Richmond 2012

	% in excellent or v. good health	% with very strong community belonging	% who do not smoke ¹	% meeting daily fruit & veg. guideline	% meeting weekly phys. act. guideline	% walking 30 mins a day	% scoring 10+ on wellness score
Richmond	42.9%	25.5%	92.3%	20.6%	32.5%	40.9%	19.8%
Blundell	42.3%	27.4%	92. 1%	19.4%	32.1%	44.2%	21.4%
Bridgeport	37.9%	14.9%	94.7%	22.9%*	28.1%	25.0%*	13.4%
Broadmoor	42.7%	23.9%	92.7%	21.1%	37.8%	41.0%	21.2%
City Centre	36.2%	24.2%	90.7%	18.6%	29. 1%	44.4%	18.2%
East Cambie	35.8%	21.9%	90.7%	16.2%	32.9%	37.3%	16.9%
ER/FL ²	45.7%	22.8%	92. 1%	20.2%*	35.1%	42.6%	26.9%
Gilmore	55.5%	27.0%*					29.4%
Hamilton	36.7%*	21.5%			29.0%	30.1%*	12.4%
Sea Island	57.4%*	36.7%*			31.0%	60.7%*	29.0%
Seafair	49.6%	26.9%	91.8%	21.6%	32.2%	36.1%	23.3%
Shellmont	51.3%	23.7%	90.3%	19.8%	34.1%	38.9%	15.1%
Steveston	49.5%	31.8%	93.8%	29.2%	37.0%	45.4%	25.1%
Thompson	48.9%	26.3%	93.6%	24.1%	29.4%	35.5%	15.3%
West Cambie	34.2%	21.0%			27.0%	36.2%	16.5%

Note: Data with a coefficient of variation from 25% to 35% are identified with an (*) and should be interpreted with caution. Data with a coefficient of variation greater than 35% were suppressed (--) due to sampling variability. ¹ Includes past smokers and those who have never smoked.

² East Richmond/Fraser Lands



PRCS - 31

CONCLUSION & NEXT STEPS

The Richmond Community Wellness Strategy was developed with an awareness that "improving physical activity and sense of community belonging (are) priorities for advancing wellness in Richmond" (page 23, Richmond Community Wellness Strategy). The Healthy Richmond Survey results affirm the soundness of this approach by providing neighbourhood level details for the first time on the connection between belonging and wellness. In order to reach the three desired outcomes, the Community Wellness Strategy identified a number of action items and grouped them under seven strategic directions. Results of Healthy Richmond 2012 can be used to prioritize the action items contained in the Strategy and future community wellness surveys can be used for continual monitoring and evaluation.

Desired Outcome 1. An increased permanent commitment to wellness and well-being.

Forty-three percent of Richmondites report being in excellent or very good health. Selfreported health status was shown to have a strong relationship to a composite wellness score that takes a number of lifestyle risk factors into account. The lifestyle factors in turn were shown to vary between different socio-economic groupings, and those groupings that show a clustering of the most adverse lifestyle traits are an identifiable group for collective action.

Findings from the survey affirm the importance of strategic direction 3 of the Community Wellness Strategy: *Reduce Barriers to Living a Physically Active Life for Vulnerable Populations and People Living with a Disability.* The survey results also suggest that attention to social and economic barriers will also be important in order to successfully achieve strategic directions 1 and 2 (Increase Active Living Literacy, Help Children and Youth Build Healthy Habits) across all Richmond neighbourhoods.

Desired Outcome 2. Increased physical activity and physical fitness.

Results from Healthy Richmond 2012 suggested that the majority of Richmond adults need to be more physically active (only 33% are currently meeting the target). Increasing the proportion of people who commute with active modes (bicycling or walking) may be one way to increase the proportion of people who are meeting physical activity targets.

The survey findings emphasize the relevance and importance of strategic direction 5: *Create Urban Environments that Support Wellness and Encourage Physical Activity.* The results also support the intention of the recently updated Richmond Official Community Plan to enhance opportunities for active (non-motorized) transportation across the community.

CONCLUSION & NEXT STEPS

Desired Outcome 3. An increased sense of connectedness to the community.

Evidence has shown that an increased sense of connectedness to the community will lead to increased health in that community⁸. The Healthy Richmond results suggested that community connectedness is related to access to community services. The results also show that recent immigrants to Canada have a harder time developing a sense of community belonging.

Action items grouped under Strategic Direction 4 - *Build a Connected and Activated Social Environment*, address the need to build residents' sense of belonging using a multi-sectoral approach. From a neighbourhood level perspective, Action items 4b (Develop initiatives that encourage social interaction at the neighbourhood level) and 5h (Work towards community centres as being 'centres of the community') hold particular promise. This information will assist as the City of Richmond implements its recently completed social development strategy.

In summary, the Healthy Richmond Survey provides a baseline assessment of wellness at the neighbourhood level. It confirms the approach taken by the Richmond Community Wellness Strategy to build community wellness. In particular, the survey results suggest that enhancing community belonging has the potential to lead to the adoption of positive lifestyle traits, increased community participation and a healthier Richmond.

REFERENCES

- Statistics Canada. 2012. Richmond, British Columbia (Code 5915015) and Greater Vancouver, British Columbia (Code 5915) (table). Census Profile. 2011 Census. Statistics Canada Catalogue no. 98-316-XWE. Ottawa. Released September 19, 2012.
- 2. Statistics Canada. Canadian Community Health Survey (2011). Public Use Microdata File.
- 3. Statistics Canada. Canadian Community Health Survey (2009-2010). Public Use Microdata File.
- 4. Booth, M.L. (2000). Assessment of Physical Activity: An International Perspective. Research Quarterly for Exercise and Sport, 71 (2): s114-20
- 5. CSDH (2008). Closing the gap in a generation: health equity through action on the social determinants of health. Final Report of the Commission on Social Determinants of Health.Geneva, World Health Organization.
- 6. Bowling, A. (2005). Just one question: If one question works, why ask several? J Epidemiol Community Health, 59: 345-346
- 7. Canadian Society for Exercise Physiology. Canadian Physical Activity Guidelines for Adults and Older Adults. www.csep.ca/guidelines Retrieved 2012-08-05
- 8. Hystad P. (2012) Sense of community-belonging and health-behaviour change in Canada. J Epidemiol Community Health. 66:277-283
- 9. Shields M. Community belonging and self-perceived health. Health Reports (Statistics Canada, Catalogue 82-003) 2008;19(2):51-60.
- 10. Ross N. Community belonging and health. Health Reports (Statistics Canada, Catalogue 82-003) 2002;13(3):33-39.
- 11. Statistics Canada (2004). 2003 General Social Survey on Social Engagement, Cycle 17: An Overview of Findings. Ottawa, Statistics Canada (Cat. No.89-598-XIE)

HEALTHY RICHMOND 2012 FACT SHEET

PHYSICAL ACTIVITY



Prepared by the Public Health Surveillance Unit Vancouver Coastal Health Authority February 2013

For further information, please contact: phsu@vch.ca





HEALTHY RICHMOND 2012 FACT SHEET

KEY MESSAGES

PHYSICAL ACTIVITY & NEIGHBOURHOODS

- In Richmond, 32.5% of adults aged 18 years and older are meeting the current guideline for physical activity (at least 150 minutes of moderate to vigorous physical activity per week).
- Physical activity varies by neighbourhood; access to the coast appears to be associated with increased vigorous physical activity

PHYSICAL ACTIVITY & POPULATION DEMOGRAPHICS

- Those who are meeting the physical activity guideline are more likely to be male and under the age of 30 years.
- Physical activity appears to not be related to highest level of education attained. Students report the highest proportion of those meeting the physical activity guideline (40.2%) compared to other employment categories.

PHYSICAL ACTIVITY & IMMIGRATION

• Those who are born in Canada have a higher proportion who are meeting the physical activity guideline (39.6%) compared to those born outside of Canada (28.4%). For those born outside of Canada, length of time in Canada does not appear to have an effect on physical activity rates.

PHYSICAL ACTIVITY & HEALTH

• Among those who are meeting the physical activity guideline, 20.9% report being in excellent health, compared to 7.5% of those who do no physical activity.

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 2 of 5

HEALTHY RICHMOND 2012 FACT SHEET - PHYSICAL ACTIVITY BY NEIGHBOURHOOD									
	No physical activity Prevalence ± 95% CI		1 to 149 minutes Prevalence ± 95% CI		150+ minutes Prevalence ± 95% CI				
Richmond	42.5 ± 2.0%		25.0 ± 1.7%		32.5 ± 1.8%				
Blundell	46.6 ± 5.6%		21.3 ± 4.6%		32.1 ± 5.4%				
Bridgeport	45.3 ± 17.8%		26.6 ± 15.1%		28.1 ± 16.5%				
Broadmoor	36.3 ± 5.1%		25.9 ± 4.9%		37.8 ± 5.3%				
City Centre	49.0 ± 3.5%		21.9 ± 2.9%		29.0 ± 3.2%				
East Cambie	42.9 ± 9.8%		24.1 ± 8.4%		32.9 ± 10.0%				
East Richmond/ FL	34.9 ± 12.4%		30.1 ± 12.0%		35.1 ± 12.8%				
Gilmore									
Hamilton									
Seafair	41.3 ± 6.2%		26.5 ± 5.8%		32.2 ± 6.1%				
Sea Island									
Shellmont	41.0 ± 8.7%		24.9 ± 7.7%		34.1 ± 8.5%				
Steveston	34.7 ± 4.7%		28.3 ± 4.5%		37.0 ± 5.2%				
Thompson	44.1 ± 6.7%		26.4 ± 6.1%		29.4 ± 6.0%				
West Cambie	43.6 ± 11.5%		29.4 ± 10.6%		27.0 ± 10.2%				




Figure 1. Percentage of respondents who meet or exceed physical activity guideline (150+ minutes per week)




Figure 2. Percentage of respondents who meet or exceed physical activity guideline (150+ minutes per week) relative to Richmond park space

HEALTHY RICHMOND 2012 FACT SHEET - PHYSICAL ACTIVITY BY DEMOGRAPHICS					
	No physical activity Prevalence ± 95% CI		1 to 149 minutes Prevalence ± 95% CI		150+ minutes Prevalence ± 95% CI
Richmond	42.5 ± 2.0%		25.0 ± 1.7%		32.5 ± 1.8%
Male	37.4 ± 2.9%		24.3 ± 2.8%		38.3 ± 3.0%
Female	47.0 ± 2.4%		25.8 ± 2.2%		27.2 ± 2.1%
18 to 29 years	29.1 ± 4.2%		29.7 ± 4.4%		41.2 ± 4.8%
30 to 39 years	40.1 ± 5.0%		31.9 ± 5.1%		28.0 ± 4.5%
40 to 49 years	46.6 ± 4.2%		26.0 ± 3.7%		27.5 ± 3.7%
50 to 59 years	46.7 ± 5.0%		22.1 ± 3.3%		32.3 ± 3.8%
60 to 69 years	45.1 ± 4.4%		18.6 ± 3.5%		36.4 ± 4.3%
70+ years	53.6 ± 5.7%		16.0 ± 4.3%		30.4 ± 5.1%
No high school grad	54.4 ± 9.1%		9.5 ± 5.8%		36.1 ± 9.0%
High school grad	42.6 ± 3.9%		25.2 ± 3.7%		32.3 ± 3.8%
Some post-secondary	41.0 ± 3.7%		25.4 ± 3.4%		33.6 ± 3.6%
Bachelor degree	43.0 ± 3.4%		26.8 ± 3.0%		30.2 ± 3.2%
Graduate degree	37.0 ± 5.2%		27.4 ± 4.8%		35.7 ± 5.1%
Full/part time employed	40.0 ± 2.5%		28.2 ± 2.4%		31.9 ± 2.4%
Unemployed	53.8 ± 7.6%		19.1 ± 6.0%		27.1 ± 7.1%
Caring for home/family	57.3 ± 7.5%		17.0 ± 5.5%		25.6 ± 6.7%
Retired	47.2 ± 4.2%		17.3 ± 3.2%		34.5 ± 4.0%
Student	30.0 ± 6.3%		29.7 ± 6.5%		40.2 ± 7.5%




Figure 3. Percent of respondents meeting or exceeding the physical activity guideline (150+ minutes weekly) by age and sex.

Young adults meeting physical activity guideline (18 to 29 years): 41.2 ± 4.8%

Born in Canada: $49.3 \pm 8.4\%$ Born outside of Canada: $36.2 \pm 5.7\%$

Visible minority: 38.3 ± 5.5% Not a visible minority: 53.5 ± 10.5%

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 4 of 5

HEALTHY RICHMO	ND 2012 FACT SHEET	- F	PHYSICAL ACTIVITY A	ND	IMMIGRATION
No physical activity Prevalence ± 95% CI		1 to 149 minutes Prevalence ± 95% Cl		150+ minutes Prevalence ± 95% Cl	
Richmond	42.5 ± 2.0%		25.0 ± 1.7%		32.5 ± 1.8%
Born in Canada	31.3 ± 3.0%		29.2 ± 3.1%		39.6 ± 3.3%
Born outside Canada	48.9 ± 2.4%		22.7 ± 2.0%		28.4 ± 2.2%
Non visible minority	31.8 ± 2.9%		27.7 ± 2.8%		40.5 ± 3.2%
Visible minority	47.8 ± 2.4%		23.7 ± 2.2%		28.5 ± 2.3%
Chinese ethnicity*	51.0 ± 2.9%		22.5 ± 2.4%		26.4 ± 2.6%
Note: Chinese ethnicity idenfied as priority for analysis					
Age 18 to 29 years: 35.9 ± 6. 30 to 39 years: 19.2 ± 5. 40 to 49 years: 21.1 ± 5. 50 to 59 years: 24.0 ± 5. 60 to 69 years: 32.2 ± 6. 70 + years: 26.2 ± 8. HEALTHY PICHMO	7% Female: 20. 2%	da: Cana	0% Immigrated 5 Immigrated 5 Immigrated 2 42.8 ± 10.9% Immigrated 2 ada: 24.5 ± 2.5% Immigrated 2 Immigrated 2	0 to 4 5 to 9 10 to 2 15 to 2 20 to 2 25+ ye	years ago: 22.3 ± 7.5% 14 years ago: 25.9 ± 6.6% 19 years ago: 23.8 ± 4.7% 24 years ago: 27.6 ± 7.6% ears ago: 25.1 ± 6.0%
	JND 2012 TACT SHEL	1 -		αn	
	No physical activity Prevalence ± 95% CI		1 to 149 minutes Prevalence ± 95% CI		150+ minutes Prevalence ± 95% CI
Health status Excellent	7.5 ± 1.5%		12.1 ± 2.4%		20.9 ± 2.8%
Very Good	23.9 ± 2.5%		33.4 ± 3.9%		35.1 ± 3.2%
Good	41.9 ± 2.8%		39.1 ± 3.9%		30.2 ± 3.3%
Fair	20.9 ± 2.3%		14.0 ± 2.8%		12.2 ± 2.1%
Poor	5.9 ± 1.3%		$1.6 \pm 1.0\%$		$1.6 \pm 0.8\%$
Sense of belonging					
Very strong	24.7 ± 2.5%		26.3 ± 3.5%		26.5 ± 3.0%
Somewhat strong	47.5 ± 3.0%		51.7 ± 4.0%		53.0 ± 3.4%
Somewhat weak	18.0 ± 2.2%		16.8 ± 3.0%		16.7 ± 2.6% 3.8 ± 1.3%
Very weak	9.8 ± 1.8%		5.2 ± 1.8%		5.0 I 1.3%

Note: Physical activity guideline for adults of all ages is 150 minutes of moderate to vigorous physical activity per week.

HEALTHY RICHMOND 2012 FACT SHEET - APPENDIX I

BACKGROUND:

Vancouver Coastal Health Public Health, in partnership with the City of Richmond, conducted a health and wellness survey for the residents of Richmond, British Columbia to determine their general health and well-being and to support the evaluation of the Richmond Community Wellness Strategy. (http://www.richmond.ca/services/socialplan/wellness.htm)

FAST FACTS:

- The survey was conducted from Friday, February 24, 2012 to Sunday, March 4, 2012.
- The survey was offered online and was supplemented by field surveyors.
- Field surveyors offered the survey in English, Cantonese and Mandarin. The online version of the survey was offered in English only.
- Field surveyors were stationed at 25 locations throughout Richmond.
- Responses were weighted by age, sex and neighbourhood, post-collection.

	Number of respondents	Weighted percent (%)
Total Respondents	3639	100
Age		
18 to 19	94	3.4
20 to 29	481	16.8
30 to 39	473	16.4
40 to 49	699	22.0
50 to 59	775	20.3
60 to 69	574	10.6
70 to 79	285	6.8
80+	103	3.7
Sex		
Male	1344	47.4
Female	2142	52.6
Neighbourhood		
Blundell	356	10.1
Bridgeport	55	1.5
Broadmoor	444	13.1
City Centre	920	23.6
East Cambie	142	5.7
East Richmond/Fraser Lands	85	2.0
Gilmore	20	0.2
Hamilton	71	2.4
Sea Island	17	0.3
Seafair	293	9.3
Shellmont	161	5.5
Steveston	516	13.9
Thompson	259	8.8
West Cambie	105	3.8

TABLE A1: Demographic characteristics of Healthy Richmond sample

HEALTHY RICHMOND 2012 FACT SHEET

TOBACCO USE



Prepared by the Public Health Surveillance Unit Vancouver Coastal Health Authority February 2013

For further information, please contact: phsu@vch.ca





HEALTHY RICHMOND 2012 FACT SHEET

KEY MESSAGES

CIGARETTE SMOKING AMONG ALL RICHMOND RESIDENTS (AGED 18 YEARS AND OLDER):

- 7.67 ± 0.99% of Richmond's adult population (equates to 11,946 residents) are current cigarette smokers¹.
- Among the neighbourhoods in Richmond, Steveston has the lowest smoking rate (6.2 ± 2.3%) and Shellmont has the highest smoking rate (9.7 ± 5.5%).
- The smoking rate among males (10.3 \pm 1.8%) is significantly higher than the smoking rate among females (5.3 \pm 1.0%).
- Smoking rates decrease with increased educational attainment.
- Those who are unemployed have a significantly higher smoking rate (15.3 \pm 5.4%) than the rest of the population.
- The smoking rate among those of visible minority² (6.2 \pm 1.1%) is significantly lower than the smoking rate among those not of visible minority (10.5 \pm 1.9%).

CIGARETTE SMOKING AMONG YOUNG ADULTS IN RICHMOND (AGED 18 TO 29 YEARS):

- 11.3 ± 2.9% of Richmond's young adult population are current cigarette smokers.
- The smoking rate among young adults of visible minority (8.7 \pm 2.8%) is significantly lower than the rate among young adults who are not of visible minority (21.6 \pm 8.8%).
- Young adults who are students have lower smoking rates than those who are working.

CIGARETTE SMOKING AMONG RICHMOND'S IMMIGRANT POPULATION:

• The smoking rate among those born outside of Canada (6.2%) is significantly lower than the smoking rate among those Canadian born (10.2%).

OTHER TOBACCO USE:

- Six percent of Richmond residents have used tobacco products other than cigarettes in the past year. This rate is 2.5% among those who have never smoked cigarettes, 9.5% among those who are past cigarette smokers and 24.4% among current smokers.
- The use of other tobacco products is highest among young adults aged 18 to 29 years (13.7 ± 3.4%). In particular, 9.0 ± 2.87% of young adults report having used a hookah/ water pipe/shisha in the past year.

SECOND HAND SMOKE EXPOSURE:

- Nineteen percent (± 1.5%) of all Richmond residents report that they are exposed to second hand smoke every day or almost every day (17.3 ± 1.5% among non-smokers).
- The most common locations for second hand smoke exposure are: outdoor public venues (e.g. parks, sidewalks) at 9.8%, home at 5.6% and transit shelters or bus stops at 5.5%.


TOBACCO & HEALTH:

- Current smokers report lower health status and sense of community belonging.
- Among current smokers, 55.1% (± 6.8%) reported that they had at least one quit attempt in the past year.

¹Current smoker refers to daily or occasional cigarette smokers.

²Visible minority is defined by Statistics Canada as those persons who are non-Caucasian or non-white in colour **PRCS - 43**

HEALTHY RICHMOND 2012 FACT SHEET - CIGARETTE USE BY NEIGHBOURHOOD						
	Current Smokers Prevalence ± 95% CI		Past Smokers Prevalence ± 95% CI		Never Smoked Prevalence ± 95% CI	
Richmond	7.67 ± 0.99%		28.2 ± 1.68%		64.6 ± 1.80%	
Blundell	7.9 ± 2.9%		25.2 ± 2.9%		66.8 ± 5.2%	
Bridgeport	*		*		*	
Broadmoor	7.3 ± 2.7%		29.8 ± 4.7%		63.0 ± 5.1%	
City Centre	9.3 ± 2.0%		25.2 ± 3.1%		65.5 ± 3.3%	
East Cambie	9.3 ± 5.4%		23.3 ± 8.1%		67.4 ± 8.9%	
East Richmond/ FL	*		22.5 ± 11.3%		69.6 ± 12.2%	
Gilmore	*		*		*	
Hamilton	*		*		*	
Seafair	8.2 ± 3.8%		28.6 ± 5.5%		63.3 ± 6.0%	
Sea Island	*		*		*	
Shellmont	9.7 ± 5.5%		31.6 ± 8.2%		58.7 ± 8.8%	
Steveston	6.2 ± 2.3%		35.9 ± 4.7%		58.0 ± 4.9%	
Thompson	6.4 ± 3.2%		33.2 ± 6.5%		60.4 ± 6.6%	
West Cambie	*		14.5 ± 8.6%		83.6 ± 8.8%	




Canadian Community Health Survey 2009-2010 (age 12+) reports overall smoking rate for Richmond of 18.5 % (12.9% - 24.1%), rate of past smokers of 22.6% (16.8% - 28.4%) and rate of never smokers of 59.0% (51.4% - 66.6%). BC Stats Community Health, Education and Social Services Survey 2008 (age 15+) reports overall smoking rate for Richmond of 11.8% (7.4% - 16.2%)

BC Stats Community Health, Education and Social Services Survey 2008 (age 15+) reports overall smoking rate for Richmond of 11.8% (7.4% - 16.2%) Canadian Tobacco Use Monitoring Survey 2010 (age 15+) reports overall smoking rate for BC of 14.3% (12.2% - 16.3%) Note: * Data suppressed due to small numbers. Prepared by the Public Health Surveillance

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 3 of 8

HEALTHY RICHMOND 2012 FACT SHEET - CIGARETTE USE BY AGE & SEX						
	Current Smokers Prevalence ± 95% CI		Past Smokers Prevalence ± 95% CI		Never Smoked Prevalence ± 95% CI	
Richmond	7.67 ± 0.99%		28.2 ± 1.68%		64.6 ± 1.80%	
Male	10.3 ± 1.8%		33.3 ± 2.8%		56.4 ± 2.9%	
Female	5.3 ± 1.0%		23.5 ± 2.0%		71.2 ± 2.1%	
18 to 29 years	11.3 ± 2.9%		14.9 ± 3.3%		73.8 ± 4.1%	
30 to 39 years	7.3 ± 2.5%		25.9 ± 4.4%		66.9 ± 4.8%	
40 to 49 years	7.8 ± 2.2%		28.9 ± 3.8%		63.3 ± 4.0%	
50 to 59 years	8.1 ± 2.0%		29.8 ± 3.6%		62.2 ± 3.8%	
60 to 69 years	5.4 ± 2.0%		37.7 ± 4.3%		56.9 ± 4.3%	
70+ years	2.6 ± 1.7%		43.5 ± 5.6%		53.9 ± 5.6%	
						1

Rates of current cigarette smokers among Healthy Richmond survey respondents, by age category and sex (weighted percentages)




Born outside of Canada: 10.2 ± 3.5%

Not a visible minority: 21.6 ± 8.8% Visible minority: 8.67 ± 2.8%


PRCS - 45

Employed: $13.2 \pm 4.2\%$ Student: $7.01 \pm 3.4\%$ Other categories had too few observations

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 4 of 8




Rates of cigarette smoking among Healthy Richmond respondents by employment status (above) and highest level of education attained (below), weighted %




PRCS - 46

Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 5 of 8

HEALTHY RIC	:HMOM	ND 2012 FA	CT SHEE	T - C	GARETTE	USE AND	IMN	AIGRATION	
		Current S Prevalence			Past Sm Prevalence			Never S Prevalence	
Richm	ond	7.67 ± ().99%		28.2 ± 2	1.68%		64.6 ±	1.80%
Born in Car	nada	10.2 ±	1.9%		39.6 ±	3.1%		50.3 ±	3.2%
Born outside Ca	nada	6.2 ± 1	L. 2 %		21.6 ±	2.0%		72.2 ±	2.1%
Non visible min	ority	10.5 ±	1.9%		45.2 ±	3.1%		44.3 ±	3.1%
Visible min	ority	6.2 ± 1	L.1%		19.4 ±	1.9%		74.5 ±	2.1%
Chinese ethni	icity*	6.2 ± 2	1.4%		15.9 ±	2.1%		77.9 ±	2.4%
Note: Chinese et idenfied as priority for a	· · ·								
30 to 39 years: 6 40 to 49 years: 6	ise amon 3.8 ± 3.49 5.0 ± 3.39 5.3 ± 3.09 1.3 ± 2.49	6 6 6	Sex		2%	Time in Canad Immigrated 0 Immigrated 5 Immigrated 1 Immigrated 1	to 4 to 9 0 to 2 .5 to 2	years ago: 14 years ago: 19 years ago:	9.1 ± 4.9% 6.0 ± 4.5% 8.0 ± 4.3% 5.9 ± 2.7%
	5.0 ± 3.5% Too few c	% bservations	Born outsid	e Cana	da: 6.4 ± 1.4%	Immigrated 2 Immigrated 2			4.3 ± 2.8% 6.2 ± 3.4%





Note: CCHS 2009-2010 (age 12+) reports current smoking rate of 20.0% among non-visible minority population and 17.5% among visible minority population, past smoker rate of 37.0% among non-visible minority population and 13.3% among visible minority population and never smoked rate of 43.0% among non-visible minority population and 69.2% among visible minority population

PRCS - 47


Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 6 of 8

HEALTHY RICHMOND 2012 FACT SHEET - OTHER TOBACCO USE

Participants were asked which other tobacco products, if any, they had used in the past year

Total using other tobacco	6.1% ——	 Other tobacco use among: 	
Electronic cigarette	1.1%	Current smokers	24.4%
Hookah/water pipe/shisa	2.1%	Past smokers	9.5%
Chewing tobacco	0.3%	Never smoked	2.5%
Gutka	0		
Snuff	0	Men	10.0%
Snus	0	Women	2.6%
Pipe	0.5%		
Cigar	3.8%	Visible minority	7.6%
Cigarillo	1.4%	Non visible minority	5.3%

Prevalence of tobacco use other than cigarettes among Richmond residents, by age category



Other tobacco use among young adults (18 to 29 years): 13.7% ± 3.4%

Electronic cigarette: $3.2 \pm 1.9\%$ Hookah/Water pipe/Shisha: $9.0 \pm 2.9\%$ Other tobacco types did not have sufficient observations Cigar: 6.5 ± 2.5% Cigarillo: 3.9 ± 2.1%

> Prepared by the Public Health Surveillance Unit, VCH February 2013 | Page 7 of 8

HEALTHY RICHMOND 2012 FACT SHEET - SECOND HAND SMOKE EXPOSURE

Do you experience second hand smoke exposure every day or almost every day?

Yes 19.2 ± 1.5% among all residents (29,904 residents); 17.3 ± 1.5% among non-smokers
No 80.6 ± 1.5% among all residents (125,539 residents); 82.7 ± 1.5% among non-smokers

ho?	
Male	21.5 ± 2.4%
Female	17.2 ± 1.8%
18 to 19 years	27.2 ± 4.1%
30 to 39 years	16.8 ± 3.8%
40 to 49 years	19.8 ± 3.2%
50 to 59 years	18.0 ± 3.1%
60 to 69 years	14.4 ± 3.1%
70+ years	13.6 ± 3.5%
	18 to 19 years 30 to 39 years 40 to 49 years 50 to 59 years 60 to 69 years

Note: **BC Stats Community Health, Education and Social Services Survey 2008** (age 15+) reports the following second hand smoke exposure frequencies for Richmond non-smokers: Home: 2.4 (± 2.0)%, Vehicle: sample size too small, At work: 7.6 (± 4.4)%, Enclosed public space: 8.7 (± 5.0)%, Outdoor public space: 21.9 (± 6.8)%,

HEALTHY RICHMOND 2012 FACT SHEET - TOBACCO & HEALTH

	Current Smokers Prevalence ± 95% CI	Past Smokers Prevalence ± 95% CI	Never Smoked Prevalence ± 95% CI
At least one quit attempt in the past year	55.1 ± 6.8%	N/A	N/A
Self reported health status			
Excellent	7.01 ± 3.4%	15.2 ± 2.5%	12.8 ± 1.6%
Very Good	26.2 ± 6.1%	32.0 ± 3.3%	29.4 ± 2.2%
Good	38.6 ± 6.7%	35.7 ± 3.4%	38.1 ± 2.3%
Fair	23.3 ± 5.7%	14.2 ± 2.5%	16.3 ± 1.7%
Poor	4.8 ± 2.6%	2.92 ± 1.0%	3.5 ± 0.9%
Total	100%	100%	100%
Sense of community belonging			
Very strong	18.4 ± 5.1%	28.7 ± 3.2%	25.1 ± 1.9%
Somewhat strong	46.3 ± 7.0%	46.2 ± 3.6%	52.5 ± 2.4%
Somewhat weak	25.5 ± 6.2%	18.4 ± 2.8%	16.2 ± 1.8%
Very weak	9.79 ± 3.9%	6.7 ± 1.8%	6.2 ± 1.2%
Total	100%	100%	100%
		Prepared by t	he Public Health Surveillance Unit, VCH February 2013 Page 8 of 8

HEALTHY RICHMOND 2012 FACT SHEET - APPENDIX I

BACKGROUND:

Vancouver Coastal Health Public Health, in partnership with the City of Richmond, conducted a health and wellness survey for the residents of Richmond, British Columbia to determine their general health and well-being and to support the evaluation of the Richmond Community Wellness Strategy. (http://www.richmond.ca/services/socialplan/wellness.htm)

FAST FACTS:

- The survey was conducted from Friday, February 24, 2012 to Sunday, March 4, 2012.
- The survey was offered online and was supplemented by field surveyors.

• Field surveyors offered the survey in English, Cantonese and Mandarin. The online version of the survey was offered in English only.

- Field surveyors were stationed at 25 locations throughout Richmond.
- Responses were weighted by age, sex and neighbourhood, post-collection.

	Number of respondents	Weighted percent (%)
Total Respondents	3639	100
Age		
18 to 19	94	3.4
20 to 29	481	16.8
30 to 39	473	16.4
40 to 49	699	22.1
50 to 59	775	20.3
60 to 69	574	10.6
70 to 79	285	6.8
80+	103	3.7
Sex		
Male	1344	47.1
Female	2142	52.9
Neighbourhood		
Blundell	356	10.1
Bridgeport	55	1.5
Broadmoor	444	13.1
City Centre	920	23.6
East Cambie	142	5.7
East Richmond/Fraser Lands	85	2.0
Gilmore	20	0.2
Hamilton	71	2.4
Sea Island	17	0.3
Seafair	293	9.3
Shellmont	161	5.5
Steveston	516	13.9
Thompson	259	8.8
West Cambie	105	3.8

TABLE A1: Demographic characteristics of Healthy Richmond sample