



**Development Permit Panel  
Electronic Meeting**

**Council Chambers, City Hall  
6911 No. 3 Road**

**Wednesday, October 25, 2023  
3:30 p.m.**

**MINUTES**

*Motion to adopt the **minutes** of the Development Permit Panel meeting held on October 12, 2023.*



**1. DEVELOPMENT PERMIT 17-790086**  
(REDMS No. 6165570)

APPLICANT: Jhujar Construction Ltd.

PROPERTY LOCATION: 9291 and 9311/9331 No. 2 Road

**Director's Recommendations**

*That a Development Permit be issued which would permit the construction of 12 townhouse units and one secondary suite at 9291 and 9311/9331 No. 2 Road on a site zoned "Low Density Townhouses (RTL4)" with vehicle access provided via 9211 No. 2 Road.*



**2. New Business**

**3. Date of Next Meeting: November 16, 2023**

**ADJOURNMENT**



**Development Permit Panel  
Thursday, October 12, 2023**

Time: 3:30 p.m.

Place: Remote (Zoom) Meeting

Present: Cecilia Achiam, General Manager, Community Safety, Acting Chair  
Milton Chan, Director, Engineering  
Peter Russell, Director, Sustainability and District Energy

The meeting was called to order at 3:30 p.m.

**MINUTES**

It was moved and seconded

*That the minutes of the meeting of the Development Permit Panel held on September 27, 2023 be adopted.*

**CARRIED**

**1. DEVELOPMENT VARIANCE PERMIT 23-024175**  
(REDMS No. 7280338)

APPLICANT: Pakland Armstrong Homes Ltd.

PROPERTY LOCATION: 7151, 7211, 7231 & 7251 Bridge Street

INTENT OF PERMIT:

Vary the provisions of Richmond Zoning Bylaw 8500 to reduce the minimum required rear yard setback for:

1. A portion of the second storey from 10.70 m to 10.64 m to allow the retention of an existing second-storey deck at 7151 Bridge Street.
2. Accessory buildings (i.e. a garage) with a wall length greater than 6.0 m from 2.4 m to 2.08 m to allow retention of an existing detached garage at 7211 Bridge Street.
3. 60 per cent of the first storey from 9.60 m to 7.4 m, as well as the remaining 40 per cent of the first storey and the second storey from 10.7 m to 8.0 m to allow the

## Development Permit Panel

### Thursday, October 12, 2023

---

retention of an existing dwelling at 7231 Bridge Street. Reduce the minimum required rear yard setback for a portion of the second storey from 10.7 m to 6.8 m to allow retention of an existing second-storey deck.

4. 60 per cent of the first storey from 9.60 m to 7.02 m, as well as the remaining 40 per cent of the first storey and the second storey from 10.70 m to 7.02 m to allow the retention of an existing dwelling at 7251 Bridge Street.

#### **Applicant's Comments**

Khalid Hassan, Pakland Armstrong Homes Ltd., with the aid of a visual presentation (attached to and forming part of these minutes as Schedule 1), provided background information on the subject application and reviewed the proposed rear yard setback variances, noting that (i) the subdivision of six large lots will result in six lots fronting Bridge Street and ten lots fronting the future Armstrong Street extension, and (ii) the proposed variances will address the required rear yard setbacks for four of the six properties fronting Bridge Street to allow the retention of existing buildings on these properties.

#### **Staff Comments**

Wayne Craig, Director, Development, noted that (i) staff support the proposed rear yard setback variances as these are technical variances that are required to facilitate the retention of the existing structures on four properties fronting Bridge Street, (ii) the proposed variances will not facilitate any new construction, (iii) the proposed variances will not alter the on-site tree retention and tree replacement that were secured through the original rezoning application, and (iv) the retention of the existing structures was identified at the time of rezoning.

In reply to a query from the Panel, Mr. Craig confirmed that (i) the subject application will be required to provide a functional two-way traffic road as part of Armstrong Street, and (ii) the road will be widened when the adjacent properties fronting Ash Street redevelop in the future.

#### **Correspondence**

None.

#### **Gallery Comments**

None.

**Development Permit Panel**  
**Thursday, October 12, 2023**

---

**Panel Decision**

It was moved and seconded

*That a Development Variance Permit be issued which would vary the provisions of Richmond Zoning Bylaw 8500 to reduce the minimum required rear yard setback for:*

1. *A portion of the second storey from 10.70 m to 10.64 m to allow the retention of an existing second-storey deck at 7151 Bridge Street.*
2. *Accessory buildings (i.e. a garage) with a wall length greater than 6.0 m from 2.4 m to 2.08 m to allow retention of an existing detached garage at 7211 Bridge Street.*
3. *60 per cent of the first storey from 9.60 m to 7.4 m, as well as the remaining 40 per cent of the first storey and the second storey from 10.7 m to 8.0 m to allow the retention of an existing dwelling at 7231 Bridge Street. Reduce the minimum required rear yard setback for a portion of the second storey from 10.7 m to 6.8 m to allow retention of an existing second-storey deck.*
4. *60 per cent of the first storey from 9.60 m to 7.02 m, as well as the remaining 40 per cent of the first storey and the second storey from 10.70 m to 7.02 m to allow the retention of an existing dwelling at 7251 Bridge Street.*

**CARRIED**

**2. New Business**

None.

**3. Date of Next Meeting: October 25, 2023**

**ADJOURNMENT**

It was moved and seconded

*That the meeting adjourn (3:41 p.m.).*

**CARRIED**



**Development Permit Panel**  
**Thursday, October 12, 2023**

---

Certified a true and correct copy of the Minutes of the meeting of the Development Permit Panel of the Council of the City of Richmond held on Thursday, October 12, 2023.

---

Cecilia Achiam  
Acting Chair

---

Rustico Agawin  
Committee Clerk

TOPOGRAPHIC SURVEY AND PROPOSED SUBDIVISION OF:

- 1) THE NORTH HALF LOT 14 BLOCK "C". PLAN 1207 EXCEPT PLAN EPP110430. NOW ROAD;
- 2) THE SOUTH HALF LOT 14 BLOCK "C". PLAN 1207 EXCEPT PLAN EPP110430. NOW ROAD;
- 3) THE NORTH HALF LOT 16 BLOCK "C". PLAN 1207 EXCEPT PLAN EPP110430. NOW ROAD;
- 4) THE SOUTH HALF LOT 16 BLOCK "C". PLAN 1207 EXCEPT PLAN EPP110430. NOW ROAD;
- 5) LOT 106. PLAN 60961 EXCEPT PLAN EPP110430. NOW ROAD;
- 6) LOT 107. PLAN 60961 EXCEPT PLAN EPP110430. NOW ROAD;

ALL OF SECTION 15 BLOCK 4 NORTH RANGE 6 WEST  
NEW WESTMINSTER DISTRICT

#7231 BRIDGE STREET, (REM. N. 1/2 OF 14)  
RICHMOND, B.C.  
P.I.D. 003-735-443

#7251 BRIDGE STREET, (REM. S. 1/2 OF 14)  
RICHMOND, B.C.  
P.I.D. 004-502-728

#7151 BRIDGE STREET, (REM. N. 1/2 OF 16)  
RICHMOND, B.C.  
P.I.D. 003-652-812

#7171 BRIDGE STREET, (REM. S. 1/2 OF 16)  
RICHMOND, B.C.  
P.I.D. 004-183-215

#7211 BRIDGE STREET, (REM. 106)  
RICHMOND, B.C.  
P.I.D. 002-671-379


#7191 BRIDGE STREET, (REM. 107)  
RICHMOND, B.C.  
P.I.D. 002-671-387

# Schedule 1 to the Minutes of the Development Permit Panel meeting held on Thursday, October 12, 2023



SCALE: 1:250

0 5 10 20  
ALL DISTANCES ARE IN METRES AND DECIMALS  
THEREOF UNLESS OTHERWISE INDICATED



7151 Bridge Street Variance  
required for rear yard setback for  
existing building from New

7211 Bridge Street requires  
Variance for Accessory building  
Setback from proposed New PL.

7231 Bridge Street requires  
Variance for Rear Yard setback for  
existing dwelling from  
proposed New PL.

7251 Bridge Street Rear Yard  
Setback required Variance for  
existing dwelling from proposed  
New PL.



City of  
Richmond

## Report to Development Permit Panel

---

**To:** Development Permit Panel

**Date:** October 4, 2023

**From:** Wayne Craig  
Director, Development

**File:** DP 17-790086

**Re:** Application by Jhujar Construction Ltd. for a Development Permit at 9291 and 9311/9331 No. 2 Road

---

### Staff Recommendation

That a Development Permit be issued which would permit the construction of 12 townhouse units and one secondary suite at 9291 and 9311/9331 No. 2 Road on a site zoned "Low Density Townhouses (RTL4)" with vehicle access provided via 9211 No. 2 Road.

A handwritten signature in black ink, appearing to read "Wayne Craig".

Wayne Craig  
Director, Development  
(604-247-4625)

WC:el  
Att. 4

## **Staff Report**

### **Origin**

Jhujar Construction Ltd. (Director: Harjan S. Johal and Satnam Johal) has applied to the City of Richmond for permission to develop 12 townhouse units at 9291 and 9311/9331 No. 2 Road with vehicle access through a Statutory Right-of-Way (SRW) registered on Title of the adjacent property to the north at 9211 No. 2 Road. One of the 12 townhouse units is proposed to contain a ground-level secondary suite and two of the 12 units will be designed in accordance with the convertible unit guidelines.

The site is being rezoned from “Single Detached (RS1/E)” and “Two-Unit Dwellings (RD1)” zones to “Low Density Townhouses (RTL4)” zone for this project under Bylaw 9749 (RZ 15-716773), which received third reading following the Public Hearing on October 16, 2017. The site is currently vacant. A Servicing Agreement for frontage beautification works and service connections is required prior to Building Permit issuance.

### **Development Information**

Please refer to the attached Development Application Data Sheet (Attachment 1) for a comparison of the proposed development data with the relevant bylaw requirements.

### **Background**

Development surrounding the subject site is as follows:

To the north: A ten-unit townhouse complex on a lot zoned “Low Density Townhouses (RTL4)”.

To the east: Across No. 2 Road, a four-storey senior’s apartment building (three-storeys over parking) on a lot zoned “Medium Density Low Rise Apartments (RAM1)” and a church on a lot zoned “Assembly (ASY)”.

To the south: Existing single-family homes on lots zoned “Single Detached (RS1/E), which are identified for townhouse development under the Arterial Road Land Use Policy.

To the west: Existing single-family dwellings on lots zoned “Single-Detached (RS1/B)”.

### **Rezoning and Public Hearing Results**

The Public Hearing for the rezoning of this site was held on October 16, 2017. No concerns regarding the rezoning application were expressed at the Public Hearing.

### **Staff Comments**

The proposed scheme attached to this report has satisfactorily addressed the significant urban design issues and other staff comments identified as part of the review of the subject Development Permit application. In addition, it complies with the intent of the applicable sections of the Official Community Plan (OCP) and is generally in compliance with the “Low Density Townhouses (RTL4)” zone.

## **Advisory Design Panel Comments**

The Advisory Design Panel (ADP) has reviewed the project and supports it. A copy of the relevant excerpt from the Advisory Design Panel Minutes from Wednesday, October 19, 2022, is attached for reference (Attachment 2). The design response from the applicant has been included immediately following the specific Design Panel comments and is identified in '***bold italics***'.

## **Analysis**

### ***Conditions of Adjacency***

- The proposed height, siting and orientation of the buildings generally address the massing of the surrounding residential developments.
- While three-storey units are proposed along No. 2 Road, the building height is stepped down to two-storeys along the side property lines to provide a transition to the adjacent single-family home to the south and the two-storey end units of the townhouse development to the north.
- Two-storey units in duplex and detached unit form are proposed along the rear (west) property line to minimize privacy and overlook concerns.
- The site grade along the north property line will be raised to match the existing grade of the adjacent townhouse development to the north; no new retaining wall will be required.
- Along the rear (west) property line, the existing site grade will be maintained to provide an appropriate transition to the adjacent single-family properties to the west, and to accommodate tree retention on-site and on the neighbouring properties.
- The site grade along the south property line will be raised, except for the area at the southwest corner of the site adjacent to a protected tree. The maximum height of the proposed retaining wall is approximately 1.0 m. The heights of the wood fences proposed on top of the retaining wall will be reduced to approximately 1.2 m in order to ensure the overall privacy screen height (retaining wall plus wood fence) is no taller than 1.8 m.
- Three hedgerows and two trees located along the west and south property lines will be retained; a variety of trees will also be planted along the rear and side property lines to enhance the interfaces between the proposed townhouse development and the existing adjacent residential developments. Further details in the Landscape Design section below.
- Perimeter drainage will be required as part of the Building Permit to ensure storm water is managed and addressed through the development and will not impact the neighbouring properties.

### ***Transportation and Site Access***

- Vehicle access is proposed through an existing Statutory Right-of-Way (SRW EPP51370, CA5001638-CA5001643) registered over the drive aisle of the neighbouring townhouse development to the north at 9211 No. 2 Road; no direct vehicle access to No. 2 Road is permitted from the subject site.
- This access arrangement was secured through the rezoning and development applications for 9211 No. 2 Road, which received final adoption by Council on March 29, 2016 (RZ 12-620563).
- A legal opinion prepared by the applicant's lawyer confirms that the City can rely on this SRW. This legal opinion has also been reviewed by the City's Law Department.

- Staff requested that the applicant discuss the use of the SRW with the adjacent strata, in order to address any concerns with the shared use of the driveway, as well as day-to-day issues such as maintenance and wayfinding signage.
- The applicant has made offers to cost share but no formal agreement has been reached between the developer and the neighbouring strata. Discussions are ongoing. A summary report prepared by the developer's solicitor is presented in Attachment 3.
- Should the Development Permit application proceed, staff would continue to encourage discussions between the two parties on the shared use of the driveway through the Building Permit process.
- Properties to the south of the subject site are also designated for townhouse development. A Statutory Right-of-Way (SRW) allowing access to/from the adjacent future development sites through the subject site (internal drive aisle) has been secured at rezoning.
- Signage indicating that the driveway on the subject site may connect to the future adjacent townhouse developments will be installed at the south end of the drive aisle so that future residents/owners/strata of the subject development are aware that they may be required to provide access to the south.
- Servicing Agreement is required as a condition of Building Permit issuance and includes, but is not limited to, a new 1.5 m concrete sidewalk at the property line and minimum 1.5 m wide landscaped boulevard with street trees behind the existing curb.

### ***Urban Design and Site Planning***

- The layout of the townhouse units is oriented around the north-south internal manoeuvring aisle, providing access to the unit garages.
- Units along No. 2 Road will have direct pedestrian access from the street, and units along the rear (west) property line will have access from the internal drive aisle.
- One of the units will contain a ground-level secondary suite (studio) of approximately 37.4 m<sup>2</sup> (403 ft<sup>2</sup>) in size. No additional parking stall is required for the proposed secondary suite since the required parking spaces for the unit containing a secondary suite are provided in a side-by-side arrangement.
- All townhouse units will have two vehicle parking spaces in a double-car garage. The proposal will feature four units with a total of eight spaces in a tandem arrangement (33 per cent of total required residential parking spaces), which is consistent with the maximum 50 per cent of tandem parking provision of Richmond Zoning Bylaw 8500. A restrictive covenant to prohibit the conversion of the tandem garage area into habitable space has been secured at rezoning.
- A total of three visitor parking spaces, including one van accessible parking space, will be provided throughout the site. The number of visitor parking spaces proposed is in compliance with the minimum bylaw requirement.
- Both internal and external bicycle parking spaces have been incorporated into the proposal and are in compliance with the Zoning Bylaw requirements.
- The provision of private outdoor spaces complies with the Development Permit Guidelines of the OCP. All units will have private outdoor spaces consisting of a front or a rear yard; the three-storey units will also have a covered deck on the second floor facing the internal drive aisle.

- Outdoor amenity space is centrally located on the subject site. The size and location of the outdoor amenity space is appropriate in providing open landscape and amenity space convenient to all units.
- No indoor amenity space is proposed on site. A \$12,000.00 cash-in-lieu contribution has been secured as a condition of rezoning approval, consistent with the OCP.
- A covered mailbox kiosk is proposed at the entrance to the outdoor amenity area.
- A walkway is proposed through the outdoor amenity space to provide direct pedestrian access from No. 2 Road to the internal drive aisle of the site.
- The required garbage, recycling and organic waste storage enclosure has been incorporated into the design of the building proposed at the northwest corner of the site (Building #1) to minimize the visual impact.

### ***Architectural Form and Character***

- The exterior form and materials are reminiscent of heritage-style architecture. The building's character includes several elements common to a heritage design, including classic hip roof form with gables and dormers on the upper floor.
- A pedestrian scale is generally achieved along the public sidewalk and internal drive aisle through the inclusion of variation in building projections, recesses, variety of materials/colours and landscape features.
- The impact of blank garage doors has been mitigated with panel patterned doors, transom windows and planting islands along the drive aisle.
- The proposed building materials (asphalt roof shingles, Hardi panel siding, face brick, stucco, wood fascia/trim) are generally consistent with the OCP Guidelines and compatible with the existing single-family character of the neighbourhood.
- A palette of earthy colours with white as an accent colour on the main cladding materials, are generally consistent with the heritage design of the project.

### ***Landscape Design and Open Space Design***

- Tree preservation was reviewed at rezoning stage:
  - Significant efforts were made to ensure the retention of one 40 cm calliper English Oak tree (Tag# 681) located along the site's No. 2 Road frontage which will be retained and protected in a tree well proposed in the front yard of the site. A survival security in the amount of \$10,000.00 will be required prior to Development Permit Issuance.
  - One hedgerow (five stems) identified as (tag# 687) located along the rear property line of the site will be retained and protected within the rear yard of Building #2. A survival security in the amount of \$25,000.00 will be required prior to Development Permit Issuance.
  - Eight trees and two hedgerows were identified for removal at the Rezoning stage and have been removed under Tree Permits T3 15-717055 due to their poor condition (either dead, dying, had been previously topped or exhibited structural defects).
  - Based on the 2:1 tree replacement ratio stated in the OCP, 16 replacement trees are required for the removal of eight bylaw-sized trees.
  - The applicant is proposing to plant 38 replacement trees on-site, including 15 conifers and 23 deciduous trees.

- One tree (Tag #N03) and two hedgerows (Tag #N02 & #N04) located on the adjacent properties to the west, as well as one tree (Tag # N01) located on the adjacent property to the south, are to be retained and protected.
- Tree protection fencing is required to be installed as per the Arborist Report recommendations prior to any construction activities (including demolition) occurring on-site.
- The proposal provides for a pedestrian-oriented streetscape fronting No. 2 Road with a landscaped edge treatment including brick pilasters, aluminum fencing and gates, as well as new trees and sodded lawn in the front yards.
- All units along the rear (west) property line will have a private yard with a raised deck and a sodded lawn area.
- Various hedges, shrubs and ground covers, as well as perennials and grasses have been selected to ensure the landscape treatment remains interesting throughout the year.
- Landscaping including Japanese cherry trees will be provided along the north-south internal drive aisle to soften the internal streetscape.
- A children's play area is proposed for the outdoor amenity area and play equipment has been chosen to fit into the outdoor amenity space and to provide different play opportunities. A bench is also provided for caregivers.
- Surface parking spaces and designated walkways on-site will be treated with permeable pavers for better water infiltration and variety in paving surfaces.
- An on-site irrigation system is proposed to ensure continued maintenance of live landscaping.
- Lighting plans are included in the DP plans, which indicates various lighting provided throughout the site. Wall mounted sconce lighting will be provided at each unit entry and by the garage doors. Bollard lighting will be provided throughout the site in the common areas including the outdoor amenity space and visitor parking areas, etc.
- In order to ensure that the proposed landscaping works are completed, the applicant is required to provide a landscape security of \$310,750.00 in association with the Development Permit.

### ***Crime Prevention Through Environmental Design***

- A combination of planting and fencing is proposed along the perimeter of the site to define the public, semi-public and semi-private realms.
- All pedestrian access points to the site, including access to the townhouse units, are to be gated to provide a visual and physical separation from public circulation paths.
- All walkways, outdoor amenity spaces and visitor parking stalls can be viewed directly from windows within the project, providing visual surveillance from the townhouse units.
- All exterior lighting will be down-directed or ground-oriented to eliminate the impact on the townhouse units and adjacent properties.

### ***Sustainability***

- The Step Code Target for the townhomes is Level 3 with Low Carbon Energy System (LCES). To achieve this requirement, the following items will be included in the design:
  - High-performance envelope;
  - Low window-to-wall ratio;
  - Low-E double pane glazing;



- Heat Recovery Ventilators (HRV); and
  - Heat pumps for heating and domestic hot water.
- Level 2 EV charging will be provided in each garage as per Richmond Zoning Bylaw 8500.

***Accessible Housing***

- The proposed development includes two convertible units that are designed with the potential to be easily renovated to accommodate a future resident in a wheelchair. The potential conversion of this unit will require the installation of a chair lift (where the staircase has been dimensioned to accommodate this in the D1 units) in the future if desired.
- All of the proposed units incorporate aging-in-place features to accommodate mobility constraints associated with aging. These features include:
  - Stairwell handrails.
  - Lever-type handles for plumbing fixtures and door handles.
  - Solid blocking in washroom walls to facilitate future grab bar installation beside toilets, bathtubs and showers.

**Conclusions**

As the proposed development would meet applicable policies and Development Permit Guidelines, staff recommend that the Development Permit be endorsed, and issuance by Council be recommended.



Edwin Lee  
Planner 2  
(604-276-4121)

EL:he

- Att.
- 1: Development Application Data Sheet
  - 2: Excerpt from the Minutes of the Advisory Design Panel Meeting – October 19, 2022
  - 3: Summary Letter – Negotiation with Neighbour Strata with respect to use of SRW  
EPP51370
  - 4: Development Permit Considerations



**DP 17-790086**

**Attachment 1**

Address: 9291 and 9311/9331 No. 2 Road

Applicant: Jhujar Construction Ltd.

Owner: Jhujar Construction Ltd.

Planning Area(s): Blundell

Floor Area Gross: 2,084.7 m<sup>2</sup>

Floor Area Net: 1,452.9 m<sup>2</sup>

	Existing	Proposed
<b>Site Area:</b>	2,482 m <sup>2</sup>	2,452 m <sup>2</sup>
<b>Land Uses:</b>	Single-Family Residential / Two-Family Residential	Multiple-Family Residential
<b>OCP Designation:</b>	Low-Density Residential	No Change
<b>Zoning:</b>	Single Detached (RS1/E) and Two-Unit Dwellings (RD1)	Low Density Townhouses (RTL4)
<b>Number of Units:</b>	3	12

	Bylaw Requirement	Proposed	Variance
Floor Area Ratio:	Max. 0.60	0.59	none permitted
Lot Coverage – Building:	Max. 40%	40%	none
Lot Coverage – Non-porous Surfaces:	Max. 65%	63%	none
Lot Coverage – Landscaping:	Min. 25%	26%	none
Setback – Front Yard (m):	Min. 6.0 m	6.2 m	none
Setback – North Side Yard (m):	Min. 3.0 m	3.0 m	none
Setback – South Side Yard (m):	Min. 3.0 m	3.0 m	none
Setback – Rear Yard (m):	Min. 3.0 m	5.1 m	none
Height (m):	Max. 12.0 m (3 storeys)	11.42 m (3 storeys) along No. 2 Road & 8.31 m (2 storeys) along west property line	none
Lot Width:	Min. 50.0 m	50.25 m	none
Lot Depth:	Min. 35.0 m	45.12 m	none
Off-street Parking Spaces – Regular (R) / Visitor (V):	2 (R) and 0.2 (V) per unit	2 (R) and 0.2 (V) per unit	none
Off-street Parking Spaces – Total:	24 (R) and 3 (V)	24 (R) and 3 (V)	none

Tandem Parking Spaces:	Max. 50% of proposed residential spaces in enclosed garages (24 x Max. 50% = 12)	8	none
Small Car Parking Spaces	None when fewer than 31 spaces are provided on site	0	none
Handicap Parking Spaces:	Min. 2% of parking stalls required when 3 or more visitor stalls are required (27 x 2% = 1 space)	1	none
Bicycle Parking Spaces – Class 1 / Class 2:	1.25 (Class 1) and 0.2 (Class 2) per unit	1.3 (Class 1) and 0.3 (Class 2) per unit	none
Off-street Bicycle Parking Spaces – Total:	15 (Class 1) and 3 (Class 2)	16 (Class 1) and 4 (Class 2)	none
Amenity Space – Indoor:	Min. 70 m <sup>2</sup> or Cash-in-lieu	Cash-in-lieu	none
Amenity Space – Outdoor:	Min. 6 m <sup>2</sup> x 12 units = 72 m <sup>2</sup>	90 m <sup>2</sup>	none

Excerpt from the Minutes from  
**The Design Panel Meeting**

Wednesday October 19, 2022 – 4:00 p.m.  
Remote (Webex) Meeting

**1. DP 17-790086 – 12 UNIT TOWNHOUSE PROPOSAL WITH VEHICLE ACCESS VIA THE ADJACENT SITE TO THE NORTH**

ARCHITECT: DF Architecture Inc.

LANDSCAPE ARCHITECT: Hapa Collaborative

PROPERTY LOCATION: 9291 and 9331 No. 2 Road

**Applicant's Presentation**

Zubin Billimoria, DF Architecture Inc., David Rasouli, Alphatec Energy Inc., and Alex Fu, Hapa Collaborative, presented the project and answered queries from the Panel.

**Panel Discussion**

*Comments from Panel members were as follows:*

- commend the landscape team for their efforts to come up with a well thought out landscape design for a small townhouse development;
- providing three walkways between No. 2 Road and the internal drive aisle is excessive due to the small size of the proposed development; consider retaining just the main pedestrian walkway through the proposed common outdoor amenity area and utilize the space for the other two proposed walkways for installation of additional soft landscaping in lieu of the proposed concrete paving treatment for the walkway;

*Walkway along the North property line has been eliminated and replaced with the landscaping. 3ft wide maintenance access to the electrical room has been provided.*

*Walkway connecting to the sidewalk previously along the South property line has been revised and a 5ft. wide Firefighters access has been provided to access the main entrance of the unit D1 in building 4. A landscaping buffer has been provided at the South property line along this Firefighters access.*

- use of space would have been more efficient and the building appearance would have been better if the three two-storey buildings in the rear were consolidated into one continuous building with five units;

***According the OCP, 14.4.13.C, rear yard building form should be limited to two (2) units in the townhouse cluster (duplex).***

- review the provision of a lock-off unit in Unit B2 in Building No. 3 as it compromises the design of Unit B2, resulting in a very tight living, dining and kitchen areas and limits the opportunity to provide an adequate number of windows to the unit, thus reducing daylight penetration into the unit; consider eliminating the lock-off unit and integrating the space into Unit B2 to improve its livability;

***The lock-off unit has been redesigned to improve livability of the unit by increasing the kitchen and living area of the unit due to reconfiguration of the washroom, relocation of washer/dryer, moving the washroom and providing a larger closet.***

- concern about the proposed location of heat pumps due to their potential noise impacts is moot as newer models of heat pumps are very quiet and compact and could be located more efficiently in the project as they will not pose noise concerns;

***The heat pump units have been moved out of the South side yard for building 4. For building 5 (North side yard), 3 out of 4 condenser units have been moved to the decks on upper floor of the building. One unit stays in the side yard but has been moved away from the property line as much as possible with adequate Landscape buffer to mitigate acoustic concerns.***

***For buildings 1,2 and 3 (rear yard), the condenser units have been moved to the patio of these units and landscape buffers have been introduced for all the patio to mitigate the noise.***

- appreciate the drawings and site layout presented by the applicant;
- support the Panel comment that the provision of three pedestrian walkways is not necessary; the north and middle walkways would be sufficient and ensure that these walkways are accessible for people with disabilities; the space for the south walkway could be utilized for additional soft landscaping;

***Walkway along the north property line has been eliminated and replaced with the landscape. 3ft wide maintenance access to the electrical room has been provided.***

***Walkway connecting to the sidewalk previously along the South property line has been revised and a 5ft. wide Firefighters access has been provided to access the main entrance of the unit D1 in building 4. A landscaping buffer has been provided at the South property line along this Firefighters access.***

- agree with the Panel comment that the proposed location of heat pumps should not be a concern as newer models of heat pumps do not pose noise concerns;

*See responses above.*

- look at the proposed location of the heat pump for Unit B1 to ensure that it will not block the window at the back of the unit;

*Heat pumps will not block these windows as they are placed on the patio and the heat pump is 2'6" high. There is a 2'2" gap between the sill of the window and top of the heat pump.*

- the roof massing appears heavy; the dark colour of dormers make them look heavy; consider a lighter colour for the dormers;

*Color and material for all dormers has been revised. Stucco siding with same color has been used for the dormers making the overall massing look much lighter. Battens and trims have been eliminated except for the trims around the windows to give an accentuated appeal to the overall design. Trim colors have also been revised to a lighter color.*

- not concerned with the decorative pickets on top of the entry porches as they look nice;

*Noted*

- north elevation of Building 4 and south elevation of Building 5 should be treated as a front façade;

*Elevations for building 4 & 5 facing the outdoor amenity have been revised by adding a band to give the building a distinct top, middle and base. Also, the dormers facing the amenity area have been revised with the same treatment as the dormer of other buildings.*

- consider installing additional glazing on the north elevation of Building 1 to provide passive surveillance opportunity over the vehicle entrance to the development and the visitor parking area;

*North elevation of building 1 has been revised with overall massing being reduced by using a lower slope for the roofs and addition of another window on this side to improve passive surveillance opportunity over the vehicular entrance to the development and the visitor parking area.*

- review the accessibility of the washer and dryer for Unit D1 (Convertible Unit) on the second floor; ensure that they are accessible to people with disabilities, particularly people in wheelchairs;

*This has been considered and changes have been made.*

- like the proposed landscaping around the existing oak tree and wood deck that cantilevers over the tree protection zone; confirm with the project arborist whether the sod lawn around the tree could be trampled on; if the tree roots need to be protected, the wood deck could be extended over;

***The suggestion of extending wood platform in the ADP comments cannot be implemented, because there is not much available space near the existing tree, most of the areas are in the root protection zone.***

- appreciate the creative use of space around the existing oak tree; similar treatment could be extended to the children's play area through installation of wood platforms, extended wood beam and wood natural features in lieu of the slide to make the whole outdoor amenity space cohesive and interesting;

***A wooden playhouse is proposed in the Children's play area as the main play equipment which can continue the natural interestingness to the children's play area.***

- consider smaller sodded lawns at the rear yards of units but with more planting; consider increasing the size of the decks at the back if there are no private roof decks provided;

***More planting area and trees have been added in the rear yards.***

- consider increasing the density of planting, e.g. installing evergreen trees, along the west property line to provide more screening from adjacent properties and more greenery during winter;

***Five Serbian Spruce as evergreen trees have been added along the west property line to provide more privacy and greenery.***

- there are a lot of trees on the planting strip immediately adjacent to the buildings facing No. 2 Road; consider providing a drain strip along the buildings and relocating the trees to the sidewalk edge to avoid conflict between the buildings and the trees' canopies and roots;

***Trees were adjacent to the buildings have been moved to the sidewalk edge.***

- review the proposed planting of Japanese Skimmia on the south side as they do not grow well under the sun; ensure that shade plants are on the north side and sun plants are on the south side;

***All Skimmias on the south side have been replaced with sun plants like Nandina domestica 'Gulf Stream' and Kinnikinnick. All plants on the north side are adaptive to the shade environment.***

- support Panel comments regarding appreciation for applicant's efforts to incorporate existing trees into the proposed development;

- review the play value of the proposed play equipment and consider installing natural play elements; the landscaping for the whole outdoor amenity area needs to be cohesive;

***A timber play panel is proposed, which can work well with the landscaping to create more naturalizing and cohesive feeling.***

- appreciate the lighting plan for the proposed development;
- consider adding more variety to the proposed planting palette;

***Two shrub species have been added into the planting palette.***

- review the use of corrugated metal roof for the mail box shelter as it may impact the overall aesthetic of the proposed development; and

***Corrugated metal sheet won't be visible from the ground level as the slope is so small. In addition, the pressure treated plywood layer under the corrugated will prevents the corrugated metal from being seen from the ground level.***

- ensure there is no conflict between the proposed hedging and fencing for units facing No. 2 Road.

***Confirmed, no conflict between the proposed hedging and fencing for units facing No. 2 Road.***

*(The following comments were submitted by Kelly Riopelle and read into the record by Chris Lee)*

- review dormer heights on No. 2 Road and make more similar to internal drive aisle side of Buildings 1 and 4; review width of dormers to reduce their mass; do not support dark colour to camouflage them into dark asphalt shingled roof;

***Color and material for all dormers has been revised. Stucco siding with same color has been used for the dormers making the overall massing look much lighter. Battens and trims have been eliminated except for the trims around the windows to give an accentuated appeal to the overall design. Trim colors have also been revised to a lighter color.***

- review pickets above entry porches and delete if possible as they are not serving practical value;

***The decorative pickets on top of the entry porches have been removed from all building to keep them consistent.***




- the applicant is encouraged to use full brick versus face brick only and to return around corners instead of transitioning into Quoin veneer; elevations feel very busy otherwise; the applicant is also encouraged to represent brick courses in scaled elevation accurately; the brick and Quoin IXL veneer presently appear sized at CMU block 8" x 4" or larger;

***Use of Face Brick 3 ½" x 7 ½" by Mutual Materials and Quoin IXL were the client's preference.***

- consider further development of north elevation of Building 4 and south elevation of Building 5 to address level 1 pedestrian walkway; support the brick treatment specified, but explore having a brick that wraps the No. 2 Road elevation around the corners with a full brick versus a veneer.

***Elevations for building 4 & 5 facing the outdoor amenity have been revised by adding a band to give the building a distinct top, middle and base. Also, the dormers facing the amenity area have been revised with the same treatment as the dormer of other buildings.***



August 15, 2023

FILE NO.: 102688  
REPLY TO: Brian J. P. Corcoran  
DIRECT LINE: 604-231-5103  
E-MAIL: bcorcoran@pllr.com

**BY EMAIL**

City of Richmond  
6911 No. 3 Road  
Richmond, BC V6Y 2C1

**Attention: Edwin Lee, Planner**

Dear Sirs:

**Re: Jhujar Construction Ltd. (the "Owner")  
Rezoning Application No. RZ 15-716773  
Lands situated at 9291 and 9311/9331 No. 2 Road, Richmond (the "Proposed  
Development") – Negotiation with Neighbour located at 9211 No. 2 Road,  
Richmond, B.C. for use of SRW CA5001638**

---

We are the solicitors for the Owner with respect to the Proposed Development. You have requested an update on our extended negotiations with respect to a cost sharing agreement to use the existing drive aisles of 9211 No. 2 Road, Richmond (the "Neighboring Development").

The following is a summary of our discussions with the Neighbouring Development to date:

- On March 15, 2023, our firm sent correspondence to Pacifica First Property Management Ltd. ("Pacifica"), who are the property management company of the Neighbouring Development. Our letter indicated the City of Richmond's requirement that the Owner enter into a Cost Sharing Agreement with the Neighbouring Development in exchange for access to the drive aisles of the Neighbouring Development for the purpose of accessing No. 2 Road.
- On March 15, 2023, we received a response from Pacifica that William Wong was the property manager and to contact William directly.
- On March 15, 2023, we followed up directly with William Wong outlining our request.
- On March 16, 2023, William Wong responded that he had forwarded our email and documents to the Strata Council of the Neighbouring Development.

- On March 16, 2023, I responded to William Wong's email asking for a timeline as to when the Strata Council would be able to meet with my client.
- On March 16, 2023, William Wong responded that he could not provide a timeline for a response from the Strata Council at this time.
- On March 30, 2023, William Wong responded and asked for our firm to provide a written proposal and legal advice as a starting point for the negotiation.
- On March 30, 2023, I wrote to William Wong that we cannot provide legal advice to the Strata Council but we will provide a form of agreement.
- On May 19, 2023, I provided a draft form of Shared Lane Access Agreement and Cost Sharing Agreement (the "Agreement") to William Wong which indicated that the Owner would share all costs of maintenance and upkeep of the drive aisles 50/50 with the Neighbouring Development.
- On May 23, 2023, William Wong indicated he forwarded my email and Agreement to the Strata Council.
- On July 25, 2023, I sent a follow up email to William Wong inquiring as to the status of the Strata Council's review of the Agreement.
- On July 25, 2023, William Wong responded and apologized for the delay and indicated that a new Strata Council for the Neighbouring Development was elected in June and it would take some time for the new Strata Council to be caught up on the matter.
- On July 26, 2023, William Wong responded with the Strata Council's requests that we provide documents/maps and plans for the proposed development along with confirmation that the Owner would pay for the Strata Council's legal fees and disbursements with respect to the negotiations of an agreement. There was some erroneous information from the Strata Council included which indicated the Strata Council's believe that the Owner was purchasing additional lots south of the Owner's Proposed Development.
- On August 14, 2023, I responded to William Wong to confirm that the Owner is not purchasing any further lots with respect to this development. I further clarified that we are only making this access request as it is a requirement by the City of Richmond and is contemplated by the fact that the City of Richmond placed a Statutory Right of Way on the Neighbouring Development's drive aisles for just this reason. I provided a copy of a schematic of the Proposed Development together with a ParcelMap Report showing the Owner's 2 lots immediately south of the Neighbouring Strata. In addition, I confirmed that the Owner would cover reasonable legal fees of the Neighbouring Strata with respect

to the review of the Agreement. Finally, I indicated that the continued delays are severely hampering the Owner's ability to move forward with the Proposed Development.

- On August 14, 2023, William Wong responded and indicated that he had forwarded my email and attachments to the Strata Council.
- On August 14, 2023, I emailed William Wong to again stress the urgency of the matter.
- On August 14, 2023, William Wong replied indicating that he understood time is an issue and that he had asked the Strata Council to appoint a representative to deal with both me and the Strata Council's own legal counsel to speed up the communication process.

I have attached all of the above correspondence and attachments for reference. It is also my understanding that the Owner originally reached out to the Neighbouring Strata directly as early as May, 2019 to try and come to an agreement with respect to the cost sharing and access agreement. It is our opinion that the Owner has made all reasonable efforts to reach a cost sharing agreement with the Neighbouring Strata and as a result of continued delays and requests by the Strata Council, the Proposed Development has been unfairly stalled resulting in potential damages to the Owner. We respectfully request that, based on the forgoing, the Owner's Proposed Development be forwarded to the City's Development Permit Panel in the interim while we continue to work with the Neighbouring Strata to enter into a cost sharing and access agreement.

We trust you will find the above to be in order. Should you have any questions or concern, please do not hesitate to contact the undersigned.

Yours truly,

**PRYKE LAMBERT LEATHLEY RUSSELL LLP**

Per:



Brian J. P. Corcoran

BC:msd  
cc:Client  
Encls.



## Development Permit Considerations

Development Applications Department  
6911 No. 3 Road, Richmond, BC V6Y 2C1

**Address:** 9291 and 9311/9331 No. 2 Road

**File No.:** DP 17-790086

**Prior to approval of the Development Permit, the developer is required to complete the following:**

1. **(Tree Survival Security)** Submission of a Tree Survival Security to the City in the amount of \$35,000 for the 40 cm calliper English Oak tree (Tag# 681) and hedgerow (tag# 687, five stems) to be retained on site. The City will release 50% of the security after construction and landscaping on the proposed development are completed, inspections are approved, and an acceptable post-construction impact assessment report is received. The remaining 50% of the security would be released one (1) year later subject to inspection. A legal agreement is required to accompany the Tree Survival Security to set the terms for its use and release.
2. **(Tree Protection Fencing)** Installation of appropriate tree protection fencing around all trees to be retained as part of the development prior to any construction activities, including building demolition, occurring on-site.
3. **(Landscaping Security)** Receipt of a Letter of Credit for landscaping in the amount of \$310,750.00 (based on the costs estimate provided by a CSLA registered landscape Architect including 10% contingency). A legal agreement is required to accompany the Landscape Security to set the terms for its use and release.

**Prior to Building Permit Issuance, the developer must complete the following requirements:**

1. Enter into a Servicing Agreement\* for the design and construction of engineering infrastructure improvements and frontage beautification works. A Letter of Credit or cash security for the value of the Service Agreement works, as determined by the City, will be required as part of entering into the Servicing Agreement. Works include, but may not be limited to:

Water Works

- a. Using the OCP Model, there is 442 L/s of water available at a 20 psi residual at the hydrant at 9260 No.2 Rd. Based on your proposed development, your site requires a minimum fire flow of 220 L/s.
- b. The Developer is required to:
  - Submit Fire Underwriter Survey (FUS) or International Organization for Standardization (ISO) fire flow calculations to confirm the development has adequate fire flow for onsite fire protection. Calculations must be signed and sealed by a Professional Engineer and be based on Building Permit Stage and Building designs.
  - Install a fire hydrant at No.2 Road frontage to service the proposed townhouse development. Coordination with the City's Fire Department to confirm the location of the proposed hydrant is required.
- c. At Developers cost, the City is to:
  - Cut and cap at main, the existing water service connections to both 9291 and 9311 No.2 Rd.
  - Install 1 new water service connection off of the 200mm PVC watermain along No.2 Rd.

Storm Sewer Works

- a. At Developer's cost, the City is to:
  - Check the size and condition of the existing storm service connection on lot 9291's frontage. Upgrade to the service connection pipe may be required if it is inadequately sized or in poor condition.
  - Cut, cap, and abandon the existing storm service connection lead and dispose existing inspection chamber at the northeast corner of Lot 9311.
  - Install a new Type III inspection chamber and remove the existing storm inspection chamber STIC51279.

Initial: \_\_\_\_\_

Sanitary Sewer Works

a. At Developers cost, the City is to:

- Remove the existing IC and sanitary lead that services Lot 9291.
- Install a 150mm service connection complete with an inspection chamber and tie-in to existing manhole SMH3304 located at the northwest corner of 9311 No 2 Road. Connection shall utilize the existing opening at the southeast face of SMH3304.

b. The Developer is required to:

- Not start building construction until the rear yard sanitary connection is completed by city crews.

Frontage Improvements

a. The Developer is required to:

- Construct a new 1.5 m wide concrete sidewalk immediately along the east property line of the site. The new sidewalk is to connect to the existing sidewalk north and south of the subject site. The alignment of the sidewalk may be changed for tree protection purposes.
- Remove the existing sidewalk next to the curb and backfill the area to provide a grass/tree boulevard between the new sidewalk and the existing curb.
- The existing driveways to provide access to the subject site from No. 2 Road are to be closed permanently. Remove the existing driveway crossings and replace with barrier curb/gutter, boulevard and sidewalk per standards described above. The developer of this site is responsible for the design and construction of curb/gutter, sidewalk and boulevard as part of the driveway closure works in addition to other required frontage improvements.
- Coordinate with BC Hydro, Telus and other private communication service providers when:
  - i. Undergrounding Hydro service lines.
  - ii. Relocating/modifying any of the existing power poles and/or guy wires within the property frontages.
  - iii. Determine if above ground structures are required and coordinate their locations on-site with the architect and private utility companies (e.g. PMT, LPT, Shaw cabinets, Telus, Kiosks, etc).

General Items

a. The Developer is required to:

- Provide additional ROW to accommodate the proposed service connections. Details to be determined during the SA process.
  - Enter into, if required, additional legal agreements, as determined via the subject development's Servicing Agreement(s) and/or Development Permit(s), and/or Building Permit(s) to the satisfaction of the Director of Engineering, including, but not limited to, site investigation, testing, monitoring, site preparation, de-watering, drilling, underpinning, anchoring, shoring, piling, pre-loading, ground densification or other activities that may result in settlement, displacement, subsidence, damage or nuisance to City and private utility infrastructure.
  - Provide a pre-load plan and geotechnical assessment of impact to existing surrounding utilities and recommendations to mitigate the impact.
2. Submission of a Construction Parking and Traffic Management Plan to the Transportation Department. Management Plan shall include location for parking for services, deliveries, workers, loading, application for any lane closures, and proper construction traffic controls as per Traffic Control Manual for works on Roadways (by Ministry of Transportation) and MMCD Traffic Regulation Section 01570.
  3. Incorporation of accessibility measures in Building Permit (BP) plans as determined via the Rezoning and/or Development Permit processes.
  4. Obtain a Building Permit (BP) for any construction hoarding. If construction hoarding is required to temporarily occupy a public street, the air space above a public street, or any part thereof, additional City approvals and associated

Initial: \_\_\_\_\_

fees may be required as part of the Building Permit. For additional information, contact the Building Approvals Department at 604-276-4285.

**Note:**

- \* This requires a separate application.
- Where the Director of Development deems appropriate, the preceding agreements are to be drawn not only as personal covenants of the property owner but also as covenants pursuant to Section 219 of the Land Title Act.  
All agreements to be registered in the Land Title Office shall have priority over all such liens, charges and encumbrances as is considered advisable by the Director of Development. All agreements to be registered in the Land Title Office shall, unless the Director of Development determines otherwise, be fully registered in the Land Title Office prior to enactment of the appropriate bylaw.  
The preceding agreements shall provide security to the City including indemnities, warranties, equitable/rent charges, letters of credit and withholding permits, as deemed necessary or advisable by the Director of Development. All agreements shall be in a form and content satisfactory to the Director of Development.
- Additional legal agreements, as determined via the subject development's Servicing Agreement(s) and/or Development Permit(s), and/or Building Permit(s) to the satisfaction of the Director of Engineering may be required including, but not limited to, site investigation, testing, monitoring, site preparation, de-watering, drilling, underpinning, anchoring, shoring, piling, pre-loading, ground densification or other activities that may result in settlement, displacement, subsidence, damage or nuisance to City and private utility infrastructure.
- Applicants for all City Permits are required to comply at all times with the conditions of the Provincial *Wildlife Act* and Federal *Migratory Birds Convention Act*, which contains prohibitions on the removal or disturbance of both birds and their nests. Issuance of Municipal permits does not give an individual authority to contravene these legislations. The City of Richmond recommends that where significant trees or vegetation exists on site, the services of a Qualified Environmental Professional (QEP) be secured to perform a survey and ensure that development activities are in compliance with all relevant legislation.

Signed \_\_\_\_\_

Date \_\_\_\_\_



# City of Richmond

## Development Permit

**No. DP 17-790086**

To the Holder: Jhujar Construction Ltd.

Property Address: 9291 and 9311/9331 No. 2 Road

Address: c/o DF Architecture Inc.  
10851 Shellbridge Way Unit 350,  
Richmond, British Columbia, V6X 2W9

---

1. This Development Permit is issued subject to compliance with all of the Bylaws of the City applicable thereto, except as specifically varied or supplemented by this Permit.
2. This Development Permit applies to and only to those lands shown cross-hatched on the attached Schedule "A" and any and all buildings, structures and other development thereon.
3. Subject to Section 692 of the Local Government Act, R.S.B.C.: buildings and structures; off-street parking and loading facilities; roads and parking areas; and landscaping and screening shall be constructed generally in accordance with Plans #1 to #34 attached hereto.
4. Sanitary sewers, water, drainage, highways, street lighting, underground wiring, and sidewalks, shall be provided as required.
5. As a condition of the issuance of this Permit, the City is holding the security in the amount of \$310,750.00 to ensure that development is carried out in accordance with the terms and conditions of this Permit. Should any interest be earned upon the security, it shall accrue to the Holder if the security is returned. The condition of the posting of the security is that should the Holder fail to carry out the development hereby authorized, according to the terms and conditions of this Permit within the time provided, the City may use the security to carry out the work by its servants, agents or contractors, and any surplus shall be paid over to the Holder. Should the Holder carry out the development permitted by this permit within the time set out herein, the security shall be returned to the Holder. The City may retain the security for up to one year after inspection of the completed landscaping in order to ensure that plant material has survived.
6. If the Holder does not commence the construction permitted by this Permit within 24 months of the date of this Permit, this Permit shall lapse and the security shall be returned in full.



# Development Permit

No. DP 17-790086

To the Holder: Jhujar Construction Ltd.  
Property Address: 9291 and 9311/9331 No. 2 Road  
Address: c/o DF Architecture Inc.  
10851 Shellbridge Way Unit 350,  
Richmond, British Columbia, V6X 2W9

---

7. The land described herein shall be developed generally in accordance with the terms and conditions and provisions of this Permit and any plans and specifications attached to this Permit which shall form a part hereof.

This Permit is not a Building Permit.

AUTHORIZING RESOLUTION NO.  
DAY OF , .

ISSUED BY THE COUNCIL THE



DELIVERED THIS DAY OF , .

---

MAYOR



# City of Richmond



DP 17-790086  
SCHEDULE "A"

Original Date: 10/27/17

Revision Date: 09/18/23

Note: Dimensions are in METRES





# TOWNHOUSE DEVELOPMENT

CIVIC ADDRESS: 9291 & 9311 NO. 2 ROAD, RICHMOND B.C.

LEGAL DESCRIPTION: 1) NORTH HALF LOT 17 EXCEPT: PART SUBDIVIDED BY PLAN 60236;  
2) SOUTH HALF LOT 17 EXCEPT: PART SUBDIVIDED BY PLAN 70853; BLOCK 'B' SECTION 25 BLOCK 4 NORTH  
RANGE 7 WEST NEW WESTMINSTER DISTRICT PLAN 1353

## TABLE OF CONTENTS

A-001	COVER SHEET
A-002	DEVELOPMENT DATA
A-003	CONTEXT PLAN
A-100	SITE PLAN
A-101	FIRE ACCESS PLAN
A-102	PARKING PLAN
A-103	SITE OVERLAYS
A-104	PRIVATE YARD AREAS
A-105	SHADOW ANALYSIS
A-106	CONTEXT PLAN (VEHICULAR MOVEMENT)
A-201 - A-209	BUILDING FLOOR PLANS
A-220 - A-226	BUILDING AREA OVERLAYS
A-301 - A-310	BUILDING ELEVATIONS
A-327	CONVERTIBLE UNIT
A-401 - A-402	SITE SECTIONS
A-501 - A-502	STREETSCAPE

## PROJECT DRIECTORY:

### ARCHITECTURAL:

DF ARCHITECTURE INC.  
1205 - 4871 SHELL ROAD,  
RICHMOND, B.C. V6X 3Z6  
CONTACT: JESSIE ARORA  
T 604 284 5194  
jessie@dfarchitecture.ca  
info@dfarchitecture.ca

### ARBORIST:

ARBOTECH (ACL GROUP)  
6286 203 STREET A125,  
LANGLEY TWP, BC V2Y 3S1  
604 275 3484

### ENERGY:

ALPHATEC ENERGY INC.  
201 - 275 2ND STREET W,  
NORTH VANCOUVER, BC V7M1C9  
604 771 5886

### LANDSCAPE:

HAPA  
Landscape Architecture  
Urban Design  
403 - 375 West Fifth Avenue  
Vancouver BC, V5Y 1J6  
604 909 4150  
hapacobo.com

### CIVIL:

Core Concept Consulting Ltd.  
Landscape Architecture  
Urban Design  
220 - 2639 vinking Way,  
Richmond BC, V6V 3B7  
604 249 5041  
coreconceptconsulting.com

### ACOUSTIC:

BROWN STRACHAN ASSOCIATES  
1020 MAINLAND STREET,  
VANCOUVER, BC V6B2T5  
604 689 0514



## NOTES:

2023-10-03	G	DP RESUBMISSION FOR OPP
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-08	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP DP17-790086
2022-06-20	A	DP RESUBMISSION

**df**

350-10851 SHELLBRIDGE WAY  
RICHMOND BRITISH COLUMBIA  
CANADA V6X 2W9  
T: 604/284-5134 F: 604/284-5131  
info@df.bc.ca

PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
**9291 & 9311 NO. 2 RD,**  
**RICHMOND, B.C.**

CLIENT:  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL  
TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE  
INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE  
ARCHITECT'S WRITTEN CONSENT.

DRAWN: WA
CHECKED: YA
SCALE: H.T.S
JOB No: RCH-033
DATE: 2023
SHEET TITLE:

COVER SHEET

DRAWING NO:	
A-001	G

DP 17-790086

PLAN #1

October 4, 2023



NOTES:

PROJECT DATA			
CIVIC ADDRESS :	9291 & 9311 NO.2 ROAD, RICHMOND, BC		
LEGAL DESCRIPTION :	NORTH HALF LOT 17 EXCEPT : PART SUBDIVIDED BY PLAN 60236 SOUTH HALF LOT 17 EXCEPT : PART SUBDIVIDED BY PLAN 70853; BLOCK 'B' SECTION 25 BLOCK 4 NORTH RANGE 7 WEST NEW WESTMINISTER DISTRICT PLAN 1353		
LOT INFO			
GROSS SITE	26,715.0 SQFT	2,482 SQM	
DEDICATIONS	319 SQFT	29.6 SQM	
NET AREA	26,396.0 SQFT	2,452 SQM	
ZONING			
EXISTING	RTL 3		
PROPOSED	RTL 3		
SETBACKS			
NORTH (ELEC. RM - BLDG 5)	REQUIRED	PROPOSED	
NORTH (TO BLDG. 1)	3.00 M	3.00 M	
NORTH (TO GARBAGE ENCLOSURE)	3.00 M	4.40 M	
SOUTH	3.00 M	3.30 M	
EAST (NO. 2 ROAD)	3.00 M	3.00 M	
WEST	6.00 M	3.00 M	
	3.00 M	6.20 M	
		5.10 M	
HEIGHT (REFER TO ELEVATIONS FOR BUILDING HT. DIMENSIONS)			
ALLOWED	3 STOREY(12M)		
PROPOSED	2 STOREY/3 STOREY		
SITE COVERAGE			
ALLOWED	10558.4 SQFT	40.0%	
PROPOSED(ON NET AREA)	10,570.0 SQFT	40.0%	
FLOOR AREA RATIO(FAR)			
ALLOWED	15837.6 SQFT	0.60	
PROPOSED (ON NET AREA)	15,638.6 SQFT	0.59	

AMENITY CALCULATION			
OUTDOOR AMENITY	NO. OF UNITS	AREA PER UNIT	AREA
REQUIRED	12	6 SQM.	72 SQM.
PROVIDED			90.8 SQM

FAR CALCULATION										
BUILDING	LVL 1	LVL 2	LVL 3	GROSS AREA	EXCLUSIONS				NET AREA	NET AREA(SQM)
					GARAGE DEDUCTION	GARBAGE/ELEC./BALCONIES	STAIRS+ENTRY DEDUCTION	STAIRS DEDUCTION UPPER FLOOR		
BUILDING 1	2,055.08 SFT	1,622.88 SFT	0.00 SFT	3,677.96 SFT	714.66 SFT	75.00 SFT	113.36 SFT	110.70 SFT	2,664.24 SFT	247.5 SQM
BUILDING 2	974.08 SFT	754.33 SFT	0.00 SFT	1,728.41 SFT	443.50 SFT		61.36 SFT	22.36 SFT	1,201.19 SFT	111.6 SQM
BUILDING 3	2,636.25 SFT	1,435.00 SFT	0.00 SFT	4,071.25 SFT	776.32 SFT		86.70 SFT	75.68 SFT	3,132.55 SFT	291.0 SQM
BUILDING 4	2,137.50 SFT	2,128.15 SFT	1,344.09 SFT	5,609.74 SFT	1,236.99 SFT	127.00 SFT	229.02 SFT	112.17 SFT	3,904.56 SFT	362.7 SQM
BUILDING 5	2,760.33 SFT	2,736.45 SFT	1,855.33 SFT	7,352.11 SFT	1,930.70 SFT	166.00 SFT	355.08 SFT	164.27 SFT	4,736.06 SFT	440.0 SQM
TOTAL				22,439.47 SFT					15,638.60 Sq.Ft.	1452.9 SQM
FAR PROPOSED									0.59	

OFF STREET PARKING				
REQUIRED PARKING	NO. OF UNITS	REQUIRED CARS PER D.U	NO. OF CARS	REQUIRED TOTAL
RESIDENTIAL REQUIRED	12	2	24	24
VISITORS CAR PARK REQUIRED	12	0.2	2.4	3
TOTAL NO. OF PARKING REQUIRED				27
REQUIRED ACCESSIBLE PARKING	2% OF TOTAL REQUIRED		0.52	1
PROPOSED PARKING				
PROPOSED TANDEM RESIDENT PARKING				10
PROPOSED DOUBLE GARAGE RESIDENT PARKING				14
PROPOSED VISITORS PARKING	VAN ACCESSIBLE			1
	STANDARD VISITOR			2
TOTAL PROPOSED PARKING				27
NOTE: All resident parking spaces to be equipped with level 2 ev charging outlets as per bylaw requirements.				
NOTE: Maximum 50% of residential parking can be provided in tandem arrangement. Currently 10 of 24 spaces(42%) are proposed as tandem spaces.				
BICYCLE PARKING				
REQUIRED BIKE PARKING	NO. OF UNITS	REQUIRED BIKES PER	NO. OF BIKES	SAY
CLASS 1 BIKE PARKING	12	1.25	15	15
CLASS 2 BIKE PARKING	12	0.2	2.4	2
PROPOSED BIKE PARKING				
PROPOSED BIKE PARKING	CLASS 1			16
	CLASS 2			5

2023-10-03	G	DP RESUBMISSION FOR DPP
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP,DP17-790086
2022-06-20	A	DP RESUBMISSION



350-10851 SHELLBRIDGE

RICHMOND BRITISH COLUMBIA

CANADA V6X 2W9

T 604)284-5194 F 604)284-5131

info@df.ca

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN: WA	
CHECKED: YA	
SCALE: A1:5	
JOB No. RCH-033	
DATE: SEPT 2023	
SHEET TITLE:	

DATA SHEET


DP 17-790086

PLAN #2

October 4, 2023

DRAWING NO:	
A-002	G





NOTE:  
THIS DEVELOPMENT IS NOT DESIGNED TO ALLOW FOR DOOR TO DOOR GARBAGE AND RECYCLING PICK-UP FACILITY.  
X LG ARUM036GSS5 HEAT PUMP.

- NOTES:
- LEGEND :
- LA - LANDSCAPE
  - PMT - PAD MOUNTED THERMOSTAT
  - H - FIRE HYDRANT

2023-10-03	C	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-08	B	SUBMISSION FOR ADP DP17-790086
2022-06-20	A	DP RESUBMISSION

**df**  
ARCHITECTURE  
inc

350-10851 SHELLBRIDGE  
RICHMOND, BRITISH COLUMBIA  
CANADA V6X 2W9  
T: 604.284.5194 F: 604.284.5131  
info@dfarchitecture.ca

PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.


DRAWN:	WA
CHECKED:	YA
SCALE:	3/32" = 1'-0"
JOB NO.:	RCH-033
DATE:	SEPT 2023
SHEET TITLE:	

SITE PLAN

DRAWING NO.:	
<b>A-100</b>	<b>G</b>



NOTES:



LEGEND

- RED LINE INDICATES PATHS FROM HYDRANTS TO MOST REMOTE SUITE  
MAXIMUM 90m PER BCBC (2018) 3.2.5.5.(2)(b)
- NOTE: MAX. DISTANCE FROM FIRE TRUCK TO UNIT ENTRY IS 45m  
PER BCBC (2018) 3.2.5.5.(2)(c)
- MAX. DISTANCE FROM FIRE HYDRANT TO FIRE TRUCK PLUS THE  
UNOBSTRUCTED PATH OF TRAVEL FROM FIRE TRUCK TO THE  
UNIT ENTRY IS NOT MORE THAN 90m PER BCBC (2018) 3.2.5.5.(2)(b)
- EXTENT OF FIRE TRUCK ACCESS

2023-10-03	C	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-06-20	A	DP RESUBMISSION

df

350-10851 SHELLBRIDGE  
RICHMOND, BRITISH COLUMBIA  
CANADA V6X 2A9  
T 604/284-5184 F 604/284-5131  
info@dfarchitects.com

PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.


CLIENT:  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL  
TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE  
INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE  
ARCHITECT'S WRITTEN CONSENT.

DRAWN:	WA
CHECKED:	YA
SCALE:	3/32" = 1'-0"
JOB No.:	RCH-033
DATE:	SEPT 2023
SHEET TITLE:	

FIRE ACCESS PLAN

DRAWING NO.:	
<b>A-101</b>	<b>G</b>





1 FIRE ACCESS PLAN  
A-101 SCALE: 3/32" = 1'-0"

DP 17-790086


PLAN #4

October 4, 2023






STANDARD PARKING SPACE  
LENGTH - 5.5M  
WIDTH - 2.5M



ACCESSIBLE SPACE  
LENGTH - 5.5M  
WIDTH - 3.4M  
SHARED AISLE - 1.5M

BICYCLE PARKING



CLASS-1 & CLASS-2  
BICYCLE PARKING SPACE  
LENGTH - 1.8M (HORIZONTAL)  
WIDTH - .6M

NOTE: DEVELOPMENTS WITH LESS THAN 31 PARKING SPACES REQUIRE 100% OF PARKING TO BE STANDARD SIZED SPACES. NO SMALL CAR SPACES ARE PROPOSED.

MAXIMUM 50% OF RESIDENTIAL PARKING CAN BE PROVIDED IN TANDEM ARRANGEMENT CURRENTLY 10 OF 24 SPACES (42%) ARE PROPOSED AS TANDEM SPACES

ALL RESIDENTIAL PARKING SPACES (EXCLUDING VISITOR PARKING) IS TO BE PROVIDED WITH LEVEL 2 EV CHARGING OUTLETS (208-240V AC & CURRENT OF 16A-80A)

THIS DEVELOPMENT IS NOT DESIGNED TO ALLOW FOR DOOR TO DOOR GARBAGE AND RECYCLING PICK-UP FACILITY.

NOTES:

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-08	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-08-20	A	DP RESUBMISSION



350-1066 I SHELLBRIDGE  
RICHMOND BRITISH COLUMBIA  
CANADA V6V 2A9  
T: (604) 284-5194 F: (604) 284-5131  
info@dfa-architecture.ca

PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF: DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN:	WA
CHECKED:	YA
SCALE:	3/32" = 1'-0"
JOB No.	RCH-033
DATE:	SEPT 2023
SHEET TITLE:	

PARKING PLAN

DRAWING NO.:	<b>A-102</b>	<b>G</b>
--------------	--------------	----------

1 PARKING PLAN  
A-102 SCALE: 3/32" = 1'-0"


DP 17-790086

PLAN #5

October 4, 2023



--- VEHICULAR ACCESS  
--- PEDESTRIAN ACCESS



NOTES:			
2023-10-03	C	DP RESUBMISSION	
2023-09-12	F	DP RESUBMISSION	
2023-07-28	E	DP RESUBMISSION	
2023-03-27	D	DP RESUBMISSION	
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS	
2022-10-06	B	SUBMISSION FOR ADP_DP17-790086	
2022-08-20	A	DP RESUBMISSION	

df

350-10851 SHELLBR DGE  
RICHMOND BRITISH COLUMBIA  
CANADA V6X 3W9  
T 604/284-5134 F 604/284-5131  
info hll zlu a

PROJECT  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
**9291 & 9311 NO. 2 RD,**  
**RICHMOND, B.C.**

CLIENT  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL  
TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE  
INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE  
ARCHITECT'S WRITTEN CONSENT.

DRAWN: WA	
CHECKED: TA	
SCALE: 1/16" = 1'-0"	
JOB NO.: RCH-033	
DATE: SEPT 2023	
SHEET TITLE:	

CONTEXT PLAN


DRAWING NO.:	
<b>A-106</b>	<b>G</b>

DP 17-790086

PLAN #6

October 4, 2023





**CoreConcept** CONSULTING LTD.  
 tel : 604.249.5040 fax: 604.249.5041  
 #220-2639 Viking Way, Richmond, BC, V6V 3B7  
 www.coreconceptconsulting.com

**AMAN DHALIWAL**  
 Core Concept Consulting Project Manager  
**DP-17-790086**  
 DWG. 10/1


8.	28 SEP 2023	GSG	TS	LOT GRADING ISSUED FOR DP
7.	20 SEP 2023	GSG	TS	LOT GRADING ISSUED FOR DP
6.	20 JUL 2023	GSG	TS	LOT GRADING ISSUED FOR DP
5.	13 MAR 2023	NMM	TS	LOT GRADING ISSUED FOR DP
4.	27 JUN 2022	JB	TS	LOT GRADING ISSUED FOR DP
REV	DATE	BY	CHK	DESCRIPTION
				REVISIONS

**PLAN #7**

**October 4, 2023**



# **TREE RETENTION AND PROTECTION DETAIL - PROJECT DESIGN BASE** **PRESCRIPTION FOR EXISTING TREES RELATED TO THE PROPOSED DEVELOPMENT**



## **LEGEND-TREE RETENTION:**


- TAGGED TREES:  
 (see arborist report and details herein for further details)
- XXX denotes ARBORIST TAG NUMBER or ID REFERENCE (see tree inventory and assessment list)
- XXX denotes SURVEY TAG NUMBER or ID REFERENCE (if applicable)
- approx denotes APPROXIMATE LOCATION for an un-surveyed tree (if contemplated to be retained we recommend that the tree be accurately located before design is finalized)
- denotes RETENTION tree (protection measures as specified)
- ✗ denotes REMOVAL tree (municipal permit or approvals required as applicable)
- ✗ denotes HIGH RISK tree to be REMOVED or MODIFIED (municipal permit or approvals required as applicable)
- ✗ denotes UNDERSIZE TREE that is proposed to be REMOVED (if to be retained consult this office for protection measures) (if to be removed a permit may be required from municipality)

## **LEGEND-TREE PROTECTION:**

- Tree Protection Zones (TPZ) are comprised of a CPZ, RPZ and WSS as detailed below and with limitations and restrictions as described herein and in the arborist report.
- Tree locations noted as APPROXIMATE should be surveyed accurately before finalizing design and installing tree protection measures.
- All tree protection setbacks are measured from the center of tree trunk and/or from the reference property line or site features, as applicable.
- The project arborist should be consulted on or to barrier installation to provide on-site direction as well as to inspect and provide sign-off once they are constructed.
- Barriers aligned with or dimensioned from property lines at SSA setbacks require surveying to mark those reference lines prior to the barrier installation and inspection.
- Temporary interim barriers for demolition or site preparation phase may require adjustment to the final barrier alignment after the pre-construct or work is complete.

- denotes CROWN PROTECTION ZONE - CPZ (exclusion zone - no aerial encroachment of buildings, vehicles, cranes, and
- denotes ROOT PROTECTION ZONE - RPZ (minimum alignment for TREE PROTECTION BARRIERS - no soil disturbance within)
- denotes WORKING SPACE SETBACK - WSS (gone outside RPZ where construction work requires advance approval and/or on-site supervision by the Project Arborist)
- 1 denotes SPECIAL MEASURES required (the Project Arborist is required to direct or implement measures as noted herein as detailed in either of Undertaking - Appendix E of arborist report)
- denotes INTERIM TREE BARRIER

## **TREE PROTECTION BARRIER DETAIL - SAMPLE:**



PROJECT:	PROPOSED TOWNHOUSE DEVELOPMENT		
ADDRESS:	9311 & 9291 NO. 2 ROAD, RICHMOND		
CLIENT:	JHUJAR CONSTRUCTION		
CITY REF:		ACL FILE:	15241
PLOT SIZE:	11"x17"	REV #:	8
		DATE:	SEP 29, 2023



**ARBORTECH CONSULTING**

A 125 - 6286 203 ST LANGLEY BC V2Y 3S1 604 275 3484 trees@aclgroup.ca



**ACL GROUP**



Condensed Tree Inventory and Assessment Data:

Tag/ID	# of Trees	Survey	Loc	Common name, (Botanical)	Dia TPZ	Ht	Spr	LCR	Class	Priority	Action	CPZ	RPZ
681	1	Y	ON	English oak (Quercus robur)	46	15	6	80	O	1	RETAIN	6	2.8 x 4.0
687	5	Y	ON	Western redcedar (Thuja plicata)	29	10	4.0	90	O	LOW	RETAIN	4.0	
N01	1	Y	OFF	Southern magnolia evergreen (Magnolia grandiflora)	30	9	4.0	70	O	2	PROTECT	4.0	3.0
N02	1	Y	OFF	Eastern white cedar (Thuja occidentalis)	15	6	1.0	100	O	LOW	PROTECT	1.0	1.0
N03	1	Y	OFF	English laurel (Prunus laurocerasis)	20	7	3.0	80	O	LOW	PROTECT	3.0	2.0
N04	1	Y	OFF	Eastern white cedar (Thuja occidentalis)	15	5	1.0	100	O	LOW	PROTECT	1.0	1.5

TREE PROTECTION STANDARD MEASURES:

As a general protocol relative to this LOU the Client is required to; maintain compliance with the Tree Protection Specifications (see Appendix D in the reference document), to keep the PA updated with city approvals and scheduling, as well as to consult with the PA to review or attend the site at the following project milestones and/or prior to and during certain work activities on the site as follows:

- A. Barrier Installation:**  
To direct and inspect the tree protection barrier installation and provide barrier sign-off report.
- B. Pre-Treatment of Trees:**  
To undertake or direct tree treatments (i.e. pruning, enhancements to the growing site and special measures) to prepare the trees and assist them in sustaining and adapting to the rigours of construction.
- C. Pre-Construction:**  
To attend a pre-construction meeting, assist in implementing contractor mobilization to the site and to direct/supervise pre-construction works in and around TPZ's, such as but not limited to:
- site access and egress,
  - service and utility decommissioning,
  - civil enabling works,
  - demolition of building or hardscapes,
  - ESC installation,
  - invasive plant treatments or management,
  - site clearing and tree removal (low impact removal of vegetation and stumps within TPZ),
  - preloading or site grading, and
  - installation of site hoarding, site office and temporary power.
- D. Construction Phase:**  
To attend and assist with specific activities within or in close proximity of a TPZ to direct or undertake low impact methods and materials, to perform root pruning and to direct tree and root protection, concurrent with the following:
- site grading (cuts or fills),
  - excavations,
  - trenching or overhead work for services and utility installation,
  - forming and concrete placing,
  - scaffolding, craning or manlift operation,
  - framing and building envelope finishing,
  - all landscape works (see below), and
  - at certain times as identified in the Special Measures section (see below).
- E. Regular Inspections and On-Call:**  
To attend on a regular monthly schedule or at an interval determined by the PA relative to the construction progress and timing of certain works and to be available from time to time to review design details that the Client deems may present conflicts with a TPZ and/or to assist in resolving project constructability challenges.
- F. Access within TPZ:**  
To review and direct worker or equipment access into a tree protection zone (TPZ) whenever contemplated or desired for any reason, and only when absolutely necessary. The PA has a toolbox of various solution for cost effective methods to enable certain types and scopes of access within a TPZ while minimizing the impacts to the tree.
- G. PRIOR TO REMOVING BARRIERS - Landscape Finishing:**  
To review landscape drawings and subcontractor work plan including TPZ related limitations on methods and materials in advance of commencing those works and to provide on-site direction and guidance for the associated preparation works and construction of PA approved hard and soft landscape elements as follows:
- sidewalks/paths,
  - patios/decks/benches,
  - retaining walls,
  - fencing,
  - irrigation/electrical conduit,
  - soil placement/planting and grass or turf installation.
- Note that certain landscape features may be excluded, may require an arboricultural aeration system, or will be limited to specific materials and methods that meet tree and root protection requirements. Planting of any plants, shrubs or hedges within a TPZ is restricted to small pot sizes such as "4 inch" and "#1", but these may vary depending on tree species and proximity to the tree. The "pocket planting" standards will apply via minimizing planting hole size, digging into existing grade where that work will avoid damage to woody roots, and backfilled with minimal addition of growing medium.
- H. In-Progress Documentation:**  
To provide site review reports at certain milestones and issued to; the owner/developer, the general contractor and the prime consultant, as well as any other parties the Client wishes to include, throughout the construction phase.  
Note that if non-compliance is observed, the PA is required by the city to report the non-compliance to them in the form of an impact and mitigation assessment which may require investigative work by the PA.
- I. Post Construction Sign-Off:**  
To attend at the completion of the construction and landscape works to inspect and prepare a city required sign-off report confirming that tree protection was compliant for the duration of the project and that all tree protection measures were implemented as specified. This sign-off will assist the Client in applying for the release of city held tree protection bonds or securities (if applicable).  
Note that if the project failed to notify the PA of certain work that required our supervision or direction, then the work was not compliant and our report will be prepared accordingly. In some cases of non-compliance, the city may require the removal of hard or soft landscape features in order to determine impacts to trees, soil or roots. If the impacts imperil the health or structural condition of a tree the city may withhold or defer reimbursement of bonds or securities, or take other action.

TREE PROTECTION SPECIAL MEASURES:

The following items within a TPZ require PA direction, treatment or supervision/monitoring. See the Tree Management Drawing for additional references to locations where special measures are required.

- TREE # 681, 687, N01, N02, N03, and N04 - Building Site Preparation:**  
The PA must be on site concurrently with the excavation (site stripping) activities adjacent to the tree protection zones to identify tree roots, provide root protection measures and/or undertake root pruning treatments as necessary. Also when pre-load or fill placement is planned, the PA must be contacted to review any measures, including temporary retaining walls and/or drainage.
- TREE # 681, 687, N01, N02, N03, and N04 - Perimeter Drainage, Site Filling and Retaining Wall Construction:** The alignment for the perimeter drainage and associated retaining wall must be outside of the RPZ (as noted above). The installation must be reviewed in advance by the PA and in certain cases special measures and supervision will be required. Certain encroachments into the TPZ may be enabled at the discretion of the PA via the use of an aeration and drainage system intended to keep underlying roots viable. Details of those measures will be specified as field instructions issued by the PA as the work proceeds under their direction.
- TREE # 681, 687, N01, N02, N03, and N04 - Root Pruning for Site Excavation:**  
The PA must be on site concurrently with the excavation adjacent to the tree protection zone to identify tree roots, provide root protection measures and/or undertake root pruning treatments as necessary.
- TREE # 681 - Root Pruning for Services Adjacent to TPZ:**  
The PA must approve the method of excavation (i.e. excavator, hydro-vac, air-vac, air spade etc) and also must be on site concurrent with trenching to identify tree roots, provide root protection measures and/or undertake root pruning treatments as necessary.
- TREE # 681 - Landscape Finishing:** The project arborist must be on-site prior to commencing with and during preparation for installation of any hardscape features or grading within or directly adjacent to the tree protection zone to direct low impact methods. Certain materials may be restricted to mitigate impacts as directed by the project arborist. Strategically placed lawn basins must be placed outside of the root protection zone to mitigate accumulation of storm water in the root zone.

TREE PROTECTION SPECIAL MEASURES:

The following items within a TPZ require PA direction, treatment or supervision/monitoring. See the Tree Management Drawing for additional references to locations where special measures are required.

- TREE # 681, 687, N01, N02, N03, and N04 - Building Site Preparation:**  
The PA must be on site concurrently with the excavation (site stripping) activities adjacent to the tree protection zones to identify tree roots, provide root protection measures and/or undertake root pruning treatments as necessary. Also when pre-load or fill placement is planned, the PA must be contacted to review any measures, including temporary retaining walls and/or drainage.
- TREE # 681, 687, N01, N02, N03, and N04 - Perimeter Drainage, Site Filling and Retaining Wall Construction:** The alignment for the perimeter drainage and associated retaining wall must be outside of the RPZ (as noted above). The installation must be reviewed in advance by the PA and in certain cases special measures and supervision will be required. Certain encroachments into the TPZ may be enabled at the discretion of the PA via the use of an aeration and drainage system intended to keep underlying roots viable. Details of those measures will be specified as field instructions issued by the PA as the work proceeds under their direction.
- TREE # 681, 687, N01, N02, N03, and N04 - Root Pruning for Site Excavation:**  
The PA must be on site concurrently with the excavation adjacent to the tree protection zone to identify tree roots, provide root protection measures and/or undertake root pruning treatments as necessary.
- TREE # 681 - Root Pruning for Services Adjacent to TPZ:**  
The PA must approve the method of excavation (i.e. excavator, hydro-vac, air-vac, air spade etc) and also must be on site concurrent with trenching to identify tree roots, provide root protection measures and/or undertake root pruning treatments as necessary.
- TREE # 681 - Landscape Finishing:** The project arborist must be on-site prior to commencing with and during preparation for installation of any hardscape features or grading within or directly adjacent to the tree protection zone to direct low impact methods. Certain materials may be restricted to mitigate impacts as directed by the project arborist. Strategically placed lawn basins must be placed outside of the root protection zone to mitigate accumulation of storm water in the root zone.
- Tree N04 - Sanitary Sewer Service Connection:** The project arborist must be on site prior to commencing with and during excavation for sanitary service connection into the existing manhole in the adjacent private land to the west. Seek approval from the neighbouring owner to remove and replace estimated quantity of 3 stems to facilitate excavation.

DRAWING USE AND COORDINATION:

- This drawing relies on information and drawings supplied by the client or their consultants. Refer to original drawings from the consultants (i.e. surveyor, engineer, architect or other design professionals) for accurate locations and dimension of site features.
- All tree protection measures specified herein should be included and coordinated with the designs for the project, including but not limited to: architectural, landscape, civil and geo-technical. It is the responsibility of each design professional to understand and review the tree protection measures and determine any conflicts. If conflicts are identified, the design professional and/or the client should bring those to the attention of the project arborist from this office to review and resolve.
- Tendering and contracts for site preparation, land clearing, civil works and/or construction should include specifications for tree protection measures to be implemented as per this drawing and any reference documents.
- It is the responsibility of the owner or their agent to obtain all necessary approvals for the tree retention and removal scheme presented herein. Any changes that the municipality requests should be brought to the attention of the project arborist from this office to review and resolve.
- Some existing trees may not be shown on this drawing (i.e. undersize or bylaw exempt trees, or grouped trees). It is the responsibility of the contractor(s) to confirm that all necessary municipal approvals are in place, and to determine the full scope of tree removal work. Only the trees shown to be retained and protected are to remain on site, unless otherwise directed by the owner.
- Trees and stumps to be removed from within the tree protection zone (including CPZ, RPZ and WSS) are to be removed as directed and with on-site supervision from an arborist from this office.
- Stump grinding may be required for the removal of trees within the tree protection zone, at the discretion of an arborist from this office.
- Certain tree removals in proximity of retained trees or power lines may require assistance from a suitably qualified professional, such as but not limited to;

- ISA Certified Arborist (tree removal, rigging, pruning and other tree service work) working to ANSI A300 and ANSI Z133 Standards and Best Management Practices.
- Certified Utility Arborist (tree removals, pruning, etc.) working to ANSI A300 and ANSI Z133 Standards and Best Management Practices and following City of Richmond guidelines.

APPENDIX C: TREE MANAGEMENT DRAWING SHEET 2 OF 2



PROJECT:	PROPOSED TOWNHOUSE DEVELOPMENT		
ADDRESS:	9311 & 9291 NO. 2 ROAD, RICHMOND		
CLIENT:	JHUJAR CONSTRUCTION		
CITY REF:		ACL FILE:	15241
PLOT SIZE:	11"x17"	REV #:	8
DATE:	SEP 29, 2023		

October 4, 2023

DP 17-790086

PLAN #9



DETAIL NUMBER

SHEET ON WHICH  
DETAIL IS SHOWN

SECTION

SPOT GRADE + TW 0.00


AREA DRAIN

----- PROPERTY LINE


----- SETBACK LINE

----- RETAINING WALL

----- ROOT PROTECTION ZONE




KOMPAN NRD402  
Playhouse with Roof & Wall



### Privacy of Adjacent Homes:

The landscape plan for the property provides a hierarchy of fencing, planting and retaining walls to distinguish public and private areas of the site, and preserve the privacy of adjacent residential homes. Fencing is proposed up to 6'0" in height for all side yard and rear yard conditions to maintain privacy. Additionally cedar hedging and additional landscape planting is proposed on the rear yard west property line to satisfy privacy concerns.



### Streetscape Treatment

The streetscape treatment along No. 2 Road includes a lawn boulevard at the back of curb consistent with adjacent new development to the north and south, along with street tree planting, per the City of Richmond recommendation. Brick pilasters, aluminum fencing and gates are proposed at the property line edge to provide definition of public and private spaces, and low fencing is proposed between limited common property yard areas. Special paving is used at the edges of the interior road to limit the visual impact of asphalt and add a decorative treatment to the lane for pedestrians. Columnar trees are proposed along the drive aisle where possible.

### Private Yards

Each private yard is contained with a combination of low aluminum fencing along No. 2 Road, low wood fencing between units, and higher wood fencing at the property lines. A combination of evergreen and deciduous plant materials are proposed for perimeter planting, foundation planting and accent planting for each unit. Refer to the planting plan. Each unit includes at least one deciduous tree for each limited common property zone.

### Outdoor Amenity Area

The outdoor amenity area includes a combination of play equipment limited to a Play house meeting CSA standards for fall height and fall areas, refer to the plan. This is combined with a broader amenity zone that includes a wood deck that cantilevers over the tree protection zone of the oak tree, and a new tire swing in the oak tree that expands play potential into the lower landscape area, while being completely contained from the street. Other amenities include bench seating, decking, special paving, bike parking and the mail kiosk.

Direct access from the amenity area is provided via the pathway to the south. Gated separation from the sidewalk is recommended.

### Sustainable Landscaping

1. Design low volume irrigation by installing low volume nozzles and subsurface drip system to reduce water use and increase soil moisture. Install moisture sensor to reduce over watering.
2. Choose more drought tolerant plants to reduce water use.

## H A A

Landscape Architecture  
Urban Design

403 - 375 West Fifth Avenue  
Vancouver BC, V5Y 1J6

604 809 4150  
hapacobo.com

**NOT FOR CONSTRUCTION**

17	Re-issue for DP	Oct 03 2023
18	Re-issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-Issue for ADP	Oct 06 2022
12	Re-issue for ADP	Sep 27 2022
11	Re-Issue for Review	Apr 27 2022
10	Re-Issue for Review	Oct 29 2020
9	Re-Issue for Review	Oct 16 2020
8	Re-Issue for Review	Feb 19 2020
7	Re-Issue for Review	Mar 15 2019
6	Re-Issue for ADP	Dec 3 2018
5	Re-Issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-Issue for Rezoning	Jul 26 2017
3	Re-Issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

No.	Description	Date
-----	-------------	------

Copyright Reserved. This drawing is and remains at all times the exclusive property of Haps Collaborative and cannot be used, modified or copied without the expressed written consent of the landscape architect.

**Multiunit Development**  
**9291 & 9311 No 2 Rd**

Richmond BC

## Landscape Materials Plan

Date	June 10 2021	Drawing number	
Project No.	15044		
Scale	as shown		L1.11
Drawn/Checked	MC/JF		

**DP 17-790086**

# PLAN #10

**October 4, 2023**



604 909 4150  
napacobo.com

# October 4, 2023

EXAMPLE LIGHT:

STEPLIGHT

BRAND MODEL  
**BEGA** Recessed wall luminaire  
33051  
Shielded

REPRESENTATIVE LIGHT IMAGE



BOLLARD LIGHT

BRAND MODEL  
**BEGA** Bollard  
77221  
Shielded


REPRESENTATIVE LIGHT IMAGE



WALL MOUNTED SCONCE LIGHTING

BRAND MODEL  
**BEGA** Impact-resistant wall luminaire  
Shielded 33 327

REPRESENTATIVE LIGHT IMAGE



LIGHTING SYMBOLS

SYMBOL	QTY	LIGHT TYPE
—	2 x 10'	STRIP UNDERLIGHTING
⊙	14	BOLLARD LIGHT
✱	23	WALL MOUNTED SCONCE LIGHTING
⬮	28	STEPLIGHT

NOTES

1. REFER TO ELECTRICAL DRAWINGS;
2. ALL DIMENSIONS ARE TO CENTRE OF LIGHT;
3. PROVIDE LED LIGHT SOURCES FOR ALL LANDSCAPE LIGHTING.
4. WITH THE EXCEPTION OF TREE UPLIGHTS, PROVIDE LIGHT FIXTURES IN ACCORDANCE WITH DARK SKY GUIDELINES.
5. IMAGES OF LIGHT FIXTURES ARE REPRESENTATIVE ONLY, MANUFACTURE OF ACTUAL INSTALLED PRODUCTS MAY VARY.

**HAPA**  
Landscape Architecture  
Urban Design  
403 - 375 West Fifth Avenue  
Vancouver BC, V5Y 1J6  
604 909 4150  
hapacoba.com

NOT FOR CONSTRUCTION

17	Re-issue for DP	Oct 03 2023
16	Re-issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-issue for ADP	Oct 06 2022
12	Re-issue for ADP	Sep 27 2022
11	Re-issue for Review	Apr 27 2022
10	Re-issue for Review	Oct 29 2020
9	Re-issue for Review	Oct 18 2020
8	Re-issue for Review	Feb 19 2020
7	Re-issue for Review	Mar 15 2019
6	Re-issue for ADP	Dec 3 2018
5	Re-issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-issue for Rezoning	Jul 26 2017
3	Re-issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

No.	Description	Date
-----	-------------	------


Copyright Reserved. This drawing is and remains all in the exclusive property of Hapa Collaborative and cannot be used, modified or copied without the expressed written consent of the landscape architect.

**Multituit Development**  
**9291 & 9311 No 2 Rd**

Richmond BC

**Landscape**  
**Lighting Plan**

Date	June 10 2021	Drawing Number
Project No.	15044	
Scale	as shown	L1.31
Drawn/Checked	MC/JF	



DP 17-790086

PLAN #12

October 4, 2023



IRRIGATION NOTES:

1. IRRIGATION DESIGN IS FOR INFORMATION ONLY. PLANS ARE NOT TO BE CONSTRUCTED FROM.
2. LANDSCAPE CONTRACTOR TO PROVIDE COMPLETE DESIGN-BUILD SERVICES FOR ALL AUTOMATIC SITE IRRIGATION WORKS.
3. IRRIGATION CONTRACTOR PERFORMING THE WORK MUST HAVE A MIN. (5) FIVE YEARS DOCUMENTED EXPERIENCE AND A MEMBER IN GOOD STANDING OF THE IABC (IRRIGATION INDUSTRY ASSOCIATED OF BC).
4. IRRIGATION TO CONFORM TO ALL LOCAL PLUMBING AND ELECTRICAL CODE REQUIREMENTS.
5. IRRIGATION TO CONFORM TO ALL IABC STANDARD AND UNIVERSITY OF BRITISH COLUMBIA STANDARDS.
6. COORDINATE WITH CIVIL CONTRACTOR TO PROVIDE PVC SLEEVING WHERE REQUIRED.
7. REFER TO PLAN FOR HOSE BIB LOCATIONS.
8. PROVIDE SHOP DRAWINGS FOR IRRIGATION LAYOUT TO LANDSCAPE ARCHITECT FOR REVIEW AND APPROVAL PRIOR TO FABRICATION AND INSTALLATION. INCLUDE SLEEVING, DRIP LINE, PIPE SIZE, HEAD LAYOUT, VALVE BOXES, ETC., AND ALL IRRIGATION COMPONENT SPECIFICATIONS. VALVE BOXES TO BE LOCATED IN LOW-VISIBLE, PLANTED AREAS ONLY AND LOCATIONS ARE TO BE APPROVED PRIOR TO INSTALL.
9. HIGH EFFICIENCY IRRIGATION TECHNOLOGY IS TO BE USED.
10. TEST SYSTEM PRIOR TO COMPLETION OF LANDSCAPE WORKS TO ENSURE NO LEAKAGE AND SPECIFIED PSI IS MET. PROVIDE WRITTEN NOTICE THAT PRESSURE TESTING HAS MET STANDARDS (LEAKS SHALL NOT BE REPAIRED WITH PATCHING).
11. PROVIDE COVERAGE AND CONTROLLER TEST WHEN SYSTEM IS COMPLETE AND MAKE ADJUSTMENTS AS REQUIRED.
12. PROVIDE AS-BUILT RECORD DRAWINGS TO SCALE SHOWING LOCATIONS OF ALL CONCEALED COMPONENTS, PIPING AND CONDUIT.
13. MAINTAIN AND OPERATE IRRIGATION PER MANUFACTURER'S RECOMMENDATIONS THROUGHOUT THE WARRANTY PERIOD. WINTERIZATION AS REQUIRED.
14. PROVIDE (3) THREE COPIES OF INSTRUCTION MANUALS FOR OPERATION AND MAINTENANCE OF SYSTEM AND CONTROLS, SEASONAL ACTIVITY AND SHUTDOWN AND MANUFACTURER'S PARTS CATALOGUE.
15. INSTRUCT OWNER'S PERSONNEL IN THE OPERATION AND MAINTENANCE OF THE SYSTEM, INCLUDING ADJUSTING OF SPRINKLER HEADS. USE OPERATION AND MAINTENANCE MANUAL AS BASIS FOR DEMONSTRATION.

IRRIGATION SCHEDULE

SYMBOL	DESCRIPTION	QTY	PRECIP	PSI	GPM
	Drip	3 707 s.f.	1.44 in/h	30	55
	Turf Spray	3 081 s.f.	1.5 in/h	35	48
	Valve Control				
	Valve Number				
	Valve Flow				
	Valve Size				

HAPA

Landscape Architecture  
Urban Design

403 - 375 West Fifth Avenue  
Vancouver BC, V5Y 1J8

604 909 4150  
hapa.co.bo.com

NOT FOR CONSTRUCTION

17	Re-issue for DP	Oct 03 2023
16	Re-issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-issue for ADP	Oct 06 2022
12	Re-issue for ADP	Sep 27 2022
11	Re-issue for Review	Apr 27 2022
10	Re-issue for Review	Oct 29 2020
9	Re-issue for Review	Oct 16 2020
8	Re-issue for Review	Feb 19 2020
7	Re-issue for Review	Mar 15 2019
6	Re-issue for ADP	Dec 3 2018
5	Re-issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-issue for Rezoning	Jul 26 2017
3	Re-issue for Rezoning	Jun 6 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

No.	Description	Date
-----	-------------	------


Copyright Reserved. This drawing is and remains at all times the exclusive property of Hapa Collaborative and cannot be used, modified or copied without the expressed written consent of the landscape architect.

Multiunit Development  
9291 & 9311 No 2 Rd

Richmond BC

Landscape  
Irrigation Plan

Date	June 10 2021	Drawing Number
Project No.	15044	
Scale	as shown	L1.41
Drawn/Checked	MC/JF	




DP 17-790086


PLAN #13

October 4, 2023






1 Tree Protection (East to West Profile)  
L2.11 1/2" = 1' 0"



2 Tree Protection (South to North Profile)  
L2.11 1/2" = 1' 0"

KEY MAP



## NOT FOR CONSTRUCTION

17	Re-issue for DP	Oct 03 2023
16	Re-issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-issue for ADP	Oct 08 2022
12	Re-issue for ADP	Sep 27 2022
11	Re-issue for Review	Apr 27 2022
10	Re-issue for Review	Oct 29 2020
9	Re-issue for Review	Oct 16 2020
8	Re-issue for Review	Feb 19 2020
7	Re-issue for Review	Mar 15 2019
6	Re-issue for ADP	Dec 3 2018
5	Re-issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-issue for Rezoning	Jul 26 2017
3	Re-issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

No.	Description	Date
-----	-------------	------

Copyright Reserved. This drawing is and remains the exclusive property of Hapa Collaborative and cannot be used, modified or copied without the expressed written consent of the landscape architect.

**Multiunit Development**  
**9291 & 9311 No 2 Rd**

Richmond BC

Landscape  
Sections

**DP 17-790086**


**PLAN #14**

**October 4, 2023**

Date	June 10 2021	Drawing Number
Project No.	15044	
Scale	as shown	L2.11
Drawn/Checked	MC/JF	

KEY MAP

RETAINING WALL  
TREE PROTECTION  
ZONE  
EXISTING TREE



NOT FOR CONSTRUCTION

17	Re-issue for DP	Oct 03 2023
16	Re-issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-issue for ADP	Oct 06 2022
12	Re-issue for ADP	Sep 27 2022
11	Re-issue for Review	Apr 27 2022
10	Re-issue for Review	Oct 29 2020
9	Re-issue for Review	Oct 16 2020
8	Re-issue for Review	Feb 19 2020
7	Re-issue for Review	Mar 15 2019
6	Re-issue for ADP	Dec 3 2018
5	Re-issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-issue for Rezoning	Jul 26 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

No.	Description	Date
-----	-------------	------


Copyright Reserved. This drawing is and remains the property of Hapa Collaborative and cannot be used, modified or copied without the expressed written consent of the landscape architect.

**Multiunit Development**  
**9291 & 9311 No 2 Rd**

Richmond BC

AMENITY AREA  
SECTION

Date	June 10 2021	Drawn Number
Project No.	15044	
Scale	as shown	L2.21
Drawn/Checked	MJC/JF	



1 Section Through Amenity Area and Wood Deck  
L2.21 3/8" = 1' 0"


**DP 17-790086**

**PLAN #15**

**October 4, 2023**



## KEY MAP



## NOT FOR CONSTRUCTION

17	Re-issue for DP	Oct 03 2023
16	Re-issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-issue for ADP	Oct 06 2022
12	Re-issue for ADP	Sep 27 2022
11	Re-issue for Review	Apr 27 2022
10	Re-issue for Review	Oct 29 2020
9	Re-issue for Review	Oct 16 2020
8	Re-issue for Review	Feb 19 2020
7	Re-issue for Review	Mar 15 2019
6	Re-issue for ADP	Dec 3 2018
5	Re-issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-issue for Rezoning	Jul 26 2017
3	Re-issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

No.	Description	Date
-----	-------------	------


Copyright Reserved. This drawing is and remains at all times the exclusive property of Hapa Collaborative and cannot be used, modified or copied without the expressed written consent of the landscape architect.

## Multiunit Development 9291 & 9311 No 2 Rd

Richmond BC

## Section South Side

Date	June 10 2021	Drawn by	number
Project No.	15044	Scale	as shown
Drawn/checked	MC/JF		L2.31




1 Wood fence (South)  
L2.31 1/2" = 1' 0"

DP 17-790086

PLAN #16


October 4, 2023

1. PROVIDE PRESSURE-TREATED LUMBER FOR ALL WOOD MEMBERS, OR CEDAR FOR BOARDS AND BATTENS.
2. PROVIDE HOT-DIPPED GALVANIZED OR STAINLESS STEEL FOR ALL HARDWARE AND FASTENERS.
3. APPLY TWO COATS OF CLEAR STAIN TO MATCH BUILDING, OR AS APPROVED BY OWNER.
4. APPLY ALL CUT SURFACES WITH PRESERVATIVE, TYP. PER CSA STANDARDS.




1 DETAIL & SECTION OF HIGH TIMBER RETAINING WALL AND FENCE ON WEST SIDE OF BUILDING 1 (EAST TO WEST)  
L2.41 1/2" = 1' 0"

1. PROVIDE PRESSURE-TREATED LUMBER FOR ALL WOOD MEMBERS, OR CEDAR FOR BOARDS AND BATTENS.
2. PROVIDE HOT-DIPPED GALVANIZED OR STAINLESS STEEL FOR ALL HARDWARE AND FASTENERS.
3. APPLY TWO COATS OF CLEAR STAIN TO MATCH BUILDING, OR AS APPROVED BY OWNER.
4. APPLY ALL CUT SURFACES WITH PRESERVATIVE, TYP. PER CSA STANDARDS.



2 ELEVATION OF HIGH TIMBER RETAINING WALL AND GUARDRAIL ON WEST SIDE OF BUILDING 1 (NORTH TO SOUTH)  
L2.41 3/8" = 1' 0"



HA A

Landscape Architecture  
Urban Design

403 - 375 West Fifth Avenue  
Vancouver BC, V5Y 1J6

604 909 4150  
hapacodo.com

NOT FOR CONSTRUCTION

17	Re-Issue for DP	Oct 03 2023
16	Re-Issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-Issue for ADP	Oct 06 2022
12	Re-Issue for ADP	Sep 27 2022
11	Re-Issue for Review	Apr 27 2022
10	Re-Issue for Review	Oct 29 2020
9	Re-Issue for Review	Oct 16 2020
8	Re-Issue for Review	Feb 19 2020
7	Re-Issue for Review	Mar 15 2019
6	Re-Issue for ADP	Dec 3 2018
5	Re-Issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-Issue for Rezoning	Jul 26 2017
3	Re-Issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

Rev. Description Date

Copyright Reserved. This drawing is and remains the intellectual property of Hapacodo. It is to be used only for the project and site for which it was prepared. No part of this drawing may be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from Hapacodo.

Multinit Development  
9291 & 9311 No 2 Rd

Richmond BC


Section West Side

DP 17-790086


PLAN# 17

October 4, 2023


Date	June 10 2021	Drawing Number
Project No.	15044	
Scale	as shown	L2.41
Drawn/Checked	MC/JF	




1 Soil profile Typ.  
L3.10 1' - 1' 0"




2 Shrub Planting Typ.  
L3.10 1' - 1' 0"




5 C.I.P. Concrete Typ.  
L3.10 1' - 1' 0"




**PAVING NOTES:**  
DECORATIVE PERMEABLE STONE PAVING. VERIFY PAVESIZE, COLOR AND FINISH TO MATCH ADJACENT DEVELOPMENT PAVING.  
STANDARD AQUAPAVE PERMEABLE PAVESUPPLIED BY ABBOTSFORD CONCRETE PRODUCTS WWW.PAVINGSTONES.COM OR APPROVED EQUAL.  
1. THICKNESS, 60MM  
2. 4" X 8" SIZE  
3. COLOR AND FINISH: SHADOW / NATURAL SAND  
4. PATTERN: HERRING BOND PATTERN. REFER TO PLAN AND DETAIL.  
CURVED PATH PAVESLAYOUT: TO BE HERRING BOND ALIGNED WITH PATH CURVE AS SHOWN  
LAY OUT PAVES AT ONE FIRST THEN CONTINUE TO PATH INTERIOR  
HERRING BOND TO CURVE WITH PATHWAY CURVES




COLOUR: SHADOW / NATURAL  
**ABBOTSFORD**  
CONCRETE PRODUCTS



7 Permeable Stone Pavers  
L3.10 1' - 1' 0"




3 Tree Planting Typ.  
L3.10 1' - 1' 0"




4 Groundcover Spacing Typ.  
L3.10 1' - 1' 0"


3 Tree Planting Typ.  
L3.10 1' - 1' 0"



8 Drive Aisle Sign on 4' Wood Fence  
L3.10 1' - 1' 0"



8B Directional Sign on 4' Wood Fence  
L3.10 1' - 1' 0"



9 43" Height Wood Fence  
L3.10 1/2" - 1' 0"

**HAPA**

Landscape Architecture  
Urban Design  
403 - 375 West Fifth Avenue  
Vancouver BC, V5Y 1J6  
604 909 4150  
hapacobo.com

**NOT FOR CONSTRUCTION**

17	Re-Issue for DP	Oct 03 2023
16	Re-Issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-Issue for ADP	Oct 06 2022
12	Re-Issue for ADP	Sep 27 2022
11	Re-Issue for Review	Apr 27 2022
10	Re-Issue for Review	Oct 29 2020
9	Re-Issue for Review	Oct 16 2020
8	Re-Issue for Review	Feb 19 2020
7	Re-Issue for Review	Mar 15 2019
6	Re-Issue for ADP	Dec 3 2018
5	Re-Issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-Issue for Rezoning	Jul 26 2017
3	Re-Issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

Rev. Description Date

Copy of this drawing is provided to the contractor for their use only. It is not to be used for any other purpose. The contractor is responsible for ensuring that the drawing is used in accordance with the approved design and specifications.

**Multiunit Development**  
**9291 & 9311 No 2 Rd**

Richmond BC

Landscape Details



DATE: June 10 2021 Drawing Number  
PROJECT NO.: 15044  
SCALE: as shown  
L3.10  
Drawing checked MC/JF

DP 17-790086

PLAN #18

October 4, 2023







## NOTES:

PROVIDE CONCRETE FOUNDATIONS TO 450MM DEPTH TYP.

BRICK: MATCH ARCHITECTURAL TRIM, TYP.




## NOTES:

PROVIDE CONCRETE FOUNDATIONS TO 450MM DEPTH TYP.

METAL: PAINTED ALUMINUM TO MATCH ARCHITECTURAL TRIM, REFER TO DRAWINGS.

BRICK: MATCH ARCHITECTURAL TRIM, TYP.



## BENCH NOTES:

DESIGN - SERIES 3 - 03-5, BY FRANCES ANDREW SITE FURNISHINGS LTD. OR APPROVED EQUAL.

Wood Info: Ipe hardwood. Wood members are finished to 1-1/2"(3.7 cm) x 3"(7.6 cm) and 1-1/2"(3.7 cm) x 2-1/2"(6.2 cm) with 1/4"(0.63 cm) radius on edges and ends. Ipe is smooth sanded and sealed.



Metal Info: Mild steel, wheel-abraded to bare metal then precisely fabricated to its final shape. Metal is coated with polyester powder, electrostatically applied and baked at a high temperature to produce a more-resistant finish.

Hardware Info: Nut design and bolt-through construction create a single, solid unit. A special wrench for vandal resistant hardware is provided with each bench. All hardware is professionally finished with our baked-on polyester powder.

2. PROVIDE HOT-DIPPED GALVANIZED OR STAINLESS STEEL FOR ALL HARDWARE AND FASTENERS.

3. APPLY TWO COATS OF CLEAR STAIN TO MATCH BUILDING, OR AS APPROVED BY OWNER.

4. APPLY ALL CUT SURFACES WITH PRESERVATIVE, TYP. PER CSA STANDARDS.




1. PROVIDE PRESSURE-TREATED LUMBER FOR ALL WOOD MEMBERS, OR CEDAR FOR BOARDS AND BATTENS.

2. PROVIDE HOT-DIPPED GALVANIZED OR STAINLESS STEEL FOR ALL HARDWARE AND FASTENERS.

3. APPLY TWO COATS OF CLEAR STAIN TO MATCH BUILDING, OR AS APPROVED BY OWNER.

4. APPLY ALL CUT SURFACES WITH PRESERVATIVE, TYP. PER CSA STANDARDS.



## NOTE:

REFER TO SPEC FOR DIMENSIONS AND INSTALLATION. "RING" PRODUCT FROM LANDSCAPE FORMS O.A.E. PROVIDE SHOP DRAWING.

## NOT FOR CONSTRUCTION

17	Re-Issue for DP	Oct 03 2023
16	Re-Issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-Issue for ADP	Oct 06 2022
12	Re-Issue for ADP	Sep 27 2022
11	Re-Issue for Review	Apr 27 2022
10	Re-Issue for Review	Oct 29 2020
9	Re-Issue for Review	Oct 16 2020
8	Re-Issue for Review	Feb 19 2020
7	Re-Issue for Review	Mar 16 2019
6	Re-Issue for ADP	Dec 3 2018
5	Re-Issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-Issue for Rezoning	Jul 28 2017
3	Re-Issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2015

Inc. Date of Plot Data

Copyright Reserved. This drawing is and remains the exclusive property of Hapa Collaborative and cannot be used modified or copied without the expressed written consent of the landscape architect.

**Multiunit Development**  
9291 & 9311 No 2 Rd

Richmond BC

Landscape Details  
Walls, Furnishings

Date: June 10 2021 Drawing Number:  
Project No. 15044  
Scale: as shown  
Drawn/Checked: M/C/J/P  
**L3.20**

**DP 17-790086**

**PLAN #19**

**October 4, 2023**

NOT FOR CONSTRUCTION		
17	Re-Issue for DP	Oct 03 2023
16	Re-Issue for DP	Sep 12 2023
15	Issue for DP	Jul 20 2023
14	Issue for DDP	NOV 18 2022
13	Re-Issue for ADP	Oct 06 2022
12	Re-Issue for ADP	Sep 27 2022
11	Re-Issue for Review	Apr 27 2022
10	Re-Issue for Review	Oct 29 2020
9	Re-Issue for Review	Oct 16 2020
8	Re-Issue for Review	Feb 19 2020
7	Re-Issue for Review	Mar 15 2019
6	Re-Issue for ADP	Dec 3 2018
5	Re-Issue for DP	Oct 12 2018
4	Issue for DP	Oct 17 2017
3	Re-Issue for Rezoning	Jul 26 2017
3	Re-Issue for Rezoning	Jun 8 2017
2	Issue for Rezoning	Mar 13 2017
1	Issue for Rezoning	Nov 17 2016
Rev.      Date/Revision      Date		


Copyright Reserved. This drawing and items in it all times the exclusive property of Hapa Collaborative and cannot be used, modified or copied without the expressed written consent of the landscape architect.

Multitunit Development  
9291 & 9311 No 2 Rd  
  
Richmond BC

Landscape Details  
Walls, Furnishings

Date	June 10 2021	Drawing Number
Project No.	15044	
Scale	as shown	L3.21
Drawn/Checked	MC/JF	

NOTES:



1 EAST ELEVATION  
SCALE 3/16" = 1'-0"

### SCHEDULE OF FINISHES

- |   |  |    |   |
|---|--|----|---|
| 1 | ASHPHALT SHINGLE ROOFING   | 9  | HEWN QUOIN CORNERS (12" X 12") & HEADER BAND<br>COLOR : EGGSHELL BRAND : QUALITY STONE VENEER INC |
| 2 | PREFINISHED ALUMINUM GUTTER ON<br>2x10 WOOD FASCIA<br>BENJAMIN MOORE 2128-20 "ABYSS" | 10 | 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS<br>COLOR : BENJAMIN MOORE 2128-20 "ABYSS"                 |
| 3 | 1x4 WOOD TRIM ON 2x10 WOOD FASCIA<br>BENJAMIN MOORE 2128-20 "ABYSS"                  | 11 | 3'-6" HIGH ALUMINUM PICKET GUARDRAIL<br>PRE-FINISHED BLACK  |
| 4 | STUCCO SIDING<br>BENJAMIN MOORE HC-170 "STONINGTON"                                  | 12 | 8" CONCRETE HEADER & SILL   |
| 5 | HARDIE-PANEL SIDING WITH BATTENS<br>BENJAMIN MOORE STORM AF-700                      | 13 | ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING<br>BENJAMIN MOORE 2128-20 "ABYSS"             |
| 6 | FACE BRICK (3-1/2" x 7-1/2")<br>COLOR : PEWTER BRAND : MUTUAL MATERIALS              | 14 | SERVICE DOOR - PAINTED METAL<br>BENJAMIN MOORE 2128-20 "ABYSS"                                    |
| 7 | VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM<br>PREFINISHED BLACK VINYL FRAME           | 15 | GARAGE DOOR - PAINTED METAL WITH GLAZING<br>BENJAMIN MOORE 2128-20 "ABYSS"                        |
| 8 | 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING<br>BENJAMIN MOORE 2128-20 "ABYSS"       |    |   |



KEY PLAN

2023-10-03	C	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-25	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-06-20	A	DP RESUBMISSION

df


PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL  
TIMES, REMAIN THE EXCLUSIVE PROPERTY OF DP ARCHITECTURE  
INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE  
ARCHITECT'S WRITTEN CONSENT.

DRAWN: JA	
CHECKED: VA	
SCALE: 3/16" = 1'-0"	
JOB NO: RCH-033	
DATE: SEPT 2023	
SHEET TITLE:	

AVERAGE GRADE CALCULATION		
	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
AVERAGE SITE GRADE		2.01m



2 NORTH ELEVATION  
SCALE 3/16" = 1'-0"

BLDG 1 ELEVATIONS

DP 17-790086


PLAN #21

October 4, 2023

DRAWING NO.:	
A-301	G



NOTES:



## SCHEDULE OF FINISHES

- 1 ASHPHALT SHINGLE ROOFING
- 2 PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 3 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 4 STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- 5 HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- 6 FACE BRICK (3-1/2" x 7-1/2")  
COLOR: PEWTER BRAND: MUTUAL MATERIALS
- 7 VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- 8 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 9 HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR: EGGSHELL BRAND: QUALITY STONE VENEER INC
- 10 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR: BENJAMIN MOORE 2128-20 "ABYSS"
- 11 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- 12 8" CONCRETE HEADER & SILL
- 13 ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 14 SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- 15 GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP_OP17-790086
2022-08-20	A	DP RESUBMISSION

df

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL


COPYRIGHT RESERVED - THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN: JH
CHECKED: YH
SCALE: 3/16" = 1'-0"
JOB NO: PCH-033
DATE: SEPT 2023
SHEET TITLE

BLDG 1 ELEVATIONS

DRAWING NO.: <b>A-302</b>	<b>G</b>
------------------------------	----------

AVERAGE GRADE CALCULATION		
	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
AVERAGE SITE GRADE		2.01m




2 SOUTH ELEVATION  
SCALE: 3/16" = 1'-0"

DP 17-790086

PLAN #22

October 4, 2023



1 EAST ELEVATION  
A-303 SCALE 3/16" = 1'-0"

	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
	AVERAGE SITE GRADE	2.01m

## SCHEDULE OF FINISHES

- ① ASPHALT SHINGLE ROOFING
- ② PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- ③ 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- ④ STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- ⑤ HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- ⑥ FACE BRICK (3-1/2" x 7-1/2")  
COLOR: PEWTER BRAND: MUTUAL MATERIALS
- ⑦ VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- ⑧ 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑨ HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR: EGGHELL BRAND: QUALITY STONE VENEER INC
- ⑩ 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR: BENJAMIN MOORE 2128-20 "ABYSS"
- ⑪ 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- ⑫ 8" CONCRETE HEADER & SILL
- ⑬ ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑭ SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑮ GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2023-10-03	G	DP RESUBMISSION
2023-09-12	T	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	R	SUBMISSION FOR ADP DP17-790086
2022-06-20	A	DP RESUBMISSION

df

CHIMOND BROS.  
CANADA  
604.284.5194


PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN	BA
CHECKED	PA
SCALE	3/16" = 1'-0"
JOB NO.	924-033
DATE	3/27/2023
SHEET TITLE	

BLDG 2 ELEVATIONS



2 NORTH ELEVATION  
A-303 SCALE 3/16" = 1'-0"


DP 17-790086

PLAN #23

October 4, 2023

DRAWING NO.	
A-303	G






1 WEST ELEVATION  
A-304 SCALE 3/16" = 1'-0"

## SCHEDULE OF FINISHES

- 1 ASPHALT SHINGLE ROOFING
- 2 PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 3 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 4 STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- 5 HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- 6 FACE BRICK (3-1/2" x 7-1/2")  
COLOR : PEWTER BRAND : MUTUAL MATERIALS
- 7 VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- 8 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 9 HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR : EGGSHELL BRAND : QUALITY STONE VENEER INC
- 10 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR : BENJAMIN MOORE 2128-20 "ABYSS"
- 11 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- 12 8" CONCRETE HEADER & SILL
- 13 ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 14 SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- 15 GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-06-20	A	DP RESUBMISSION




PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES, REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN: DA
CHECKED: JA
SCALE: 3/16" = 1'-0"
JOB NO: REM 003
DATE: SEPT 2023
SHEET TITLE:

BLDG 2 ELEVATIONS



2 SOUTH ELEVATION  
A-304 SCALE 3/16" = 1'-0"

DP 17-790086 PLAN #24

October 4, 2023


DRAWING NO	
A-304	G

NOTES:



## SCHEDULE OF FINISHES

- ① ASPHALT SHINGLE ROOFING
- ② PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- ③ 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- ④ STUCCO SIDING  
BENJAMIN MOORE MC-170 "STONINGTON"
- ⑤ HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- ⑥ FACE BRICK (3-1/2" x 7-1/2")  
COLOR : PEWTER BRAND : MUTUAL MATERIALS
- ⑦ VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- ⑧ 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑨ HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR : EGGSHELL BRAND : QUALITY STONE VENEER INC
- ⑩ 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR : BENJAMIN MOORE 2128-20 "ABYSS"
- ⑪ 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- ⑫ 8" CONCRETE HEADER & SILL
- ⑬ ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑭ SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑮ GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"




KEY PLAN

REVISION	DATE	DESCRIPTION
2023-10-03	G	OP RESUBMISSION
2023-09-12	F	OP RESUBMISSION
2023-07-26	E	OP RESUBMISSION
2023-03-27	D	OP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP-DP17-790086
2022-06-20	A	OP RESUBMISSION

1 EAST ELEVATION  
SCALE : 3/16" = 1'-0"

AVERAGE GRADE CALCULATION		
	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
	AVERAGE SITE GRADE	2.01m



2 NORTH ELEVATION  
SCALE : 3/16" = 1'-0"

**df**

10851 SHELLBRIDGE  
P CHMOND BRITISH COLUMBIA  
CANADA V6X 3J  
T 6041284-5194 F 6041284-5131  
df i1e p r

PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
**9291 & 9311 NO. 2 RD,**  
**RICHMOND, B.C.**

CLIENT:  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES, REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC., AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN: BA
CHECKED: YA
SCALE: 3/16" = 1'-0"
JOB NO.: PQH-033
DATE: SEPT 2023
SHEET TITLE:

BLDG 3 ELEVATIONS

DRAWING NO.: <b>A-305</b>	<b>G</b>
------------------------------	----------


**DP 17-790086**

**PLAN #25**

**October 4, 2023**




NOTES:



1 WEST ELEVATION  
A-306 SCALE 3/16" = 1'-0"

SCHEDULE OF FINISHES

- 1 ASPHALT SHINGLE ROOFING
- 2 PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 3 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 4 STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- 5 HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- 6 FACE BRICK (3-1/2" x 7-1/2")  
COLOR : PEWTER BRAND : MUTUAL MATERIALS
- 7 VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- 8 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 9 HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR : EGGSHELL BRAND : QUALITY STONE VENEER INC
- 10 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR : BENJAMIN MOORE 2128-20 "ABYSS"
- 11 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- 12 8" CONCRETE HEADER & SILL
- 13 ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 14 SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- 15 GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2023-10-03	C	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-25	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER AOP COMMENTS
2022-10-06	B	SUBMISSION FOR AOP DP17-790086
2022-06-20	A	DP RESUBMISSION




PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN: GA
CHECKED: YA
SCALE: 3/16" = 1'-0"
JOB NO: RCH 033
DATE: SEPT 2023
SHEET TITLE:

AVERAGE GRADE CALCULATION		
	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
AVERAGE SITE GRADE		2.01m



1 SOUTH ELEVATION  
A-306 SCALE 3/16" = 1'-0"

BLDG 3 ELEVATIONS



1 WEST ELEVATION  
A-307 SCALE 3/16" = 1'-0"

## AVERAGE GRADE CALCULATION

	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
AVERAGE SITE GRADE		2.01m

## SCHEDULE OF FINISHES

- ① ASPHALT SHINGLE ROOFING
- ② PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- ③ 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- ④ STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- ⑤ HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- ⑥ FACE BRICK (3-1/2" x 7-1/2")  
COLOR : PEWTER BRAND : MUTUAL MATERIALS
- ⑦ VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- ⑧ 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑨ HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR : EGGSHELL BRAND : QUALITY STONE VENEER INC
- ⑩ 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR : BENJAMIN MOORE 2128-20 "ABYSS"
- ⑪ 3"-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- ⑫ 8" CONCRETE HEADER & SILL
- ⑬ ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑭ SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- ⑮ GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2021-10-03	5	DP RESUBMISSION FOR DPP
2023-09-12	1	DP RESUBMISSION
2023-07-28	1	DP RESUBMISSION
2023-03-27	0	DP RESUBMISSION
2022-11-09	2	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	8	SUBMISSION TOP ADP_DP17-790086
2022-06-20	4	DP RESUBMISSION
REVISION		

df


PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF OF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWING NO.	
CHECKED BY	
SCALE	3/16" = 1'-0"
JOB NO.	RCM-033
DATE	OCT 2023
SHEET TITLE	

BLDG 4 ELEVATIONS



2 NORTH ELEVATION  
A-307 SCALE 3/16" = 1'-0"

DP 17-790086 PLAN #27

October 4, 2023

DRAWING NO.	
A-307	G



NOTES:



1 EAST ELEVATION  
A-308 SCALE: 3/16" = 1'-0"

AVERAGE GRADE CALCULATION		
	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
AVERAGE SITE GRADE		2.01m

## SCHEDULE OF FINISHES

- 1 ASPHALT SHINGLE ROOFING
- 2 PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 3 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 4 STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- 5 HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- 6 FACE BRICK (3-1/2" x 7-1/2")  
COLOR: PEWTER BRAND: MUTUAL MATERIALS
- 7 VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- 8 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 9 HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR: EGGSHELL BRAND: QUALITY STONE VENEER INC
- 10 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR: BENJAMIN MOORE 2128-20 "ABYSS"
- 11 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- 12 8" CONCRETE HEADER & SILL
- 13 ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 14 SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- 15 GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-06-20	A	DP RESUBMISSION

df

350-10851 SHELLBRIDGE  
RICHMOND BRITISH COLUMBIA  
B2W8  
T 604/284-5194 F 604/284-5131  
inf@dfarchitect.com

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN: BA
CHECKED: YA
SCALE: 3/16" = 1'-0"
JOB NO.: RCH-053
DATE: SEPT 2023
SHEET TITLE:

BLDG 4 ELEVATIONS



2 SOUTH ELEVATION  
A 308 SCALE: 3/16" = 1'-0"

DP 17-790086

PLAN #28

October 4, 2023


DRAWING NO.:	G
A-308	



NOTES:

## SCHEDULE OF FINISHES

- 1 ASHPHALT SHINGLE ROOFING
- 2 PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 3 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 4 STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- 5 HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- 6 FACE BRICK (3-1/2" x 7-1/2")  
COLOR: PEWTER BRAND: MUTUAL MATERIALS
- 7 VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- 8 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 9 HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR: EGGSHELL BRAND: QUALITY STONE VENEER INC
- 10 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR: BENJAMIN MOORE 2128-20 "ABYSS"
- 11 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- 12 8" CONCRETE HEADER & SILL
- 13 ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 14 SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- 15 GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-08	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-08	B	SUBMISSION FOR ADP_0717-790086
2022-06-20	A	DP RESUBMISSION

df

350-10851 SHELLBRIDGE  
RICHMOND, BRITISH COLUMBIA  
CANADA  
T 604 284-5194 F 604 284-5131  
in a hile c

PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
**9291 & 9311 NO. 2 RD,**  
**RICHMOND, B.C.**

CLIENT  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT

DRAWN: WA	
CHECKED: YA	
SCALE: 3/16" = 1'-0"	
JOB No.: RCH-033	
DATE: SEPT 2023	
SHEET TITLE:	

BLDG 5 ELEVATIONS

DRAWING NO.:	
<b>A-309</b>	<b>G</b>



1 WEST ELEVATION  
A-309  
SCALE: 3/16" = 1'-0"

AVERAGE GRADE CALCULATION		
	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
AVERAGE SITE GRADE		2.01m



2 NORTH ELEVATION  
A-309  
SCALE: 3/16" = 1'-0"

DP 17-790086

PLAN #29

October 4, 2023






1 EAST ELEVATION  
A-310  
SCALE: 3/16" = 1'-0"

AVERAGE GRADE CALCULATION

	CORNER GRADES	AVG
BUILDING #1:	NW 2.02m, NE 2.18, SE 2.23m, SW 2.02m	2.11m
BUILDING #2:	NW 1.06m, NE 2.25m, SE 2.21m, SW 1.35m	1.72m
BUILDING #3:	NW 1.20m, NE 2.24m, SE 2.25m, SW 1.36m	1.76m
BUILDING #4:	NW 2.18m, NE 2.39m, SE 2.44m, SW 2.20m	2.30m
BUILDING #5:	NW 2.21m, NE 2.36m, SE 2.43m, SW 2.21m	2.30m
SITE	NW 1.67m, NE 2.29m, SE 2.38m, SW 1.09m	1.86m
	AVERAGE SITE GRADE	2.01m

### SCHEDULE OF FINISHES

- 1 ASPHALT SHINGLE ROOFING
- 2 PREFINISHED ALUMINUM GUTTER ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 3 1x4 WOOD TRIM ON 2x10 WOOD FASCIA  
BENJAMIN MOORE 2128-20 "ABYSS"
- 4 STUCCO SIDING  
BENJAMIN MOORE HC-170 "STONINGTON"
- 5 HARDIE-PANEL SIDING WITH BATTENS  
BENJAMIN MOORE STORM AF-700
- 6 FACE BRICK (3-1/2" x 7-1/2")  
COLOR : PEWTER BRAND : MUTUAL MATERIALS
- 7 VINYL FRAMED WINDOWS WITH 2x6 HARDIE TRIM  
PREFINISHED BLACK VINYL FRAME
- 8 12x12 BUILT-UP COLUMN W/ HARDIE PANEL SIDING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 9 HEWN QUOIN CORNERS (12" X 12") & HEADER BAND  
COLOR : EGGSHELL BRAND : QUALITY STONE VENEER INC
- 10 2X4, 2X6 & 2X10 HORIZONTAL AHRDIE TRIMS  
COLOR : BENJAMIN MOORE 2128-20 "ABYSS"
- 11 3'-6" HIGH ALUMINUM PICKET GUARDRAIL  
PRE-FINISHED BLACK
- 12 8" CONCRETE HEADER & SILL
- 13 ENTRY DOOR - SOLID CORE METAL WITH TEMPERED GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"
- 14 SERVICE DOOR - PAINTED METAL  
BENJAMIN MOORE 2128-20 "ABYSS"
- 15 GARAGE DOOR - PAINTED METAL WITH GLAZING  
BENJAMIN MOORE 2128-20 "ABYSS"



KEY PLAN

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-08	C	RESUBMISSION, AFTER AOP COMMENTS
2022-10-06	B	SUBMISSION FOR AOP, DP17-790086
2022-06-20	A	DP RESUBMISSION



350-10851 SHELLBRIDGE  
RICHMOND BRITISH COLUMBIA  
CANADA  
T:604/284-5194 F:604/284-5131  
n f d f a h i l e

PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT  
**SATNAM JOHAL**

Copyright reserved. This plan and design are, and all times remain the exclusive property of DF Architecture Inc. and cannot be used or reproduced without the architect's written consent.


DRAWN: WA	
CHECKED: YA	
SCALE: 3/16" = 1'-0"	
JOB No: RCH-033	
DATE: SEPT 2023	
SHEET TITLE:	




2 SOUTH ELEVATION  
A-310  
SCALE: 3/16" = 1'-0"

BLDG 5 ELEVATIONS

NOTES:



1 SECTION A-A  
A-401 SCALE: 1/8" = 1'-0"



2 SECTION B-B  
A-401 SCALE: 1/8" = 1'-0"

REVISION	DATE	DESCRIPTION
2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP DP17-790086
2022-06-20	A	DP RESUBMISSION



PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL  
TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE  
INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE  
ARCHITECT'S WRITTEN CONSENT.

DRAWN: WA
CHECKED: YA
SCALE: 1/8" = 1'-0"
JOB NO: RCH-033
DATE: SEPT 2023
SHEET TITLE:

SITE SECTION


DRAWING NO: A-401
G

DP 17-790086


PLAN #31

October 4, 2023

NOTES:



1 SECTION C-C  
A-402 SCALE: 1/8" = 1'-0"



2 SECTION D-D  
A-402 SCALE: 1/8" = 1'-0"

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-08	B	SUBMISSION FOR ADP DP17-790086
2022-06-20	A	DP RESUBMISSION

df

10851 SHELLBRIDGE WAY  
RICHMOND, BRITISH COLUMBIA  
CANADA V6X 2V9  
416.284.5194 F 604.284.5131

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES, REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN	WA
CHECKED	WA
SCALE	1/8" = 1'-0"
JCB NO	RC4-032
DATE	SEPT 2023
SHEET TITLE	

SITE SECTION

DP 17-790086

PLAN #32

October 4, 2023

DRAWING NO.	
A-402	G



NOTES:



1 EAST STEETScape (NO. 2 RD)  
A-501  
SCALE: 3/16" = 1'-0"



2 EAST STEETScape (DRIVE AISLE)  
A-501  
SCALE: 3/16" = 1'-0"

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP DP17-790086
2022-08-20	A	DP RESUBMISSION

df

350-10851 SHELLBRIDGE  
RICHMOND BRITISH  
CANADA V6V 2W9  
T 284-5194 F (604)284-  
inf df 1 x tur 4

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL  
TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE  
INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE  
ARCHITECT'S WRITTEN CONSENT.

DRAWN: WA
CHECKED: YA
SCALE: 3/16" = 1'-0"
JOB NO. RD-033
DATE SEPT 2023
SHEET TITLE:

STREETSCAPE

DP 17-790086

PLAN #33

October 4, 2023

DRAWING NO.:	G
A-501	



NOTES:



1 WEST STEETScape (ADJACENT HOUSES)  
SCALE: 3/16" = 1'-0"

1	1.72m
2	1.45m
3	1.44m
4	3.38m

df

350 10851 SHELLBRIDGE  
RICHMOND BR TISH A  
CANADA  
604/284-5194 F 604 284-5  
1 01

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL  
TIMES REMAIN THE EXCLUSIVE PROPERTY OF DP ARCHITECTURE  
INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE  
ARCHITECT'S WRITTEN CONSENT.

DRAWN: YA
CHECKED: YA
SCALE: 3/16" = 1'-0"
JOB NO: RCH-033
DATE: SEPT 2023
SHEET TITLE:

STREETSCAPE

2 WEST STEETScape (DRIVE AISLE)  
SCALE: 3/16" = 1'-0"


DP 17-790086

PLAN #34


October 4, 2023

DRAWING NO:
A-502
G





1  
A-201  
MAIN FLOOR PLAN  
SCALE 3/16" = 1'-0"




2  
A-201  
LEVEL 2 PLAN  
SCALE 3/16" = 1'-0"

**NOTES:**

**ADDP IN PLACE FEATURES:**

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT.
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

**NOTE:** UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.



2023-10-03	C	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-26	F	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-08	B	SUBMISSION FOR ADP, DP17-790086
2022-06-20	A	DP RESUBMISSION

**df**

**PROJECT**  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

**CLIENT**  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWING NO.	18
CHECKED	YA
SCALE	3/16" = 1'-0"
JOB NO.	PEM-033
DATE	SEPT 2023
SHEET TITLE	


**BLDG 1 PLANS**


DRAWING NO.	A-201	G
-------------	-------	---

**DP 17-790086**

**REFERENCE PLAN**

**October 4, 2023**






NOTES:

AGING IN PLACE FEATURES:

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

NOTE: UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.



REVISION	DATE	DESCRIPTION
2	2023-10-03	DP RESUBMISSION
1	2023-09-12	DP RESUBMISSION
1	2023-07-26	DP RESUBMISSION
1	2023-03-27	DP RESUBMISSION
1	2022-11-09	RESUBMISSION AFTER ADP COMMENTS
1	2022-10-06	SUBMISSION FOR ADP DP17-790086
1	2022-06-20	DP RESUBMISSION

df

PROJECT  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.


CLIENT  
SATNAM JOHAL




COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN	WP
CHECKED	YA
SCALE	3/16" = 1'-0"
JOB #	PCW-033
DATE	SEPT 2023
SHEET TITLE	

BLDG 1 PLANS

DRAWING NO.	
A-202	G






NOTES:

ADDS IN PLACE FEATURES:

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT.
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

NOTE: UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.



2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP DP17-790086
2022-08-20	A	DP RESUBMISSION

df

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

DRAWN	NA
CHECKED	NA
SCALE	3/16" = 1'-0"
JOB NO.	RCH-033
DATE	SEP 2023
SHEET TITLE	


BLDG 2 PLANS

DRAWING NO.	
A-203	G


DP 17-790086

REFERENCE PLAN


October 4, 2023







1 MAIN FLOOR PLAN  
A-204 SCALE 3/16" = 1'-0"




2 LEVEL 2 PLAN  
A-204 SCALE 3/16" = 1'-0"

NOTES:

ASIDE IN PLACE FEATURES:

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT.
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

NOTE: UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.



2023-10-03	C	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-25	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-06-20	A	DP RESUBMISSION

df

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED: THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DESIGN	HA
CHECKED	HA
SCALE	3/16" = 1'-0"
JOB NO	RCM 033
DATE	SEPT 2023
SHEET TITLE	


BLDG 3 PLANS

DRAWING NO.:	A-204	G
--------------	-------	---

DP 17-790086

REFERENCE PLAN

October 4, 2023




NOTES:

**ASING IN PLACE FEATURES:**

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT.
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

NOTE: UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.



2023-10-03	C	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-08	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-05-20	A	DP RESUBMISSION



PROJECT:  
**12 UNIT TOWNHOUSE DEVELOPMENT**  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.


CLIENT:  
**SATNAM JOHAL**

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.


DRAWN:	JA
CHECKED:	JA
SCALE:	3/16" = 1'-0"
JOB NO:	RCM-033
DATE:	SEPT 2023
SHEET TITLE:	

BLDG 3 PLANS

DRAWING NO.:	<b>A-205</b>	<b>G</b>
--------------	--------------	----------






1 ROOF PLAN  
A-205 SCALE 3/16" = 1'-0"



2 SECTION  
A-205 SCALE 3/16" = 1'-0"

U/S OF ROOF TRUSSES	9'-0 3/4"	[2.8m]
TOP OF SUB-FLOOR MAIN FLOOR		5.87m
U/S OF FLOOR JOISTS MAIN FLOOR	9'-0 3/4"	[2.8m]
T.O. CONCRETE SLAB LOWER FLOOR		2.55m
AVERAGE GRADE SEE SITE GRADING PLAN FOR AVG. GRADE CALCULATION		2.30m






**NOTES:**

**AS-BUILT IN PLACE FEATURES:**

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR UP.
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

**NOTE: UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.**



2023-10-31	G	DP RESUBMISSION
2023-08-12	F	DP RESUBMISSION
2023-01-28	E	DP RESUBMISSION
2023-03-21	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-06	B	SUBMISSION FOR ADP, DP17-790086
2022-06-26	A	DP RESUBMISSION

DESIGNED BY: SATNAM JOHAL



**PROJECT:**  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.


**CLIENT:**  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.


DRAWN:	SA
CHECKED:	FA
SCALE:	3/16" = 1'-0"
JOB NO.:	REH-333
DATE:	SEPT 2023
SHEET TITLE:	

BLDG 4 PLANS


DRAWING NO.:	A-206	G
--------------	-------	---







1  
A-207  
LEVEL 3 PLAN  
SCALE: 3/16" = 1'-0"




2  
A-207  
ROOF PLAN  
SCALE: 3/16" = 1'-0"

NOTES:

ASING IN PLACE FEATURES:

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT.
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

NOTE: UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING. LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.



REVISION	DATE	DESCRIPTION
2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-08	B	SUBMISSION FOR ADP "DP 17-790086"
2022-06-20	A	DP RESUBMISSION

df

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN:	HA
CHECKED:	VA
SCALE:	3/16" = 1'-0"
JOB NO.:	MEH-033
DATE:	SEP 2023
SHEET TITLE:	


BLDG 4 PLANS


DRAWING NO.:	A-207
	G

DP 17-790086


REFERENCE PLAN

October 4, 2023





**1** MAIN FLOOR PLAN  
A-208 SCALE 3/16" = 1'-0"



**2** LEVEL 2 PLAN  
A-208 SCALE 3/16" = 1'-0"

**NOTES:**

**AGING IN PLACE FEATURES:**

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT.
- LEVER HARDWARE ON DOORS.
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS.

**NOTE:** UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.

**KEY PLAN**

2023-10-03	G	DP RESUBMISSION
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-09	C	RESUBMISSION AFTER ACP COMMENTS
2022-10-08	B	SUBMISSION FOR ACP DP17-790086
2022-06-20	A	DP RESUBMISSION


HELLBROOK  
BRITISH COLUMBIA  
DA VEX 2  
194 F (60)

**PROJECT:**  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

**CLIENT:**  
SATNAM JOHAL


COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DATE	SEPT 2023
SHEET TITLE	




**BLDG 5 PLANS**

DRAWING NO.:	<b>A-208</b>
	<b>G</b>



1 LEVEL 3 PLAN  
A-209 SCALE: 3/16" = 1'-0"




2 ROOF PLAN  
A-209 SCALE: 3/16" = 1'-0"

NOTES:

ASBIS IN PLACE FEATURES:

- STRAIGHT RUN OF STAIRS WITH BLOCKING FOR FUTURE INSTALLATION OF RESIDENTIAL STAIR LIFT.
- LEVER HARDWARE ON DOORS
- BLOCKING IN BATHROOMS FOR FUTURE INSTALLATION OF GRAB BARS

NOTE: UNITS WILL INCLUDE PRE-DUCTING FOR SOLAR HEATING LOCATION AND DETAILS TO BE DETERMINED BY THE MECHANICAL ENGINEER DURING THE BUILDING PERMIT STAGE.



2023-10-03	G	DP RESUBMISSION FOR DPP
2023-09-12	F	DP RESUBMISSION
2023-07-28	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2022-11-29	C	RESUBMISSION AFTER ADP COMMENTS
2022-10-26	B	SUBMISSION FOR ADP DP17-790086
2022-06-20	A	DP RESUBMISSION




PROJECT  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.

CLIENT  
SATNAM JOHAL

DR#48	DA
CHECKED	FA
SCALE	3/16" = 1'-0"
JOB NO	RDH-013
DATE	SEPT 2023
SHEET TITLE	

BLDG 5 PLANS



DP 17-790086

REFERENCE PLAN

October 4, 2023



DRAWING NO	
A-209	G



# Convertible Unit Guidelines for Townhouses

Convertible Unit Guidelines	
Doors & Doorways	<p>Entry doors are a minimum 863 mm but ideally 914 mm and have clear access.</p> <p>Entry door clear exterior floor space min. 1220 mm depth by door width plus 600 mm on latch side (not needed if rough in wiring provided for future automatic door opener).</p> <p>Interior doors to main living areas, 1 bathroom and 1 bedroom, min. 800 mm clear opening with flush thresholds max. 13 mm height. Demonstrate wheelchair access between the hallway and rooms and widen hallway and/or doorway(s) if necessary to secure access.</p> <p>Patio/balcony min. 860 mm clear opening. Note how accessed.</p> <p>All interior thresholds within units comply with BC Building Code.</p> <p>Lever-type handles for all doors.</p>
Vertical Circulation	<p>Stair lift, staircase width, framing support, and landings, as noted on floor plans in compliance with manufacturer specifications.</p> <p>OR</p> <p>Vertical lift, depressed slab area, and landings, as noted on floor plans in compliance with manufacturer specifications. Framing to accommodate shaft construction without impact to surrounding structure.</p> <p>At the top of all stairways, walls are reinforced with 2" x 12" solid lumber at 914 mm to centre.</p>
Hallways	Min. 900 mm width.
Garage	<p>Min. 1 accessible parking space with min. 4 m garage width.</p> <p>Access from garage to living area min. 800 mm clear opening.</p>
Bathroom (Min. 1)	<p>Toilet clear floor space min. 1020 mm at side and in front.</p> <p>Wall blocking for future grab bar installation at toilet, tub and shower. Reinforced with 2" x 12" solid lumber in all bathtub, shower, and toilet locations.</p> <p>Lever-type handles for plumbing fixtures.</p> <p>Pressure and temperature control valves are installed on all shower faucets.</p> <p>Cabinets underneath sink(s) are easily removed.</p> <p>Demonstrate bath and shower controls are accessible (layout or fixture placement).</p> <p>Clear area needed under future work space. Plumbing and gas pipes (in-wall and in-floor) located clear of under counter area of future work space (stove, sink &amp; min. 810 mm wide counter). All pipes are brought in no higher than 304 mm to 355 mm to the centre of the pipe from floor level.</p> <p>Cabinets underneath sink are easily removed.</p> <p>1500 mm turning diameter or turning path diagram.</p> <p>Lever-type handles for plumbing fixtures.</p>
Kitchen	<p>Min. 1 window that can be opened with a single hand (bathroom, kitchen, living room)</p> <p>Placement locations of electrical outlets: beside window, bottom of stairways, beside toilet, above external doors (outside and inside), on front face of kitchen counter, within proximity of control centre for smart home options.</p> <p>Upgrade to four-plex outlets in master bedroom, home office, garage, and recreation room.</p>
Windows	
Outlets & Switches	

NOTES:



2023-10-03	C	DP RESUBMISSION
2023-09-14	F	DP RESUBMISSION
2023-07-18	E	DP RESUBMISSION
2023-03-27	D	DP RESUBMISSION
2023-11-09	C	RESUBMISSION AFTER ACP COMMENTS
2022-01-06	B	SUBMISSION FOR ACP DP17-790086
2022-06-20	A	DP RESUBMISSION

df

SHELLBRIDGE  
AND BRITISH COLUMBIA  
CANADA  
T 604 F 604

PROJECT:  
12 UNIT TOWNHOUSE DEVELOPMENT  
9291 & 9311 NO. 2 RD,  
RICHMOND, B.C.


CLIENT:  
SATNAM JOHAL

COPYRIGHT RESERVED. THIS PLAN AND DESIGN ARE, AND AT ALL TIMES REMAIN THE EXCLUSIVE PROPERTY OF DF ARCHITECTURE INC. AND CANNOT BE USED OR REPRODUCED WITHOUT THE ARCHITECT'S WRITTEN CONSENT.

DRAWN BY	SA
CHECKED BY	SA
SCALE	3/16" = 1'-0"
JOB NO.	RCM-033
DATE	SEPT 2023
SHEET TITLE	

CONVERTIBLE UNIT

DRAWING NO.:  
**A-327**  
G



1 UNIT D1 LEVEL 1  
A-327 SCALE: 3/16" = 1'-0"

2 UNIT D1 LEVEL 2  
A-327 SCALE: 3/16" = 1'-0"

SRE-3000  
DISTANCE FROM WALL - SEAT SWIVELED

**TECHNICAL DATA/SPECIFICATION**  
MODEL: SRE-3000 ELAN STRAIGHT RAIL STAIRLIFT PRIVATE RESIDENCE ONLY  
RATED LOAD: 300 LBS. ONE PASSENGER  
POWER SOURCE: 24 VOLT DC COMPLETED OF (2) 3 AMP/Hr 12 VOLT SEALED BATTERIES  
165 250 VOLT AC/0.6 AMP, 24 VOLT DC 1 AMP CONTINUOUS MONITORING CHARGER  
DRIVE: 24 VOLT DC DIRECT DRIVE SELF-LOCKING POSITIVE GEARED MOTOR  
2 POLE RATED .75 HP MAX. RIGHT ANGLE WORM GEARBOX  
50mm (42mm) TORQUE MAX. 25.5 RPM SPEED MAX.  
16 AMP CURRENT MAX.  
SUSPENSION: BACK & FRONT INTEGRATED ROP GEAR RACK ON RAIL WITH SPUR GEAR ON THE OUTPUT SHAFT OF GEARBOX.  
BRAKING: DYNAMIC MOTOR BRAKING THROUGH THE MOTOR CONTROLLER WORM GEAR. ELECTRO-MECHANICAL MOTOR BRAKE AND OVERSPEED PROTECTION.  
CONTROLS: CONTINUOUS PRESSURE ROCKER SWITCH LOCATED ON THE HANDRAIL AND WALL MOUNTED CALLUS-PROOF CONTROLS LOCATED AT BOTH THE TOP AND BOTTOM LANDINGS.  
ANGLES: 22 TO 45 DEGREES (SPECIALS UP TO 52 DEGREES) RIGHT OR LEFT HAND ORIENTATIONS.  
FINAL UNIT SWITCH: STANDARD



ILS-01345  
SHEET 1 OF 3  
REV. 1 (6456)(9/01/17)(BHM)

1780 Executive Drive  
Oconomowoc, WI 53066  
Tel 800-882-8181  
Fax 262-953-5301  
www.bruno.com

ILS-01345  
SHEET 2 OF 3  
REV. 1 (6456)(9/01/17)(BHM)

1780 Executive Drive  
Oconomowoc, WI 53066  
Tel 800-882-8181  
Fax 262-953-5301  
www.bruno.com

ILS-01345 Folding Rail  
SHEET 3 OF 3  
REV. 1 (6456)(9/01/17)(BHM)

1780 Executive Drive  
Oconomowoc, WI 53066  
Tel 800-882-8181  
Fax 262-953-5301  
www.bruno.com

1780 Executive Drive  
Oconomowoc, WI 53066  
Tel 800-882-8181  
Fax 262-953-5301  
www.bruno.com

BRUNO  
Bruno Independent Living Aids, Inc.

DP 17-790086

REFERENCE PLAN

October 4, 2023